

Platinum Temperature Sensor Pt 1K

Platinum resistor is made of thin film technology on alumina ceramics. Meander is created in a thin layer of platinum and laser trimming at very precise resistance value. The sensor is covered with a dielectric passivation layer that protects the measuring structure against mechanical and chemical damage.

Nominal Resistance R_0 : 1000 Ω at 0 °C

Tolerance: DIN EN 60 751


class F 0.1	$\pm (0.10 + 0.0017 t)$ °C	-50 °C to +150 °C
class F 0.15	$\pm (0.15 + 0.0020 t)$ °C	-90 °C to +300 °C
class F 0.3	$\pm (0.30 + 0.0050 t)$ °C	-200 °C to +600 °C

Specification: DIN EN 60 751

Temperature range: -200 to 400 °C

Temperature coefficient: TCR = 3850 ppm/K

Leads: Ag wire \varnothing 0.25 mm
 Recommend connection technology:
 Welding. Crimping



Lead lengths: 10 \pm 2 mm (Customer specification)

Long-Term Stability: The change of resistance after 1 000 hours at maximum operating temperature amounts to less than 0.1%.

Self-heating: 0.4 K/mW at 0 °C

Response time:

Water current ($v = 0.4$ m/s)	$t_{0.5} = 0.08$ s
	$t_{0.9} = 0.25$ s
Air flow ($v = 2$ m/s)	$t_{0.5} = 3.5$ s
	$t_{0.9} = 17.0$ s

Measuring current: 0.1 to 1 mA



Tested: rapid change in temperature -30 °C / 200 °C
 constant humid heat 21 days 85 °C / 85 % RH
 vibration (sin) 10 Hz – 500 Hz. 3 g. 1 okt/min. 75 h in axis X + 75 h in axis Y,
 tensile strength of outlets

Temperature Dependence of Resistance

The function determines the relationship between the electrical resistance and the temperature.

$$\begin{aligned} R &= 1000 (1 + At + Bt^2 + C (t - 100) t^3) && \text{in range } -200 \text{ }^\circ\text{C to } 0 \text{ }^\circ\text{C} \\ R &= 1000 (1 + At + Bt^2) && \text{in range } 0 \text{ }^\circ\text{C to } 400 \text{ }^\circ\text{C} \end{aligned}$$


$$\begin{aligned} \text{where: } A &= 3.9083 \cdot 10^{-3} \text{ }^\circ\text{C}^{-1} \\ B &= -5.7750 \cdot 10^{-7} \text{ }^\circ\text{C}^{-2} \\ C &= -4.1830 \cdot 10^{-12} \text{ }^\circ\text{C}^{-4} \end{aligned}$$

t = temperature in accordance with ITS 90

Tolerance fields

- Deviation of the accuracy class according to DIN EN 60 751

t [°C]	R [Ω]	class F 0.10		class F 0.15		class F 0.3	
		Δt [°C]	ΔR [Ω]	Δt [°C]	ΔR [Ω]	Δt [°C]	ΔR [Ω]
-200	185.20					1.300	5.617
-100	602.56			0.350	1.418	0.800	3.242
-50	803.06	0.185	0.735	0.250	0.993	0.550	2.184
0	1000.00	0.100	0.391	0.150	0.586	0.300	1.172
50	1193.97	0.185	0.712	0.250	0.963	0.550	2.118
100	1385.06	0.270	1.024	0.350	1.327	0.800	3.034
200	1758.56			0.550	2.022	1.300	4.780
300	2120.52			0.750	2.671	1.800	6.409
400	2470.92					2.300	7.923



Resistor Table

- Relative values of resistivity in steps of 1 °C ($R_{xxx} = \text{Relative Value} \cdot R_0$)

t [°C]	0	-1	-2	-3	-4	-5	-6	-7	-8	-9
-200	0.185	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
-190	0.228	0.224	0.220	0.215	0.211	0.207	0.202	0.198	0.194	0.190
-180	0.271	0.267	0.262	0.258	0.254	0.250	0.245	0.241	0.237	0.233
-170	0.313	0.309	0.305	0.301	0.296	0.292	0.288	0.284	0.279	0.275
-160	0.355	0.351	0.347	0.343	0.339	0.334	0.330	0.326	0.322	0.318
-150	0.397	0.393	0.389	0.385	0.381	0.376	0.372	0.368	0.364	0.360
-140	0.439	0.435	0.430	0.426	0.422	0.418	0.414	0.410	0.406	0.401
-130	0.480	0.476	0.472	0.468	0.464	0.459	0.455	0.451	0.447	0.443
-120	0.521	0.517	0.513	0.509	0.505	0.501	0.496	0.492	0.488	0.484
-110	0.562	0.558	0.554	0.550	0.546	0.542	0.537	0.533	0.529	0.525
-100	0.603	0.599	0.594	0.590	0.586	0.582	0.578	0.574	0.570	0.566
-90	0.643	0.639	0.635	0.631	0.627	0.623	0.619	0.615	0.611	0.607
-80	0.683	0.679	0.675	0.671	0.667	0.663	0.659	0.655	0.651	0.647
-70	0.723	0.719	0.715	0.711	0.707	0.703	0.699	0.695	0.691	0.687
-60	0.763	0.759	0.755	0.751	0.747	0.743	0.739	0.735	0.731	0.727
-50	0.803	0.799	0.795	0.791	0.787	0.783	0.779	0.775	0.771	0.767
-40	0.843	0.839	0.835	0.831	0.827	0.823	0.819	0.815	0.811	0.807
-30	0.882	0.878	0.874	0.870	0.866	0.862	0.859	0.855	0.851	0.847
-20	0.922	0.918	0.914	0.910	0.906	0.902	0.898	0.894	0.890	0.886
-10	0.961	0.957	0.953	0.949	0.945	0.941	0.937	0.933	0.929	0.926
0	1.000	0.996	0.992	0.988	0.984	0.980	0.977	0.973	0.969	0.965

t [°C]	0	1	2	3	4	5	6	7	8	9
0	1.000	1.004	1.008	1.012	1.016	1.020	1.023	1.027	1.031	1.035
10	1.039	1.043	1.047	1.051	1.055	1.058	1.062	1.066	1.070	1.074
20	1.078	1.082	1.086	1.090	1.093	1.097	1.101	1.105	1.109	1.113
30	1.117	1.121	1.124	1.128	1.132	1.136	1.140	1.144	1.148	1.152
40	1.155	1.159	1.163	1.167	1.171	1.175	1.179	1.182	1.186	1.190
50	1.194	1.198	1.202	1.206	1.209	1.213	1.217	1.221	1.225	1.229
60	1.232	1.236	1.240	1.244	1.248	1.252	1.255	1.259	1.263	1.267
70	1.271	1.275	1.278	1.282	1.286	1.290	1.294	1.298	1.301	1.305
80	1.309	1.313	1.317	1.320	1.324	1.328	1.332	1.336	1.339	1.343
90	1.347	1.351	1.355	1.358	1.362	1.366	1.370	1.374	1.377	1.381
100	1.385	1.389	1.393	1.396	1.400	1.404	1.408	1.412	1.415	1.419
110	1.423	1.427	1.430	1.434	1.438	1.442	1.446	1.449	1.453	1.457
120	1.461	1.464	1.468	1.472	1.476	1.480	1.483	1.487	1.491	1.495
130	1.498	1.502	1.506	1.510	1.513	1.517	1.521	1.525	1.528	1.532
140	1.536	1.540	1.543	1.547	1.551	1.555	1.558	1.562	1.566	1.570

150	1.573	1.577	1.581	1.584	1.588	1.592	1.596	1.599	1.603	1.607
160	1.611	1.614	1.618	1.622	1.625	1.629	1.633	1.637	1.640	1.644
170	1.648	1.651	1.655	1.659	1.663	1.666	1.670	1.674	1.677	1.681
180	1.685	1.688	1.692	1.696	1.700	1.703	1.707	1.711	1.714	1.718
190	1.722	1.725	1.729	1.733	1.736	1.740	1.744	1.748	1.751	1.755
200	1.759	1.762	1.766	1.770	1.773	1.777	1.781	1.784	1.788	1.792
210	1.795	1.799	1.803	1.806	1.810	1.814	1.817	1.821	1.825	1.828
220	1.832	1.836	1.839	1.843	1.846	1.850	1.854	1.857	1.861	1.865
230	1.868	1.872	1.876	1.879	1.883	1.887	1.890	1.894	1.897	1.901
240	1.905	1.908	1.912	1.916	1.919	1.923	1.926	1.930	1.934	1.937
250	1.941	1.945	1.948	1.952	1.955	1.959	1.963	1.966	1.970	1.974
260	1.977	1.981	1.984	1.988	1.992	1.995	1.999	2.002	2.006	2.010
270	2.013	2.017	2.020	2.024	2.028	2.031	2.035	2.038	2.042	2.045
280	2.049	2.053	2.056	2.060	2.063	2.067	2.071	2.074	2.078	2.081
290	2.085	2.088	2.092	2.096	2.099	2.103	2.106	2.110	2.113	2.117
300	2.121	2.124	2.128	2.131	2.135	2.138	2.142	2.145	2.149	2.153
310	2.156	2.160	2.163	2.167	2.170	2.174	2.177	2.181	2.184	2.188
320	2.192	2.195	2.199	2.202	2.206	2.209	2.213	2.216	2.220	2.223
330	2.227	2.230	2.234	2.237	2.241	2.244	2.248	2.252	2.255	2.259
340	2.262	2.266	2.269	2.273	2.276	2.280	2.283	2.287	2.290	2.294
350	2.297	2.301	2.304	2.308	2.311	2.315	2.318	2.322	2.325	2.329
360	2.332	2.336	2.339	2.343	2.346	2.350	2.353	2.357	2.360	2.364
370	2.367	2.370	2.374	2.377	2.381	2.384	2.388	2.391	2.395	2.398
380	2.402	2.405	2.409	2.412	2.416	2.419	2.423	2.426	2.429	2.433
390	2.436	2.440	2.443	2.447	2.450	2.454	2.457	2.461	2.464	2.467
400	2.471									

Typical Properties:

small size
 long-term stability
 short thermal response time
 negligible self-heating
 easy interchangeability

Possible Applications:

heating
 air conditioning. ventilation
 household devices
 automotive industry
 food processing
 meteorology
 measuring
 testing and inspection equipment