

# SCREEN MOUNTS & BRACKETS BY SPEAKA PROFESSIONAL



# MONITOR BRACKETS

These days, PCs connected to multiple screens or one large-size monitor are pretty much standard both at the office and when working from home. However, monitor stands tend to take up a lot of space you could otherwise put to better use. This is where desk and wall mounts come in that take screens „off“ the worktop. Moreover, these brackets are both swivel-mount and tiltable, hence enable choosing a viewing distance that suits you.



## MONITOR BRACKETS

Product ID	Similar item shown	Screen size	Tilt angle up/down	Swivel angle left/right	Mount type	Features	Max. load	Dimensions W x H x D
2564730-NP	1	33 cm (13") - 68.6 cm (27")	–	–	Fixed	Close to the wall 12.5 mm clearance	25 kg	115 x 115 x 12.5 mm
2564732-NP	1	58.4 cm (23") - 106.7 cm (42")	–	–	Fixed	Close to the wall 13 mm clearance	25 kg	230 x 230 x 13 mm
2564731-NP	1	33 cm (13") - 68.6 cm (27")	6° / 9°	–	Tiltable	Toolless tilting option	25 kg	115 x 115 x 34 mm
1503010-NP	2	33.0 cm (13") - 68.6 cm (27")	7.5° / 7.5°	25° / 45°	Tiltable · Swivelling	50-degree swivel around one joint	25 kg	115 x 115 x 76 mm
1611101-NP	2	33.0 cm (13") - 76.2 cm (30")	15° / 15°	90° / 90°	Tiltable · Swivelling	Silver	23 kg	158 x 120 x 80 mm
2373313-NP	2	33.0 cm (13") - 76.2 cm (30")	55° / 35°	25° / 45°	Tiltable · Swivelling	Lockable mount	15 kg	158 x 117 x 85 mm
2368696-NP	2	33.0 cm (13") - 76.2 cm (30")	55° / 35°	45° / 45°	Tiltable · Swivelling	Silver	15 kg	158 x 117 x 85 mm
1611102-NP	2	33.0 cm (13") - 76.2 cm (30")	15° / 15°	90° / 90°	Tiltable · Swivelling	Short articulate joint with low clearance	23 kg	158 x 122 x 80 mm
2373314-NP	3	33.0 cm (13") - 76.2 cm (30")	55° / 35°	90° / 90°	Tiltable · Swivelling	Folding	15 kg	232 x 117 x 200 mm
2368697-NP	3	33.0 cm (13") - 76.2 cm (30")	55° / 35°	90° / 90°	Tiltable · Swivelling	Folding · Silver	15 kg	232 x 117 x 200 mm
1611100-NP	4	33.0 cm (13") - 76.2 cm (30")	15° / 15°	90° / 90°	Tiltable · Swivelling	Folding · Extendable	15 kg	195 x 160 x 47 mm
2373312-NP	4	33.0 cm (13") - 76.2 cm (30")	55° / 35°	90° / 90°	Tiltable · Swivelling	Folding · Extendable	15 kg	117 x 244 x 385 mm
2362147-NP	4	33.0 cm (13") - 76.2 cm (30")	55° / 35°	90° / 90°	Tiltable · Swivelling	Folding · Extendable · Silver	15 kg	117 x 244 x 385 mm
1628713-NP	4	33.0 cm (13") - 76.2 cm (30")	15° / 15°	90° / 90°	Tiltable · Swivelling	Folding · Extendable · Silver	15 kg	195 x 16 x 47 mm
1211122-NP	4	25.4 cm (10") - 81.3 cm (32")	5° / 15°	90° / 90°	Tiltable · Swivelling	Folding · Extendable	15 kg	290 x 190 x 60 mm

N.B.: More details about returning old batteries and rechargeables are available at [conrad.com](http://conrad.com). For more deals and the latest information, please visit our online shop at [conrad.com](http://conrad.com).



## MONITOR BRACKETS (DESK-MOUNT)

Product ID	2353666-NP	416081-NP	2356117-NP	2350440-NP	2350240-NP	2356118-NP	2348174-NP	416078-NP
Screen size	33.8 cm (13.3") - 81.3 cm (32")	33.0 cm (13") - 61.0 cm (24")	43.2 cm (17") - 81.3 cm (32")	43.2 cm (17") - 81.3 cm (32")	33.0 cm (13") - 81.3 cm (32")	43.2 cm (17") - 68.6 cm (27")	43.2 cm (17") - 81.3 cm (32")	33.0 cm (13") - 55.9 cm (22")
No. of screens	2	3	1	2	2, or 1 + laptop	3	4	1
Tilt angle up/down	45° / 45°	0° / 0°	35° / 35°	35° / 35°	45° / 45°	25° / 25°	35° / 35°	90° / 90°
Swivel angle left / right	45° / 45°	90° / 90°	90° / 90°	90° / 90°	45° / 45°	90° / 90°	90° / 90°	90° / 90°
Bracket type	Tiltable · Swivelling · Rotary · Selectable height	Selectable height · Swivelling · Rotary	Tiltable · Swivelling · Rotary · Selectable height	Tiltable · Swivelling · Rotary · Selectable height	Tiltable · Swivelling · Rotary · Selectable height	Tiltable · Swivelling · Rotary · Selectable height	Tiltable · Swivelling · Rotary · Selectable height	Tiltable · Swivelling · Rotary
Features	360° rotary VESA plate	360° rotary VESA plate	Cable management	Cable management	Notebook-halterung	Cable management	Cable management	Extendable
Max. worktop thickness	88 mm	90 mm	88 mm	88 mm	88 mm	88 mm	88 mm	90 mm
Height range	0 - 88 cm	31.8 - 42 cm	4 cm - 37 cm	4 cm - 37 cm	0 - 44 cm	4-37 cm	4 - 76.5 cm	28.3 - 33.3 cm
Mounting method	Clamps Threaded	Clamps Threaded	Clamps Threaded	Clamps Threaded	Clamps Threaded	Clamps Threaded	Clamps Threaded	Clamps Threaded
Max. load	8 kg	24 kg	9 kg	9 kg	8 kg	7 kg	9 kg	10 kg
Dimensions W x H x D	114 x 988 x 148 mm	142 x 65 x 10.5 cm	114 x 514 x 556 mm	874 x 556 x 134 mm	1006 x 548 x 356 mm	1394 x 556 x 167 mm	956 x 874 x 113 mm	310 x 550 x 115 mm



## MONITOR BRACKETS (WALL-MOUNT)

Product ID	2612645-NP	2588303-NP	2559780-NP	2559779-NP
Screen size	43.2 cm (17") - 81.3 cm (32")	33.0 cm (13") - 68.6 cm (27")	33.0 cm (13") - 81.3 cm (32")	33.0 cm (13") - 68.6 cm (27")
No. of screens	1	1	1	2
Tilt angle up/down	35° / 35°	90° / 85°	15° / 15°	45° / 45°
Swivel angle left / right	90° / 90°	90° / 90°	90° / 90°	15° / 15°
Bracket type	Tiltable · Swivelling · Rotary · Selectable height	Tiltable · Swivelling · Rotary · Selectable height	Tiltable · Swivelling · Rotary · Selectable height	Tiltable · Swivelling · Rotary
Features	Keyboard support tray	Folding · PC mount · Keyboard support tray	Folding keyboard support tray · Additional tray	Modular, fully articulated wall mount
Mounting method	Wall mount	Wall mount	Wall mount	Wall mount
Max. load	8 kg	6 kg	8 kg	20 kg
Dimensions W x H x D	654 x 1066 x 635 mm	600 x 730 x 238 mm	666 x 790 x 955 mm	800 x 252 x 489 mm

**i Please note:**  
All products on this list are hydraulic.



### MONITOR ARMS

Product ID	2731200-NP	2731202-NP	2731201-NP	2731203-NP
Display size	43.2 cm (17") - 81.3 cm (32")	33.0 cm (13") - 81.3 cm (32")	43.2 cm (17") - 81.3 cm (32")	33.0 cm (13") - 81.3 cm (32")
VESA standard	75 x 75 mm · 100 x 100 mm	75 x 75 mm · 100 x 100 mm	75 x 75 mm · 100 x 100 mm	75 x 75 mm · 100 x 100 mm
No. of screens	1	1	2	2
Tilt angle up / down	90° / 45°	90° / 90°	90° / 45°	90° / 90°
Swivel angle left / right	90° / 90°	90° / 90°	90° / 90°	90° / 90°
Bracket type	Selectable height · Tilttable · Swivelling · Rotary	Selectable height · Tilttable · Swivelling · Rotary	Selectable height · Tilttable · Swivelling · Rotary	Selectable height · Tilttable · Swivelling · Rotary
Max. worktop thickness	85 mm	85 mm	85 mm	85 mm
Mounting method	Clamps / Threaded	Clamps / Threaded	Clamps / Threaded	Clamps / Threaded
Colour	Black	Silver	Black	Silver
Max. load	9 kg	9 kg	9 kg	9 kg
Dimensions W x H x D	468 x 570 x 117 mm	590 x 665 x 115 mm	112 x 570 x 942 mm	125 x 670 x 1100 mm



### MONITOR ARMS

Product ID	406188-NP	406206-NP	406231-NP	2523221-NP	2523220-NP
Display size	25.4 cm (10") - 76.2 cm (30")	25.4 cm (10") - 68.6 cm (27")	25.4 cm (10") - 76.2 cm (30")	43.2 cm (17") - 81.3 cm (32")	43.2 cm (17") - 81.3 cm (32")
VESA standard	75 x 75 mm · 100 x 100 mm	75 x 75 mm · 100 x 100 mm	75 x 75 mm · 100 x 100 mm	75 x 75 mm · 100 x 100 mm	75 x 75 mm · 100 x 100 mm
No. of screens	1	4	1	1	1
Tilt angle up / down	90° / 15°	90° / 15°	90° / 15°	50° / 20°	50° / 20°
Swivel angle left / right	180° / 180°	180° / 180°	180° / 180°	30° / 30°	30° / 30°
Height range	0 - 200 mm	0 - 200 mm	0 - 160 mm	375 - 555 mm	375 - 555 mm
Rotation	90°	360°	90°	-	-
Bracket type	Selectable height · Tilttable · Swivelling · Rotary	Selectable height · Tilttable · Swivelling · Rotary	Selectable height · Tilttable · Swivelling · Rotary	Selectable height · Swivelling · Tilttable	Selectable height · Swivelling · Tilttable
Features	Two mounting options	Two mounting options	Two mounting options · Suitable for Apple monitors	10 Height selections · 360° rotation VESA plate	10 Height selections · 360° rotation VESA plate
Max. worktop thickness	110 mm	110 mm	110 mm	-	-
Mounting method	Clamps / Threaded	Clamps / Threaded	Clamps / Threaded	-	-
Max. load	14 kg	45 kg	14 kg	8 kg	8 kg
Dimensions W x H x D	114 x 330 x 350 mm	270 x 345 x 885 mm	114 x 570 x 330 mm	320 x 555 x 215 mm	320 x 555 x 215 mm

N.B.: More details about returning old batteries and rechargeables are available at conrad.com. For more deals and the latest information, please visit our online shop at conrad.com.



**Please note:**  
All products on this list  
are hydraulic.



## MONITOR ARMS

Product ID	2623286-NP	2731204-NP	2623285-NP	2626621-NP
Display size	43.2 cm (17") - 81.3 cm (32")	33.0 cm (13") - 81.3 cm (32")	43.2 cm (17") - 81.3 cm (32")	43.2 cm (17") - 88.9 cm (35")
VESA standard	75 x 75 mm · 100 x 100 mm	75 x 75 mm · 100 x 100 mm	75 x 75 mm · 100 x 100 mm	75 x 75 mm · 100 x 100 mm
No. of screens	1	3	2	2
Tilt angle up / down	45° / 45°	90° / 90°	45° / 45°	45° / 45°
Swivel angle left / right	90° / 90°	90° / 90°	90° / 90°	90° / 90°
Rotation	180°	90°	180°	180°
Bracket type	Selectable height · Tilttable · Swivelling · Rotary	Selectable height · Tilttable · Swivelling · Rotary	Selectable height · Tilttable · Swivelling · Rotary	Selectable height · Tilttable · Swivelling · Rotary
Features	Built-in docking station	Built-in USB/audio ports	Built-in docking station	Built-in docking station
Anschlüsse	2x USB 3.0 (5 Gbps) · 1x HDMI 2.0 (4K@60 Hz) · 1x Gigabit Ethernet (1000 Mbps) · 1x USB C <sup>®</sup> PD (supports up to 100 W, 20 V 5 A)	1x USB 3.0 · 1x audio/mic port · 3.5 mm jack	3x USB 3.0 (5 Gbps) · 2x HDMI 2.0 (4K@60 Hz) · 1x Gigabit Ethernet (1000 Mbps) · 1x USB C <sup>®</sup> PD (supports up to 100 W, 20 V 5 A)	3x USB 3.0 (5 Gbps) · 2x HDMI 2.0 (4K@60 Hz) · 1x Gigabit Ethernet (1000 Mbps) · 1x USB C <sup>®</sup> PD (supports up to 100 W, 20 V 5 A)
Max. worktop thickness	85 mm	85 mm	85 mm	85 mm
Mounting method	Clamps	Clamps / Threaded	Clamps	Clamps
Max. load	9 kg	7 kg	9 kg	15 kg
Dimensions W x H x D	117 x 520 x 555 mm	190 x 700 x 1530 mm	1018 x 115 x 560 mm	128 x 750 x 1130 mm



## MONITOR ARMS


Product ID	406200-NP	986891-NP	986892-NP	989269-NP
Display size	25.4 cm (10") - 68.6 cm (27")	25.4 cm (10") - 68.6 cm (27")	25.4 cm (10") - 68.6 cm (27")	25.4 cm (10") - 68.6 cm (27")
VESA standard	75 x 75 mm · 100 x 100 mm	75 x 75 mm · 100 x 100 mm	75 x 75 mm · 100 x 100 mm	75 x 75 mm · 100 x 100 mm
No. of screens	2	1	2	4
Tilt angle up / down	90° / 15°	90° / 15°	90° / 15°	90° / 15°
Swivel angle left / right	180° / 180°	180° / 180°	180° / 180°	180° / 180°
Rotation	360°	360°	360°	360°
Bracket type	Selectable height · Tilttable · Swivelling · Rotary	Selectable height · Tilttable · Swivelling · Rotary	Selectable height · Tilttable · Swivelling · Rotary	Selectable height · Tilttable · Swivelling · Rotary
Features	Two mounting options	Seamless height selection	Two mounting options	Two mounting options
Max. worktop thickness	110 mm	110 mm	110 mm	90 mm
Mounting method	Clamps / Threaded	Clamps	Clamps / Threaded	Clamps / Threaded
Max. load	9 kg	9 kg	18 kg	45 kg
Dimensions W x H x D	136 x 452 x 378 mm	114 x 760 x 480 mm	735 x 540 x 1180 mm	1180 x 1124 x 540 mm

# TV BRACKETS

These days, not everyone is always able to attend important meetings or presentations in person. Oftentimes, joining meetings via video link with the feed displayed on a large monitor or screen represents a valid since more efficient solution. This is why Speaka Professional supply a wide range of tiltable and swivel-mounted TV brackets as opposed to fixed and, hence, inflexible versions. Benefit from technical designs that meet your individual mounting needs and user scenarios.



Example of use as a TV mount



Example of use as a TV mount

## TV BRACKETS


Product ID	1661151-NP	1661152-NP
Display size	33.0 cm (13") - 94.0 cm (37")	94.0 cm (37") - 177.8 cm (70")
Floor clearance max. / min.	41 / 35 cm	73 / 59 cm
Bracket type	Fixed / selectable height	Fixed / selectable height
Features	Spare base · Integrated cable management	Spare base · Integrated cable management
Max. load	35 kg	35 kg
Dimensions W x H x D	24.3 x 41 x 32.3 cm	44.3 x 41 x 42.3 cm



## TV BRACKETS

Product ID	1525416-NP	2464455-NP	2359417-NP	629563-NP	1976298-NP	2197492-NP
Display size	81.3 cm (32") - 139.7 cm (55")	58.4 cm (23") - 139.7 cm (55")	94.0 cm (37") - 203.2 cm (80")	43.2 cm (17") - 94.0 cm (37")	81.3 cm (32") - 165.1 cm (65")	81.3 cm (32") - 139.7 cm (55")
Tilt angle up / down	5° / 10°	5° / 10°	10° / 7°	30° / 90°	15° / 5°	0° / 0°
Swivel angle left / right	45° / 45°	35° / 35°	0° / 0°	50° / 50°	0° / 0°	0° / 0°
Height range	58.2 cm, 65.2 cm, 72.2 cm	58.2 cm, 65.2 cm, 72.2 cm	111.5 - 141.5 cm	15 - 29 cm	86 - 150 cm	-
Bracket type	Tiltable · Swivelling	Swivelling · Selectable height	Tiltable · Selectable height	Swivelling	Tiltable	Wheeled
Features	Height selectable in three increments	Height selectable in three increments	Selectable height · Incremental tray height selection	Selectable height · Locking mechanism	Selectable height · Suitable for 2 TVs	Folding · Portable · Enables portrait / landscape orientation
Mounting method	Base	Base	Floor stand	Ceiling mount	Ceiling mount	Floor stand
Max. load	40 kg	40 kg	40 kg	20 kg	35 kg	50 kg
Dimensions W x H x D	60 x 72.2 x 28 cm	260 x 609 x 430 mm	700 x 520 x 1618 mm	-	885 x 345 x 140 mm	440 x 1030 x 465 mm

N.B.: More details about returning old batteries and rechargeables are available at [conrad.com](http://conrad.com). For more deals and the latest information, please visit our online shop at [conrad.com](http://conrad.com).




## TV BRACKETS

Product ID	Similar item shown	Display size	Tilt angle up / down	Swivel angle left / right	Wall clearance max. / min.	Bracket type	Features	Max. load	Dimensions W x H x D
1089871-NP	1	35.6 cm (14") - 106.7 cm (42")	0° / 0°	0° / 0°	2 / 2 cm	Fixed	Extra-slim Design, 20 mm wall clearance	25 kg	283 x 208 x 25 mm
989272-NP	1	81.3 cm (32") - 152.4 cm (60")	0° / 0°	0° / 0°	1.6 / 1.6 cm	Fixed	Built-in level · Small wall clearance of 16 mm	45 kg	650 x 430 x 130 mm
1089870-NP	2	43.2 cm (17") - 94.0 cm (37")	0° / 15°	0° / 0°	6 / 1.8 cm	Tiltable	Built-in level	50 kg	343 x 149 x 18 mm
989273-NP	2	81.3 cm (32") - 160.0 cm (63")	0° / 15°	0° / 0°	7.9 / 7.9 cm	Tiltable	Knurl head screws	75 kg	810 x 500 x 78 mm
629571-NP	2	94.0 cm (37") - 177.8 cm (70")	10° / 10°	0° / 0°	6.8 / 6.8 cm	Tiltable	Built-in level · Suitable for Curved TVs · Toolless selection of tilt angles	75 kg	665 x 440 x 68 mm
2747709-NP	2	94.0 cm (37") - 203.2 cm (80")	0° / 8°	0° / 0°	- / 2 cm	Tiltable	Low wall clearance of 20 mm	45 kg	650 x 418 x 20 mm
527503-NP	2	106.7 cm (42") - 203.2 cm (80")	5° / 15°	0° / 0°	6.3 / 6.3 cm	Tiltable	Built-in level	100 kg	845 x 430 x 70 mm
1232719-NP	3	33.0 cm (13") - 68.6 cm (27")	15° / 15°	90° / 90°	40.8 / 8.8 cm	Tiltable · Swivelling · Rotary · Extensible	Locking mechanism	15 kg	408 x 160 x 88 mm
1342483-NP	3	58.4 cm (23") - 106.7 cm (42")	3° / 12°	180° / 180°	40.8 / 6.5 cm	Tiltable · Swivelling · Rotary · Extensible	Folding · Extensible	25 kg	224 x 200 x 20 mm
2362835-NP	3	58.4 cm (23") - 139.7 cm (55")	5° / 8°	90° / 90°	51.2 / 5.8 cm	Tiltable · Swivelling · Rotary · Extensible	Folding · Extensible	35 kg	512 x 435 x 435 mm
527504-NP	3	66.0 cm (26") - 139.7 cm (55")	5° / 15°	90° / 90°	55.5 / 7.8 cm	Tiltable · Swivelling · Rotary · Extensible	Folding · Extensible	45 kg	640 x 430 x 80 mm
989930-NP	3	81.3 cm (32") - 165.1 cm (65")	5° / 15°	90° / 90°	54.5 / 8 cm	Tiltable · Swivelling	Extensible · Built-in level	55 kg	558 x 225 x 80 mm
2266943-NP	4	81.3 cm (32") - 177.8 cm (70")	15° / 7°	60° / 60°	47.5 / 4.1 cm	Tiltable · Swivelling · Extensible	Two-armed for flexible viewing angles	45 kg	515 x 430 x 475 mm
1616197-NP	4	106.7 cm (42") - 213.4 cm (84")	5° / 15°	45° / 45°	39 / 8 cm	Tiltable · Swivelling · Extensible	Twin arm ensures maximum flexibility	45 kg	635 x 420 x 80 mm
1232718-NP	5	94.0 cm (37") - 177.8 cm (70")	8° / 12°	90° / 90°	68 / 4.5 cm	Tiltable · Swivelling · Rotary · Extensible	Extensible	40 kg	648 x 400 x 680 mm

# MOTORISED TV BRACKETS

Speaka Professional specialise in high-quality audio-video components and accessories aimed at meeting rooms and conference venues. These include motorised TV brackets designed to be fitted inside furniture, and to be electrically operated whenever you need them. What's more, the company supplies motorised wall and ceiling brackets, too. They provide a neat and space-saving solution for everything that involves remotely moving a flatscreen in the position you want it to be.




## SPEAKA PROFESSIONAL SP-MLS-500 TV BRACKET



Groundbreaking lifting design for an entirely new way of cabinet fitting

Programmable position memory

Can be fitted to the inside of office cabinets / sideboards



Selectable height



Remote control

### FLOOR-STANDING BRACKET

<b>Product ID</b>	<b>2197502-NP</b>
<b>Display size</b>	94.0 cm (37") - 165.1 cm (65")
<b>VESA</b>	200 x 200 mm · 300 x 300 mm · 400 x 200 mm · 400 x 400 mm · 600 x 400 mm
<b>Tilt angle up / down</b>	0° / 0°
<b>Swivel angle left / right</b>	0° / 0°
<b>Bracket type</b>	motorised height adjustment
<b>Remote control</b>	Remote control
<b>Max. load</b>	50 kg
<b>Dimensions</b>	660 x 1910 x 215 mm

N.B.: More details about returning old batteries and rechargeables are available at [conrad.com](http://conrad.com). For more deals and the latest information, please visit our online shop at [conrad.com](http://conrad.com).





**Please note:**  
All products shown on this page are electrically operated.

- Tilt ultra-slim TVs without leaving your desk
- Ideal for pitched roofs and ceilings

- Flip-Down design for spacesaving storage
- Bluetooth®
- Tuya compatibility

- Flip-Down design for spacesaving storage
- Bluetooth®
- Tuya compatibility



Example of use



### CEILING MOUNT

Product ID	1439178-NP	2531304-NP	2531305-NP
Display size	58.4 cm (23") - 139.7 cm (55")	58.4 cm (23") - 139.7 cm (55")	81.3 cm (32") - 177.8 cm (70")
VESA	200 x 200 mm · 300 x 300 mm · 400 x 200 mm · 400 x 400 mm	100 x 100 mm · 200 x 200 mm · 300 x 300 mm · 400 x 200 mm · 400 x 400 mm	200 x 100 mm · 200 x 200 mm · 200 x 400 mm · 300 x 200 mm · 300 x 300 mm · 400 x 200 mm · 400 x 300 mm · 400 x 400 mm · 600 x 400 mm
Tilt angle up / down	0° / 75°	0° / 75°	0° / 75°
Swivel angle left / right	3° / 3°	3° / 3°	2° / 2°
Bracket type	motorised flip-down	motorised flip-down	motorised flip-down
Remote control	Remote control	Remote control · App-controlled	Remote control · App-controlled
Max. load	30 kg	30 kg	35 kg

Programmable position memory

Accurate cable management



### WALL MOUNT

Product ID	2559782-NP	2559781-NP
Display size	94.0 cm (37") - 177.8 cm (70")	81.3 cm (32") - 190.5 cm (75")
VESA	200 x 100 mm · 200 x 200 mm · 300 x 200 mm · 300 x 300 mm · 400 x 200 mm · 400 x 300 mm · 400 x 400 mm · 600 x 400 mm	200 x 200 mm · 200 x 300 mm · 200 x 400 mm · 300 x 200 mm · 300 x 300 mm · 300 x 400 mm · 400 x 200 mm · 400 x 300 mm · 400 x 400 mm · 600 x 200 mm · 600 x 300 mm · 600 x 400 mm
Tilt angle up / down	0° / 3°	0° / 0°
Swivel angle left / right	25° / 25°	0° / 170°
Bracket type	motorised lifting · motorised swivelling	motorised swivelling
Remote control	Remote control	Remote control
Max. load	35 kg	50 kg

N.B.: Bluetooth® is a registered trademark of Bluetooth SIG, Inc.

# TV TROLLEY STANDS

Speaka Professional TV trolley stands ensure mobility and stability. There is a wide range of products tailored to your requirements in terms of load capacity and display size as well as tilting and rotation options. Moreover, all stands comply with VESA standards. Integrated cable management and the high quality of the materials used make sure your office set-up stays stylishly minimalistic, tidy and neat.



## SPEAKA PROFESSIONAL XL FS10S-46T TV TROLLEY STAND

Height-adjustable webcam tray

Suitable for screens sized  
94.0 cm (37") to 177.8 cm (70")

Supports VESA standards  
up to 600 x 400 mm

Set-up takes a few  
seconds only

Height-adjustable equipment tray

Heavy duty castors  
for mobility

Bracket type:  
Tilttable, rotary

Load (max.) 50 kg

Elegant contemporary design

Selectable height: 166.9 - 212.5 cm

Integrated cable management



1661735-NP

N.B.: More details about returning old batteries and rechargeables are available at [conrad.com](http://conrad.com).  
For more deals and the latest information, please visit our online shop at [conrad.com](http://conrad.com).

**Please note:**

All products on this page come with a set of fixed wheels to ensure mobility and stability

**TV TROLLEY STANDS**

Product ID	1661737-NP	2357964-NP	2358429-NP	2619435-NP
Display size	94.0 cm (37") - 177.8 cm (70")	94.0 cm (37") - 177.8 cm (70")	94.0 cm (37") - 177.8 cm (70")	81.3 cm (32") - 190.5 cm (75")
Bracket type	Tiltable · Incremental height selection · Mountable	Tiltable · Incremental height selection · Mountable	Tiltable · Incremental height selection · Mountable	Selectable height · Tiltable
Tilt angle up / down	10° / 10°	0° / 5°	5° / 12°	15° / 15°
No. of trays	2	-	2	2
Equipment tray	293 x 485 mm	-	250 x 404 mm	195 x 310 mm
Camera tray	228 x 298 mm	-	140 x 255 mm	150 x 260 mm
Max. load	50 kg	50 kg	50 kg	55 kg
Dimensions W x H x D	665 x 1803 x 880 mm	871 x 1966 x 678 mm	871 x 1966 x 678 mm	780 x 1795 x 650 mm

**TV TROLLEY STANDS**

Product ID	1342485-NP	2523558-NP	1661735-NP	2611688-NP
Display size	81.3 cm (32") - 139.7 cm (55")	94.0 cm (37") - 203.2 cm (80")	94.0 cm (37") - 177.8 cm (70")	152.4 cm (60") - 254.0 cm (100")
Bracket type	Selectable height · Tiltable	Selectable height · Tiltable	Tiltable · Rotary · Selectable height	Selectable height · Tiltable
Tilt angle up / down	45° / 0°	45° / 0°	5° / 12°	5° / 10°
No. of trays	1	1	2	2
Equipment tray	350 x 420 mm	350 x 420 mm	335 x 430 mm	335 x 430 mm
Camera tray	-	350 x 420 mm	150 x 285 mm	150 x 285 mm
Max. load	40 kg	45 kg	50 kg	100 kg
Dimensions W x H x D	128 x 668 x 65.7 mm	800 x 1800 x 500 mm	935 x 2125 x 758 mm	1350 x 2325 x 683 mm

# PC AND LAPTOP STANDS

Using a PC stand frees up desk space. For instance, PCs are mounted to the underside of a worktop, or placed on wheeled trolleys. Laptop stands designed by Speaka Professional enable raising screens to precisely the ergonomically optimised level you want them at. This ensures efficient and safe working at a workplace that's always neat and tidy.



- Horizontal and vertical mounting option

- Suitable for towers and desktop PC housings

- CPU stand with selectable width
- Locking mechanism

- Easy way of mounting PC housing to the underside of a desk



Example of use  
1588388



## PC BRACKETS


Product ID	1588388-NP	1892977-NP	2252301-NP	2332567-NP
Dimensions	485 x 147 x 365 mm	235 x 212 x 154 mm	260 x 126 x 119 mm	340 x 340 x 50 mm
Max. load	10 kg	10 kg	10 kg	10 kg
Mounting type	Desk underside · Vertical · Horizontal	Wall mount	Floor	Desk underside



Extension for all VESA screen brackets

Stopper prevents device from sliding off

Adjustable width ensures suitability for a wide range of devices



Raise laptop to eye level instead of a monitor

Improved air flow thanks to open design allowing excellent ventilation

Product video:



## LAPTOP MOUNT

Product ID	2356104-NP
Dimensions	280 x 300 x 60 mm
Suitable for	33.0 cm (13") · 35.6 cm (14") · 39.6 cm (15.6")
Mounting method	Attachment to VESA mounts