


# SCREEN MOUNTS & BRACKETS BY **SPEAKA PROFESSIONAL**



# MONITOR BRACKETS


These days, PCs connected to multiple screens or one large-size monitor are pretty much standard both at the office and when working from home. However, monitor stands tend to take up a lot of space you could otherwise put to better use. This is where desk and wall mounts come in that take screens "off" the worktop. Moreover, these brackets are both swivel-mount and tiltable which allows you to choose a viewing distance that suits you.



1



2




3



4

## MONITOR BRACKETS

| Product ID | Fig. similar | Display size                   | Tilt angle up / down | Swivel angle left / right | Bracket type          | Features                                  | Max. load | Size W x H x D      |
|------------|--------------|--------------------------------|----------------------|---------------------------|-----------------------|-------------------------------------------|-----------|---------------------|
| 2564730-SP | 1            | 33 cm (13") - 68,6 cm (27")    | —                    | —                         | Fixed                 | Close to the wall<br>12,5 mm clearance    | 25 kg     | 115 x 115 x 12,5 mm |
| 2564732-SP | 1            | 58,4 cm (23") - 106,7 cm (42") | —                    | —                         | Fixed                 | Close to the wall 13 mm clearance         | 25 kg     | 230 x 230 x 13 mm   |
| 2564731-SP | 1            | 33 cm (13") - 68,6 cm (27")    | 6° / 9°              | —                         | Tiltable              | Toolless tilting option                   | 25 kg     | 115 x 115 x 34 mm   |
| 1503010-SP | 2            | 33,0 cm (13") - 68,6 cm (27")  | 7,5° / 7,5°          | 25° / 45°                 | Tiltable · Swivelling | 50-degree swivel around one joint         | 25 kg     | 115 x 115 x 76 mm   |
| 1611101-SP | 2            | 33,0 cm (13") - 76,2 cm (30")  | 15° / 15°            | 90° / 90°                 | Tiltable · Swivelling | Silver                                    | 23 kg     | 158 x 120 x 80 mm   |
| 2373313-SP | 2            | 33,0 cm (13") - 76,2 cm (30")  | 55° / 35°            | 25° / 45°                 | Tiltable · Swivelling | Lockable mount                            | 15 kg     | 158 x 117 x 85 mm   |
| 2368696-SP | 2            | 33,0 cm (13") - 76,2 cm (30")  | 55° / 35°            | 45° / 45°                 | Tiltable · Swivelling | Silver                                    | 15 kg     | 158 x 117 x 85 mm   |
| 1611102-SP | 2            | 33,0 cm (13") - 76,2 cm (30")  | 15° / 15°            | 90° / 90°                 | Tiltable · Swivelling | Short articulate joint with low clearance | 23 kg     | 158 x 122 x 80 mm   |
| 2373314-SP | 3            | 33,0 cm (13") - 76,2 cm (30")  | 55° / 35°            | 90° / 90°                 | Tiltable · Swivelling | Folding                                   | 15 kg     | 232 x 117 x 200 mm  |
| 1611100-SP | 4            | 33,0 cm (13") - 76,2 cm (30")  | 15° / 15°            | 90° / 90°                 | Tiltable · Swivelling | Folding· Extensible                       | 15 kg     | 195 x 160 x 47 mm   |
| 2373312-SP | 4            | 33,0 cm (13") - 76,2 cm (30")  | 55° / 35°            | 90° / 90°                 | Tiltable · Swivelling | Folding· Extensible                       | 15 kg     | 117 x 244 x 385 mm  |
| 2362147-SP | 4            | 33,0 cm (13") - 76,2 cm (30")  | 55° / 35°            | 90° / 90°                 | Tiltable · Swivelling | Folding· Extensible· Silver               | 15 kg     | 117 x 244 x 385 mm  |
| 1628713-SP | 4            | 33,0 cm (13") - 76,2 cm (30")  | 15° / 15°            | 90° / 90°                 | Tiltable · Swivelling | Folding· Extensible· Silver               | 15 kg     | 195 x 16 x 47 mm    |
| 1211122-SP | 4            | 25,4 cm (10") - 81,3 cm (32")  | 5° / 15°             | 90° / 90°                 | Tiltable · Swivelling | Folding· Extensible                       | 15 kg     | 290 x 190 x 60 mm   |



## MONITOR BRACKETS (DESK-MOUNT)

| Product ID                | 2353666-SP                                        | 416081-SP                     | 2356117-SP                                        | 2350440-SP                                        | 2350240-SP                                        | 2356118-SP                                        | 2348174-SP                                        | 416078-SP                     |
|---------------------------|---------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------------------------------|---------------------------------------------------|---------------------------------------------------|---------------------------------------------------|-------------------------------|
| Display size              | 33,8 cm (13,3") - 81,3 cm (32")                   | 33,0 cm (13") - 61,0 cm (24") | 43,2 cm (17") - 81,3 cm (32")                     | 43,2 cm (17") - 81,3 cm (32")                     | 33,0 cm (13") - 81,3 cm (32")                     | 43,2 cm (17") - 68,6 cm (27")                     | 43,2 cm (17") - 81,3 cm (32")                     | 33,0 cm (13") - 55,9 cm (22") |
| No. of screens            | 2                                                 | 3                             | 1                                                 | 2                                                 | 2 or 1 + Laptop                                   | 3                                                 | 4                                                 | 1                             |
| Tilt angle up / down      | 45° / 45°                                         | 0° / 0°                       | 35° / 35°                                         | 35° / 35°                                         | 45° / 45°                                         | 25° / 25°                                         | 35° / 35°                                         | 90° / 90°                     |
| Swivel angle left / right | 45° / 45°                                         | 90° / 90°                     | 90° / 90°                                         | 90° / 90°                                         | 45° / 45°                                         | 90° / 90°                                         | 90° / 90°                                         | 90° / 90°                     |
| Bracket type              | Tiltable · Swiveling · Rotary · Selectable height | Tiltable · Swiveling · Rotary | Tiltable · Swiveling · Rotary · Selectable height | Tiltable · Swiveling · Rotary · Selectable height | Tiltable · Swiveling · Rotary · Selectable height | Tiltable · Swiveling · Rotary · Selectable height | Tiltable · Swiveling · Rotary · Selectable height | Tiltable · Swiveling · Rotary |
| Features                  | 360° rotary VESA plate                            | 360° rotary VESA plate        | cable management                                  | cable management                                  | notebook mount                                    | cable management                                  | cable management                                  | extensible                    |
| Max. worktop thickness    | 88 mm                                             | 90 mm                         | 88 mm                                             | 88 mm                                             | 88 mm                                             | 88 mm                                             | 88 mm                                             | 90 mm                         |
| Height range              | 0 - 88 cm                                         | 31,8 - 42 cm                  | 4 cm - 37 cm                                      | 4 cm - 37 cm                                      | 0 - 44 cm                                         | 4-37 cm                                           | 4 - 76,5 cm                                       | 28,3 - 33,3 cm                |
| Mounting method           | Clamps Threaded                                   | Clamps Threaded               | Clamps Threaded                                   | Clamps Threaded                                   | Clamps Threaded                                   | Clamps Threaded                                   | Clamps Threaded                                   | Clamps Threaded               |
| Max. load                 | 8 kg                                              | 24 kg                         | 9 kg                                              | 9 kg                                              | 8 kg                                              | 7 kg                                              | 9 kg                                              | 10 kg                         |
| Size W x H x D            | 114 x 988 x 148 mm                                | 142 x 65 x 10,5 cm            | 114 x 514 x 556 mm                                | 874 x 556 x 134 mm                                | 1006 x 548 x 356 mm                               | 1394 x 556 x 167 mm                               | 956 x 874 x 113 mm                                | 310 x 550 x 115 mm            |




## MONITOR BRACKETS (WALL-MOUNT)

| Product ID                | 2612645-SP                                         | 2588303-SP                                         | 2559780-SP                                         | 2559779-SP                            |
|---------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|---------------------------------------|
| Display size              | 43,2 cm (17") - 81,3 cm (32")                      | 33,0 cm (13") - 68,6 cm (27")                      | 33,0 cm (13") - 81,3 cm (32")                      | 33,0 cm (13") - 68,6 cm (27")         |
| No. of screens            | 1                                                  | 1                                                  | 1                                                  | 2                                     |
| Gas pressure support      | Monitor bracket                                    | Bracket and tray                                   | Bracket and tray                                   | —                                     |
| Tilt angle up / down      | 35° / 35°                                          | 90° / 85°                                          | 15° / 15°                                          | 45° / 45°                             |
| Swivel angle left / right | 90° / 90°                                          | 90° / 90°                                          | 90° / 90°                                          | 15° / 15°                             |
| Bracket type              | Tiltable · Swivelling · Rotary · Selectable height | Tiltable · Swivelling · Rotary · Selectable height | Tiltable · Swivelling · Rotary · Selectable height | Tiltable · Swivelling · Rotary        |
| Features                  | Keyboard support tray                              | Folding · PC mount · Keyboard support tray         | Folding keyboard support tray · Additional tray    | Modular, fully articulated wall mount |
| Mounting method           | Wall mount                                         | Wall mount                                         | Wall mount                                         | Wall mount                            |
| Max. load                 | 8 kg                                               | 6 kg                                               | 8 kg                                               | 20 kg                                 |
| Size W x H x D            | 654 x 1066 x 635 mm                                | 600 x 730 x 238 mm                                 | 666 x 790 x 955 mm                                 | 800 x 252 x 489 mm                    |

**Please note:**

All products on this list are equipped with gas pressure support.

**MONITOR ARMS**


| Product ID                | 2731200-SP                                         | 2731202-SP                                         | 2731201-SP                                         | 2731203-SP                                         |
|---------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|
| Display size              | 43,2 cm (17") - 81,3 cm (32")                      | 33,0 cm (13") - 81,3 cm (32")                      | 43,2 cm (17") - 81,3 cm (32")                      | 33,0 cm (13") - 81,3 cm (32")                      |
| VESA standard             | 75 x 75 mm · 100 x 100 mm                          | 75 x 75 mm · 100 x 100 mm                          | 75 x 75 mm · 100 x 100 mm                          | 75 x 75 mm · 100 x 100 mm                          |
| No. of screens            | 1                                                  | 1                                                  | 2                                                  | 2                                                  |
| Tilt angle up / down      | 90° / 45°                                          | 90° / 90°                                          | 90° / 45°                                          | 90° / 90°                                          |
| Swivel angle left / right | 90° / 90°                                          | 90° / 90°                                          | 90° / 90°                                          | 90° / 90°                                          |
| Bracket type              | Selectable height · Tiltable · Swivelling · Rotary | Selectable height · Tiltable · Swivelling · Rotary | Selectable height · Tiltable · Swivelling · Rotary | Selectable height · Tiltable · Swivelling · Rotary |
| Max. worktop thickness    | 85 mm                                              | 85 mm                                              | 85 mm                                              | 85 mm                                              |
| Mounting method           | Clamps / Threaded                                  | Clamps / Threaded                                  | Clamps / Threaded                                  | Clamps / Threaded                                  |
| Colour                    | Black                                              | Silver                                             | Black                                              | Silver                                             |
| Max. load                 | 9 kg                                               | 9 kg                                               | 9 kg                                               | 9 kg                                               |
| Size W x H x D            | 468 x 570 x 117 mm                                 | 590 x 665 x 115 mm                                 | 112 x 570 x 942 mm                                 | 125 x 670 x 1100 mm                                |

**MONITOR ARMS / STANDS**

| Product ID                | 406188-SP                                          | 406206-SP                                          | 406231-SP                                            | 2523221-SP                                          | 2523220-SP                                          |
|---------------------------|----------------------------------------------------|----------------------------------------------------|------------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|
| Display size              | 25,4 cm (10") - 76,2 cm (30")                      | 25,4 cm (10") - 68,6 cm (27")                      | 25,4 cm (10") - 76,2 cm (30")                        | 43,2 cm (17") - 81,3 cm (32")                       | 43,2 cm (17") - 81,3 cm (32")                       |
| VESA Standard             | 75 x 75 mm · 100 x 100 mm                          | 75 x 75 mm · 100 x 100 mm                          | 75 x 75 mm · 100 x 100 mm                            | 75 x 75 mm · 100 x 100 mm                           | 75 x 75 mm · 100 x 100 mm                           |
| No. of screens            | 1                                                  | 4                                                  | 1                                                    | 1                                                   | 1                                                   |
| Tilt angle up / down      | 90° / 15°                                          | 90° / 15°                                          | 90° / 15°                                            | 50° / 20°                                           | 50° / 20°                                           |
| Swivel angle left / right | 180° / 180°                                        | 180° / 180°                                        | 180° / 180°                                          | 30° / 30°                                           | 30° / 30°                                           |
| Height range              | 0 - 200 mm                                         | 0 - 200 mm                                         | 0 - 160 mm                                           | 375 - 555 mm                                        | 375 - 555 mm                                        |
| Rotation                  | 90°                                                | 360°                                               | 90°                                                  | —                                                   | —                                                   |
| Bracket type              | Selectable height · Tiltable · Swivelling · Rotary | Selectable height · Tiltable · Swivelling · Rotary | Selectable height · Tiltable · Swivelling · Rotary   | Selectable height · Tiltable · Swivelling           | Selectable height · Tiltable · Swivelling           |
| Features                  | Two mounting options                               | Two mounting options                               | Two mounting options · Compatible with Apple screens | 10 height selections · 360-degree VESA swivel plate | 10 height selections · 360-degree VESA swivel plate |
| Max. worktop thickness    | 110 mm                                             | 110 mm                                             | 110 mm                                               | —                                                   | —                                                   |
| Mounting method           | Clamps / Threaded                                  | Clamps / Threaded                                  | Clamps / Threaded                                    | —                                                   | —                                                   |
| Max. load                 | 14 kg                                              | 45 kg                                              | 14 kg                                                | 8 kg                                                | 8 kg                                                |
| Size W x H x D            | 114 x 330 x 350 mm                                 | 270 x 345 x 885 mm                                 | 114 x 570 x 330 mm                                   | 320 x 555 x 215 mm                                  | 320 x 555 x 215 mm                                  |

**Please note:**

All products on this list are equipped with gas pressure support.

**MONITOR ARMS**


| Product ID                 | 2623286-SP                                                                                                                     | 2731204-SP                                          | 2623285-SP                                                                                                                     | 2626621-SP                                                                                                                     |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Display size               | 43,2 cm (17") - 81,3 cm (32")                                                                                                  | 33,0 cm (13") - 81,3 cm (32")                       | 43,2 cm (17") - 81,3 cm (32")                                                                                                  | 43,2 cm (17") - 88,9 cm (35")                                                                                                  |
| VESA Standard              | 75 x 75 mm · 100 x 100 mm                                                                                                      | 75 x 75 mm · 100 x 100 mm                           | 75 x 75 mm · 100 x 100 mm                                                                                                      | 75 x 75 mm · 100 x 100 mm                                                                                                      |
| No. of screens             | 1                                                                                                                              | 3                                                   | 2                                                                                                                              | 2                                                                                                                              |
| Tilt angle up / down       | 45° / 45°                                                                                                                      | 90° / 90°                                           | 45° / 45°                                                                                                                      | 45° / 45°                                                                                                                      |
| Swivel angle left / rights | 90° / 90°                                                                                                                      | 90° / 90°                                           | 90° / 90°                                                                                                                      | 90° / 90°                                                                                                                      |
| Rotation                   | 180°                                                                                                                           | 90°                                                 | 180°                                                                                                                           | 180°                                                                                                                           |
| Bracket type               | Selectable height · Tilttable · Swivelling · Rotary                                                                            | Selectable height · Tilttable · Swivelling · Rotary | Selectable height · Tilttable · Swivelling · Rotary                                                                            | Selectable height · Tilttable · Swivelling · Rotary                                                                            |
| Features                   | Built-in docking station                                                                                                       | Built-in USB/ audio ports                           | Built-in docking station                                                                                                       | Built-in docking station                                                                                                       |
| Connections                | 2x USB 3.0 (5 Gbps) · 1x HDMI 2.0 (4K@60 Hz) · 1x Gigabit Ethernet (1000 Mbps) · 1x USB-C® PD (supports up to 100 W, 20 V 5 A) | 1x USB 3.0 · 1x audio & microphone 3.5 mm jack      | 3x USB 3.0 (5 Gbps) · 2x HDMI 2.0 (4K@60 Hz) · 1x Gigabit Ethernet (1000 Mbps) · 1x USB-C® PD (supports up to 100 W, 20 V 5 A) | 3x USB 3.0 (5 Gbps) · 2x HDMI 2.0 (4K@60 Hz) · 1x Gigabit Ethernet (1000 Mbps) · 1x USB-C® PD (supports up to 100 W, 20 V 5 A) |
| Max. worktop thickness     | 85 mm                                                                                                                          | 85 mm                                               | 85 mm                                                                                                                          | 85 mm                                                                                                                          |
| Mounting method            | Clamps                                                                                                                         | Clamps / Threaded                                   | Clamps                                                                                                                         | Clamps                                                                                                                         |
| Max. load                  | 9 kg                                                                                                                           | 7 kg                                                | 9 kg                                                                                                                           | 15 kg                                                                                                                          |
| Size W x H x D             | 117 x 520 x 555 mm                                                                                                             | 190 x 700 x 1530 mm                                 | 1018 x 115 x 560 mm                                                                                                            | 128 x 750 x 1130 mm                                                                                                            |

**MONITOR ARMS**

| Product ID                | 406200-SP                                           | 986892-SP                                           | 989269-SP                                           |
|---------------------------|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|
| Display size              | 25,4 cm (10") - 68,6 cm (27")                       | 25,4 cm (10") - 68,6 cm (27")                       | 25,4 cm (10") - 68,6 cm (27")                       |
| VESA Standard             | 75 x 75 mm · 100 x 100 mm                           | 75 x 75 mm · 100 x 100 mm                           | 75 x 75 mm · 100 x 100 mm                           |
| No. of screens            | 2                                                   | 2                                                   | 4                                                   |
| Tilt angle up / down      | 90° / 15°                                           | 90° / 15°                                           | 90° / 15°                                           |
| Swivel angle left / right | 180° / 180°                                         | 180° / 180°                                         | 180° / 180°                                         |
| Rotation                  | 360°                                                | 360°                                                | 360°                                                |
| Bracket type              | Selectable height · Tilttable · Swivelling · Rotary | Selectable height · Tilttable · Swivelling · Rotary | Selectable height · Tilttable · Swivelling · Rotary |
| Features                  | Two mounting options                                | Two mounting options                                | Two mounting options                                |
| Max. worktop thickness    | 110 mm                                              | 110 mm                                              | 90 mm                                               |
| Mounting method           | Clamps / Threaded                                   | Clamps / Threaded                                   | Clamps / Threaded                                   |
| Max. load                 | 9 kg                                                | 18 kg                                               | 45 kg                                               |
| Size W x H x D            | 136 x 452 x 378 mm                                  | 735 x 540 x 1180 mm                                 | 1180 x 1124 x 540 mm                                |

# TV BRACKETS

These days, not everyone can attend important meetings or presentations in person. Oftentimes, joining meetings via video link with the feed displayed on a large monitor or screen represents a valid since more efficient solution. This is why SpeaKa Professional offers a wide range of tiltable and swivel-mounted TV brackets as opposed to fixed, hence and inflexible versions. Benefit from technical designs that meet your individual mounting needs and user scenarios.




## TV BRACKETS

| Product ID                  | 1661151-SP                               | 1661152-SP                               |
|-----------------------------|------------------------------------------|------------------------------------------|
| Display size                | 33,0 cm (13") - 94,0 cm (37")            | 94,0 cm (37") - 177,8 cm (70")           |
| Floor clearance max. / min. | 41 / 35 cm                               | 73 / 59 cm                               |
| Bracket type                | Fixed / selectable height                | Fixed / selectable height                |
| Features                    | Spare base · Integrated cable management | Spare base · Integrated cable management |
| Max. load                   | 35 kg                                    | 35 kg                                    |
| Size W x H x D              | 24,3 x 41 x 32,3 cm                      | 44,3 x 41 x 42,3 cm                      |



Applies to #2359417 only



## TV BRACKETS

| Product ID               | 1525416-SP                            | 2464455-SP                            | 2359417-SP                                            | 629563-SP                             |
|--------------------------|---------------------------------------|---------------------------------------|-------------------------------------------------------|---------------------------------------|
| Display size             | 81,3 cm (32") - 139,7 cm (55")        | 58,4 cm (23") - 139,7 cm (55")        | 94,0 cm (37") - 203,2 cm (80")                        | 43,2 cm (17") - 94,0 cm (37")         |
| Tilt angle up /down      | 5° / 10°                              | 5° / 10°                              | 10° / 7°                                              | 30° / 90°                             |
| Swivel angle left /right | 45° / 45°                             | 35° / 35°                             | 0° / 0°                                               | 50° / 50°                             |
| Height range             | 58,2 cm, 65,2 cm, 72,2 cm             | 58,2 cm, 65,2 cm, 72,2 cm             | 111,5 - 141,5 cm                                      | 15 - 29 cm                            |
| Bracket type             | Tiltable · Swivelling                 | Swivelling · Selectable height        | Tiltable · Selectable height                          | Swivelling                            |
| Features                 | Height selectable in three increments | Height selectable in three increments | Height selectable · Incremental tray height selection | Height selectable · Locking mechanism |
| Mount type               | Base                                  | Base                                  | Floor stand                                           | Ceiling mount                         |
| Max. load                | 40 kg                                 | 40 kg                                 | 40 kg                                                 | 20 kg                                 |
| Size W x H x D           | 60 x 72,2 x 28 cm                     | 260 x 609 x 430 mm                    | 700 x 520 x 1618 mm                                   | —                                     |

N.B.: More details about returning old batteries and rechargeables are available at [conrad.com](http://conrad.com)  
For more details and the latest information, please visit our online shop at [conrad.com](http://conrad.com)



## MONITOR BRACKETS

| Product ID | Fig. similar | Display size                    | Tilt angle up / down | Swivel angle left / right | Wall clearance max. / min. | Bracket type                                | Features                                                                      | Max. load | Size W x H x D     |
|------------|--------------|---------------------------------|----------------------|---------------------------|----------------------------|---------------------------------------------|-------------------------------------------------------------------------------|-----------|--------------------|
| 1089871-SP | 1            | 35,6 cm (14") - 106,7 cm (42")  | 0° / 0°              | 0° / 0°                   | 2 / 2 cm                   | Fixed                                       | Extra-slim design<br>20 mm wall clearance                                     | 25 kg     | 283 x 208 x 25 mm  |
| 989272-SP  | 1            | 81,3 cm (32") - 152,4 cm (60")  | 0° / 0°              | 0° / 0°                   | 1,6 / 1,6 cm               | Fixed                                       | Built-in level ·<br>Low wall clearance of 16 mm                               | 45 kg     | 650 x 430 x 130 mm |
| 1089870-SP | 2            | 43,2 cm (17") - 94,0 cm (37")   | 0° / 15°             | 0° / 0°                   | 6 / 1,8 cm                 | Tiltable                                    | Built-in level                                                                | 50 kg     | 343 x 149 x 18 mm  |
| 989273-SP  | 2            | 81,3 cm (32") - 160,0 cm (63")  | 0° / 15°             | 0° / 0°                   | 7,9 / 7,9 cm               | Tiltable                                    | Knurl head screws                                                             | 75 kg     | 810 x 500 x 78 mm  |
| 629571-SP  | 2            | 94,0 cm (37") - 177,8 cm (70")  | 10° / 10°            | 0° / 0°                   | 6,8 / 6,8 cm               | Tiltable                                    | Built-in level · Suitable for Curved TVs<br>Toolless selection of tilt angles | 75 kg     | 665 x 440 x 68 mm  |
| 2747709-SP | 2            | 94,0 cm (37") - 203,2 cm (80")  | 0° / 8°              | 0° / 0°                   | - / 2 cm                   | Tiltable                                    | Low wall clearance of 20 mm                                                   | 45 kg     | 650 x 418 x 20 mm  |
| 527503-SP  | 2            | 106,7 cm (42") - 203,2 cm (80") | 5° / 15°             | 0° / 0°                   | 6,3 / 6,3 cm               | Tiltable                                    | Built-in level                                                                | 100 kg    | 845 x 430 x 70 mm  |
| 1232719-SP | 3            | 33,0 cm (13") - 68,6 cm (27")   | 15° / 15°            | 90° / 90°                 | 40,8 / 8,8 cm              | Tiltable · Swivelling · Rotary · Extensible | Locking mechanism                                                             | 15 kg     | 408 x 160 x 88 mm  |
| 1342483-SP | 3            | 58,4 cm (23") - 106,7 cm (42")  | 3° / 12°             | 180° / 180°               | 40,8 / 6,5 cm              | Tiltable · Swivelling · Rotary · Extensible | Folding · Extensible                                                          | 25 kg     | 224 x 200 x 20 mm  |
| 2362835-SP | 3            | 58,4 cm (23") - 139,7 cm (55")  | 5° / 8°              | 90° / 90°                 | 51,2 / 5,8 cm              | Tiltable · Swivelling · Rotary · Extensible | Folding · Extensible                                                          | 35 kg     | 512 x 435 x 435 mm |
| 989930-SP  | 3            | 81,3 cm (32") - 165,1 cm (65")  | 5° / 15°             | 90° / 90°                 | 54,5 / 8 cm                | Tiltable · Swivelling                       | Extensible · Built-in level                                                   | 55 kg     | 558 x 225 x 80 mm  |
| 2266943-SP | 4            | 81,3 cm (32") - 177,8 cm (70")  | 15° / 7°             | 60° / 60°                 | 47,5 / 4,1 cm              | Tiltable · Swivelling · Extensible          | Two-armed for flexible viewing angle                                          | 45 kg     | 515 x 430 x 475 mm |
| 1616197-SP | 4            | 106,7 cm (42") - 213,4 cm (84") | 5° / 15°             | 45° / 45°                 | 39 / 8 cm                  | Tiltable · Swivelling · Extensible          | Twin arm gives max. flexibility                                               | 45 kg     | 635 x 420 x 80 mm  |
| 1232718-SP | 5            | 94,0 cm (37") - 177,8 cm (70")  | 8° / 12°             | 90° / 90°                 | 68 / 4,5 cm                | Tiltable · Swivelling · Rotary · Extensible | Extensible                                                                    | 40 kg     | 648 x 400 x 680 mm |


N.B. The delivery of large or bulky items (labelled as such on these pages) will incur a shipping surcharge which is stated on the respective product detail page on conrad.com. For current deals and information, visit our online shop at conrad.com

# MOTORISED TV BRACKETS

SpeaKa Professional specialises in high-quality audio-video components and accessories aimed at meeting rooms and conference venues. These include motorised TV brackets designed to be fitted inside furniture, and to be electrically operated whenever you need them. What's more, the company supplies motorised wall and ceiling brackets, too. SpeaKa Professional provides a neat and space-saving solution for everything that involves remotely moving a flatscreen into the position you want it to be.




## SPEAKA PROFESSIONAL SP-MLS-500 BRACKET



Groundbreaking lifting design for an entirely new way of cabinet fitting

Programmable position memory

Can be fitted to the inside of office cabinets / sideboards



Selectable height



Remote control

### FREE-STANDING BRACKET

|                           |                                                                          |
|---------------------------|--------------------------------------------------------------------------|
| Product ID                | 2197502-SP                                                               |
| Display size              | 94,0 cm (37") - 165,1 cm (65")                                           |
| VESA                      | 200 x 200 mm · 300 x 300 mm · 400 x 200 mm · 400 x 400 mm · 600 x 400 mm |
| Tilt angle up / down      | 0° / 0°                                                                  |
| Swivel angle left / right | 0° / 0°                                                                  |
| Bracket type              | Motorised height adjustment                                              |
| Control type              | Remote                                                                   |
| Max. load                 | 50 kg                                                                    |
| Size                      | 660 x 1910 x 215 mm                                                      |

N.B.: More details about returning old batteries and rechargeables are available at [conrad.com](https://conrad.com)  
For more details and the latest information, please visit our online shop at [conrad.com](https://conrad.com)



**Please note:**  
All ceiling mounts are electrically operated.


- Tilt ultra-slim TVs without leaving your desk
- Ideal for pitched roofs and ceilings

- Flip-Down design for space-saving storage
- Bluetooth®
- Tuya compatibility

- Flip-Down design for space-saving storage
- Bluetooth®
- Tuya compatibility



Example of use




## CEILING MOUNTS

| Product ID                | 1439178-SP                                                | 2531304-SP                                                               | 2531305-SP                                                                                                                           |
|---------------------------|-----------------------------------------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Display size              | 58,4 cm (23") - 139,7 cm (55")                            | 58,4 cm (23") - 139,7 cm (55")                                           | 81,3 cm (32") - 177,8 cm (70")                                                                                                       |
| VESA                      | 200 x 200 mm · 300 x 300 mm · 400 x 200 mm · 400 x 400 mm | 100 x 100 mm · 200 x 200 mm · 300 x 300 mm · 400 x 200 mm · 400 x 400 mm | 200 x 100 mm · 200 x 200 mm · 200 x 400 mm · 300 x 200 mm · 300 x 300 mm · 400 x 200 mm · 400 x 300 mm · 400 x 400 mm · 600 x 400 mm |
| Tilt angle up / down      | 0° / 75°                                                  | 0° / 75°                                                                 | 0° / 75°                                                                                                                             |
| Swivel angle left / right | 3° / 3°                                                   | 3° / 3°                                                                  | 2° / 2°                                                                                                                              |
| Bracket type              | motorised flip-down                                       | motorised flip-down                                                      | motorised flip-down                                                                                                                  |
| Control type              | Remote                                                    | Remote · App                                                             | Remote · App                                                                                                                         |
| Max. load                 | 30 kg                                                     | 30 kg                                                                    | 35 kg                                                                                                                                |

Programmable position memory

Accurate cable management



## WALL MOUNTS

| Product ID                | 2559782-SP                                                                                                            | 2559781-SP                                                                                                                                                                        |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Display size              | 94,0 cm (37") - 177,8 cm (70")                                                                                        | 81,3 cm (32") - 190,5 cm (75")                                                                                                                                                    |
| VESA                      | 200 x 100 mm · 200 x 200 mm · 300 x 200 mm · 300 x 300 mm · 400 x 200 mm · 400 x 300 mm · 400 x 400 mm · 600 x 400 mm | 200 x 200 mm · 200 x 300 mm · 200 x 400 mm · 300 x 200 mm · 300 x 300 mm · 300 x 400 mm · 400 x 200 mm · 400 x 300 mm · 400 x 400 mm · 600 x 200 mm · 600 x 300 mm · 600 x 400 mm |
| Tilt angle up / down      | 0° / 3°                                                                                                               | 0° / 0°                                                                                                                                                                           |
| Swivel angle left / right | 25° / 25°                                                                                                             | 0° / 170°                                                                                                                                                                         |
| Bracket type              | Motorised lifting · Motorised swivelling                                                                              | Motorised swivelling                                                                                                                                                              |
| Control type              | Remote                                                                                                                | Remote                                                                                                                                                                            |
| Max. load                 | 35 kg                                                                                                                 | 50 kg                                                                                                                                                                             |

# PROJECTOR MOUNTS & BRACKETS / SCREENS / DESKS / OFFICE CHAIRS

Explore SpeaKa's wide range of solutions for presentations and the workplace. Our high-quality projector mounts and brackets give you plenty of flexibility in terms of fitting. Our screens enable top-notch presentations at any venue. Combine all that with our versatile office desks designed for a variety of office uses, and our comfy office chairs that ensure productivity at work by helping you maintain an ergonomic sitting position.



## PROJECTOR MOUNTS & BRACKETS

| Product ID          | 2632385-SP         | 2633265-SP         | 2632386-SP         |
|---------------------|--------------------|--------------------|--------------------|
| Size W x H x D      | 650 x 203 x 237 mm | 650 x 203 x 237 mm | 771 x 325 x 225 mm |
| Colour              | Black              | White              | White              |
| Mount type          | Wall mount         | Wall mount         | Wall mount         |
| Max. load           | 10 kg              | 10 kg              | 15 kg              |
| Tilt angle up /down | 15° to -15°        | 15° to -15°        | 15° to -15°        |
| Mount length        | 225 to 316 mm      | 225 to 316 mm      | 54 to 320 mm       |
| Swivel range        | 8° to -8°          | 8° to -8°          | 15° to -15°        |
| Extension range     | 365 to 600 mm      | 365 to 600 mm      | 464 to 607 mm      |

## PROJECTOR MOUNTS

| Bestellnummer        | 1227389-SP    | 1227390-SP     |
|----------------------|---------------|----------------|
| Disc mount clearance | 130 – 320 mm  | 130 – 320 mm   |
| Colour               | Silver        | Silver         |
| Mount type           | Ceiling mount | Ceiling mount  |
| Max. load            | 10 kg         | 10 kg          |
| Tilt angle up /down  | 15° to -15°   | 15° to -15°    |
| Ceiling clearance    | 130 to 200 mm | 130 to 1060 mm |
| Rotation             | 360°          | 360°           |



1



2



3



4



Applies to whole product category

## SCREENS

| Product ID          | 1561697-SP          | 2357531-SP           | 2357675-SP           | 2357541-SP           | 2357533-SP           | 2357534-SP           | 3308361-SP           |
|---------------------|---------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Image               | 1                   | 2                    | 3                    | 3                    | 3                    | 3                    | 4                    |
| Size W x H x D      | 2840 x 1700 x 72 mm | 2810 x 680 x 1700 mm | 1715 x 1920 x 680 mm | 1845 x 1920 x 680 mm | 2125 x 2730 x 680 mm | 2555 x 2600 x 680 mm | 2450 x 2075 x 610 mm |
| Display size (cm)   | 304,8 cm            | 304,8 cm             | 183 cm               | 208 cm               | 228,6 cm             | 274 cm               | 274 cm               |
| Display size (inch) | 120"                | 120"                 | 72"                  | 82"                  | 90"                  | 108"                 | 108"                 |
| Format              | 16:9                | 16:9                 | 16:9                 | 16:9                 | 16:9                 | 16:9                 | 1:1                  |
| Type                | Motorised           | Blinds-type          | On stand             | On stand             | On stand             | On stand             | Retractable          |
| Weight              | 11 kg               | 7,7 kg               | 6,4 kg               | 6,8 kg               | 8,2 kg               | 9,6 kg               | 12,5 kg              |
| Viewing angle       | 160°                | 160°                 | 160°                 | 160°                 | 160°                 | 160°                 | 150°                 |

N.B.: More details about returning old batteries and rechargeables are available at [conrad.com](http://conrad.com). For more details and the latest information, please visit our online shop at [conrad.com](http://conrad.com)



Applies to whole product category except #3014210



## OFFICE DESKS

| Product ID  | 3014210-SP                     | 2251880-SP                   | 2489355-SP                     | 3015282-SP                     | 2490157-SP                     |
|-------------|--------------------------------|------------------------------|--------------------------------|--------------------------------|--------------------------------|
| Size W x D  | 1200 x 600 mm                  | 1400 x 600 mm                | 800 x 600 mm                   | 1180 mm x 600 mm               | 1600 mm x 800 mm               |
| Hight range | 730 to 1180 mm                 | 700 to 1170 mm               | 780 to 1280 mm                 | 720 to 1200 mm                 | 730 mm to 1210 mm              |
| Max. load   | 70 kg                          | 40 kg                        | 40 kg                          | 60 kg                          | 50 kg                          |
| Colour      | Black                          | Black                        | Black                          | White / Wood light             | Black                          |
| Type        | Electric desk height selection | Manual desk height selection | Electric desk height selection | Electric desk height selection | Electric desk height selection |
| Weight      | 23,6 kg                        | 25,9 kg                      | 17,81 kg                       | 31,3 kg                        | 41 kg                          |



Applies to #2353662 and #2353663 only



## DESK FRAMES

| Product ID  | 2353662-SP                     | 2353663-SP                     | 2527048-SP                     |
|-------------|--------------------------------|--------------------------------|--------------------------------|
| Size W x D  | 1700 mm x 650 mm               | 1700 mm x 900 mm               | 1040 mm x 600 mm               |
| Hight range | 620 to 1280 mm                 | 620 to 1280 mm                 | 710 to 1210 mm                 |
| Max. load   | 125 kg                         | 125 kg                         | 70 kg                          |
| Colour      | Black                          | Black                          | Black                          |
| Type        | Electric desk height selection | Electric desk height selection | Electric desk height selection |
| Weight      | 31,6 kg                        | 34 kg                          | 22 kg                          |



## WORKTOPS

| Product ID         | 3389037-SP       | 3389038-SP       |
|--------------------|------------------|------------------|
| Size W x D         | 1400 mm x 700 mm | 1400 mm x 700 mm |
| Colour             | Walnut           | Wood light       |
| Weight             | 11,8 kg          | 11,8 kg          |
| Suitable for frame | 2353662          | 2353662          |

## DESK SYSTEMS

| Product ID     | 3027999-SP                     |
|----------------|--------------------------------|
| Size W x H x D | 1360 mm x 730 mm x 1200 mm     |
| Hight range    | 730 to 1210 mm                 |
| Max. load      | 70 kg                          |
| Colour         | Natural Wood                   |
| Type           | Electric desk height selection |
| Weight         | 43 kg                          |

## OFFICE CHAIRS

| Product ID     | 3374353-SP                 |
|----------------|----------------------------|
| Size W x H x D | 760 x 715 x 1125 - 1195 mm |
| Hight range    | 1125 to 1195 mm            |
| Max. load      | 150 kg                     |
| Colour         | Black                      |
| Type           | Castors, selectable height |
| Weight         | 14,9 kg                    |

N.B. The delivery of large or bulky items (labelled as such on these pages) will incur a shipping surcharge which is stated on the respective product detail page on conrad.com. For current deals and information, visit our online shop at conrad.com

# TV TROLLEY STANDS

SpeaKa Professional TV trolley stands ensure mobility and stability. There is a wide range of products tailored to your requirements in terms of load capacity and display size as well as tilting and rotation options. Moreover, all stands comply with VESA standards. Integrated cable management and the high quality of the materials used make sure your office set-up stays stylishly minimalistic, tidy and neat.



## SPEAKA PROFESSIONAL XL FS10S-46T TROLLEY STAND

Height-adjustable webcam tray

Suitable for screens sized  
94,0 cm (37") to 177,8 cm (70")

Supports VESA standards  
up to 600 x 400 mm

Set-up takes a few  
seconds only

Height-adjustable equipment tray

Heavy duty castors  
for mobility

Bracket type:  
tiltable, rotary

Load (max.) 50 kg

Elegant contemporary design

Height range: 166.9 - 212.5 cm

Integrated cable management



1661735-SP

N.B.: More details about returning old batteries and rechargeables are available at [conrad.com](http://conrad.com)  
For more deals and the latest information, please visit our online shop at [conrad.com](http://conrad.com)

**Please note:**

All products on this page come with a set of fixed wheels to ensure mobility and stability.



Applies to #3340239 only

**TV TROLLEY STANDS**

| Product ID           | 1661737-SP                                          | 2357964-SP                                          | 2358429-SP                                          | 3340239-SP                               |
|----------------------|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|------------------------------------------|
| Display size         | 94,0 cm (37") - 177,8 cm (70")                      | 94,0 cm (37") - 177,8 cm (70")                      | 94,0 cm (37") - 177,8 cm (70")                      | 81,3 cm (32") - 190,5 cm (75")           |
| Bracket type         | Tiltable · Incremental height selection · Mountable | Tiltable · Incremental height selection · Mountable | Tiltable · Incremental height selection · Mountable | Incremental height selection · Mountable |
| Tilt angle up / down | 10° / 10°                                           | 0° / 5°                                             | 5° / 12°                                            | - / -                                    |
| No. of trays         | 2                                                   | -                                                   | 2                                                   | 1                                        |
| Equipment tray       | 293 x 485 mm                                        | -                                                   | 250 x 404 mm                                        | 252 x 122 mm                             |
| Camera tray          | 228 x 298 mm                                        | -                                                   | 140 x 255 mm                                        | -                                        |
| Max. load            | 50 kg                                               | 50 kg                                               | 50 kg                                               | 45 kg                                    |
| Size W x H x D       | 665 x 1803 x 880 mm                                 | 871 x 1966 x 678 mm                                 | 871 x 1966 x 678 mm                                 | 800 x 2035 x 570 mm                      |



Applies to #2611688 only

**TV TROLLEY STANDS**


| Product ID           | 1342485-SP                     | 2523558-SP                     | 1661735-SP                            | 2611688-SP                       |
|----------------------|--------------------------------|--------------------------------|---------------------------------------|----------------------------------|
| Display size         | 81,3 cm (32") - 139,7 cm (55") | 94,0 cm (37") - 203,2 cm (80") | 94,0 cm (37") - 177,8 cm (70")        | 152,4 cm (60") - 254,0 cm (100") |
| Bracket type         | Selectable height · Tiltable   | Selectable height · Tiltable   | Tiltable · Rotary · Selectable height | Selectable height · Tiltable     |
| Tilt angle up / down | 45° / 0°                       | 45° / 0°                       | 5° / 12°                              | 5° / 10°                         |
| No. of trays         | 1                              | 1                              | 2                                     | 2                                |
| Equipment tray       | 350 x 420 mm                   | 350 x 420 mm                   | 335 x 430 mm                          | 335 x 430 mm                     |
| Camera tray          | -                              | 350 x 420 mm                   | 150 x 285 mm                          | 150 x 285 mm                     |
| Max. load            | 40 kg                          | 45 kg                          | 50 kg                                 | 100 kg                           |
| Size W x H x D       | 128 x 668 x 65,7 mm            | 800 x 1800 x 500 mm            | 935 x 2125 x 758 mm                   | 1350 x 2325 x 683 mm             |

# HDMI SIGNAL TRANSMISSION: WIRELESS & WIRED

HDMI solutions are vital for high-quality audio and video signals. While HDMI cables provide stable connections between devices, wireless HDMI gives you extra flexibility without compromising on high resolution and audio quality. Moreover, using innovative technology during your presentation makes sharing content as easy as it gets. If you need coverage across large areas, HDMI extenders increase the signal strength.



| 4K UHD HDMI CABLES |                                   |                                   |                                   |                                   |                                   |                                   |
|--------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Product ID         | 2256141-SP                        | 2255280-SP                        | 2250439-SP                        | 2256140-SP                        | 2205495-SP                        | 2268901-SP                        |
| Length             | 0,5 m                             | 1 m                               | 1,5 m                             | 2 m                               | 3 m                               | 5 m                               |
| Port               | HDMI®                             | HDMI®                             | HDMI®                             | HDMI®                             | HDMI®                             | HDMI®                             |
| Video resolution   | 3840 x 2160 pixels                | 3840 x 2160 pixels                | 3840 x 2160 pixels                | 3840 x 2160 pixels                | 3840 x 2160 pixels                | 3840 x 2160 pixels                |
| Features           | 3D-enabled, ARC, Ethernet channel | 3D-enabled, ARC, Ethernet channel | 3D-enabled, ARC, Ethernet channel | 3D-enabled, ARC, Ethernet channel | 3D-enabled, ARC, Ethernet channel | 3D-enabled, ARC, Ethernet channel |



| WIRELESS HDMI TRANSMITTERS |                                                                    |                                      |
|----------------------------|--------------------------------------------------------------------|--------------------------------------|
| Product ID                 | 2588038-SP                                                         | 2793803-SP                           |
| Signal coverage            | up to 30 m                                                         | up to 30 m                           |
| Interfaces                 | HDMI®, VGA, Audio, stereo (3.5 mm jack)                            | HDMI®                                |
| Video resolution           | 1920 x 1080 pixels                                                 | 1920 x 1080 pixels                   |
| Features                   | Latency: < 200 ms, receiver function allows phone screen mirroring | Fast and easy set-up (plug and play) |

| PRESENTATION SYSTEMS |                             |                  |
|----------------------|-----------------------------|------------------|
| Product ID           | 2441811-SP                  | 2377753-SP       |
| Signal coverage      | up to 30 m                  | up to 30 m       |
| Interfaces           | USB-C® (DP Alt Mode), HDMI® | HDMI®            |
| Video resolution     | 1920 x 1080p@60 Hz          | 1920x1080p@60Hz  |
| Features             | –                           | Supplied via USB |



## HDMI EXTENDERS VIA NETWORK CABLE

| Product ID       | 2356099-SP                                  | 2369286-SP                                  |
|------------------|---------------------------------------------|---------------------------------------------|
| Signal coverage  | up to 40 m at 4K 30Hz (up to 70 m at 1080p) | up to 35 m at 4K 60Hz (up to 60 m at 1080p) |
| Interfaces       | HDMI®, RJ45, IR                             | HDMI®, RJ45, IR                             |
| Video resolution | 3480 x 2160 pixels                          | 3480 x 2160 pixels                          |

Supports Dolby True HD and DTS HD Master Audio

Metal housing for increased RF shielding

Video bandwidth: up to 6 Gbps



## KVM SWITCHES

| Product ID             | 1082615-SP                               | 1000168-SP                               |
|------------------------|------------------------------------------|------------------------------------------|
| No. of connectable PCs | 2                                        | 4                                        |
| Interfaces             | HDMI®, USB, 3,5 mm jack                  | HDMI®, USB, 3,5 mm jack                  |
| Video resolution       | 1920 x 1080 pixels<br>3840 x 2160 pixels | 1920 x 1080 pixels<br>3840 x 2160 pixels |

# PC AND LAPTOP STANDS

Using a PC stand frees up desk space. For instance, PCs are mounted to the underside of a worktop, or placed on a wheeled trolley. Laptop stands designed by Speaka Professional enable raising screens precisely to the ergonomically optimised level you want them at. This ensures efficient and safe working at a workplace that's always neat and tidy.



- Horizontal and vertical mounting option
- Suitable for towers and desktop PC housings
- CPU stand with selectable width
- Locking mechanism
- Easy way of mounting a PC housing to the underside of a desk




| PC BRACKETS   |                                         |                    |                    |                   |
|---------------|-----------------------------------------|--------------------|--------------------|-------------------|
| Product ID    | 1588388-SP                              | 1892977-SP         | 2252301-SP         | 2332567-SP        |
| Size          | 485 x 147 x 365 mm                      | 235 x 212 x 154 mm | 260 x 126 x 119 mm | 340 x 340 x 50 mm |
| Max. load     | 10 kg                                   | 10 kg              | 10 kg              | 10 kg             |
| Mounting type | Desk underside<br>Vertical · Horizontal | Wall mount         | Floor              | Desk underside    |



Attachment suitable for all VESA-type monitor

Stopper prevents device from sliding off

Attachment width ensures suitability for a wide range of devices



Raise the laptop to eye level instead of a monitor

Improved air flow due to open design allowing excellent ventilation

Product video



| LAPTOP MOUNTS |                                                 |
|---------------|-------------------------------------------------|
| Product ID    | 2356104-SP                                      |
| Size          | 280 x 300 x 60 mm                               |
| Suitable for  | 33,0 cm (13") · 35,6 cm (14") · 39,6 cm (15,6") |
| Mounting type | Attachment to VESA mounts                       |