






10 9 8 7 6 5 4 3 2 1

F




8 CKT.




12 CKT.

E




9 CKT.



13 CKT.

D




10 CKT.




14 CKT.

C



11 CKT.





15 CKT.

B



極数の種類

KIND OF CKT. NO. (FRONT VIEW)

A



SECTION Y-Y



基板パターンレイアウト (参考)

RECOMMENDED P.C.B. PATTERN LAYOUT (REF.)

REVISED EC NO: J2013-0870 DRWN: KAWASHIO CHKD: KASAKAWA APPR: Y01 ITO	2013/02/07 2013/02/13 2013/02/13	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			10 UNDER	±0.2	DRAWN BY T. MIYAZAKI	DATE 2006/08/28	TITLE 1.25 W/B CONN. SINGLE S/T REC. ASS'Y 8-15CKT.				
			10 OVER 30 UNDER	±0.25	CHECKED BY K. ASAKAWA	DATE 2006/08/28					
			30 OVER	±0.3	APPROVED BY Y0. ITO	DATE 2006/08/28	molex				
			ANGULAR ±3 °		MATERIAL NO.						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-502382-002			2 OF 3	
					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

9 8 7

6 5 4 3 2

tb_frame_A3_J_ME_S
Rev G 2012/01/25

