www.transcend-info.com





USB 3.1 Gen 1 Card Readers **RDF9**

Taking full advantage of the UHS-II technology, the RDF9 UHS-II Card Reader unleashes the high-speed performance of SDXC / SDHC UHS-II memory cards. Equipped with USB 3.1 Gen 1 interface, the RDF9 delivers the blazing fast read and write speeds of up to 260MB/s and 190MB/s accordingly, facilitating high resolution video and RAW image transfers and post-production processing for professional photographers, videographers and graphic designers. Additionally, it also boasts the CompactFlash, SD and microSD card slots, offering you to transfer different types of digital files with one compact card reader.



Made for the latest UHS-II SD cards

The RDF9 card reader with the latest UHS-II interface is here to unleash the full performance of a UHS-II SD card, transferring high resolution RAW images and HD videos to your computer in just seconds. Besides the SD card slot, the multifunctional RDF9 also boasts CompactFlash and microSD card slots, an all-in-one design made for all the popular card types.



USB Type-A for great device compatibility

The RDF9 card reader is equipped with a micro USB (USB 3.1 Gen 1) port and includes a micro USB to USB Type-A cable to transfer data between your SD, microSD or CompactFlash memory card and your computer.



A must-have for professionals

Taking advantage of USB 3.1 Gen 1 and UHS-II technologies, the read and write speeds of the RDF9 are up to 260MB/s and 190MB/s, respectively. When paired with Transcend's 32GB UHS-II SD card, the RDF9 transfers an 8GB video in only 38 seconds, speeding up the post-production process for professional photographers, videographers, and graphic designers. In addition, the RDF9 has an LED indicator to show card insertion and data transfer activity.





USB 3.1 Gen 1 Card Readers **RDF9**

Features

- · USB 3.1 Gen 1 interface
- Supports high-speed UHS-II SD memory cards
- Multifunctional card reader with SD, microSD, and CompactFlash card slots
- Designed for high-resolution video, raw image transfers, and post-production processing
- Download the RecoveRx data recovery software from Transcend's official website



RecoveRx software

Transcend offers the RecoveRx software, a free data recovery utility that allows you to search deep within a storage device for traces of erased files including digital photos, documents, music, and videos.

Specifications

Specifications				
Appearance				
Dimensions	67.6 mm x 45 mm x 15.2 mm (2.66" x 1.77" x 0.60")			
Weight	30.6 g (1.08 oz)			
Color	Black			
Interface				
USB Type	micro USB to USB Type A			
Connection Interface	USB 3.1 Gen 1			
Hardware				
Card Reader Slot(s)	SD/microSD/CompactFlash			
Operating Environme	nt			
Operating Temperature	0°C (32°F) ~ 70°C (158°F)			
Operating Voltage	5V			
Performance				
Note	Speed may vary due to host hardware, software, usage, and storage capacity.			
Warranty				
Certificate	CE/FCC/BSMI/KC/RCM/EAC			
Warranty	Two-year Limited Warranty			
System Requirement				
Operating System	Microsoft Windows 7 Microsoft Windows 8 Microsoft Windows 10 Mac OS X 10.2.8 or later Linux Kernel 2.6.30 or later			
Compatibility				
Memory Card Supported	SDHC (UHS-II)/SDXC (UHS-II)/SDHC (UHS-I)/SDXC (UHS-I) microSDHC (UHS-I)/microSDXC (UHS-I) CompactFlash (UDMA6)/CompactFlash (UDMA7)			

Ordering Information

TS-RDF9K2

Product specifications are subject to change without notice. Pictures shown may differ from actual products. When used as a storage capacity unit, one terabyte (TB) = one trillion bytes. Total accessible capacity varies depending on operating environment.



USB 3.1 Gen 1 Card Readers Comparison	Transcend	Transcend	(f) transcend	1 transcend	🔁 traincond		
	RDC8	RDF9	RDF2	RDF8	RDF5*		
Appearance							
Dimensions (Max.)		56 mm x 24 mm x 8.9 mm (2.20" x 0.94" x 0.35")					
Weight (Max.)	32 g (1.13 oz)	30.6 g (1.08 oz)	26 g (0.91 oz)	32 g (1.13 oz)	18 g (0.63 oz)		
Color	Black	Black	Black	Black/White	Black/White/Pink		
Interface							
USB Type	micro USB to USB Type C	n	nicro USB to USB Typ	be A	USB Type-A		
Connection Interface	USB 3.1 Gen 1						
Hardware							
Card Reader Slot(s)	SD/microSD CompactFlash	SD/microSD CompactFlash	CFast	SD/microSD CompactFlash	SD/microSD		
Warranty							
Warranty	Two-year Limited Warranty						
Compatibility							
Memory Card Supported	SDHC (UHS-I)	SDHC (UHS-II)	CFast 2.0	SDHC (UHS-I)	SDHC (UHS-I)		
	SDXC (UHS-I)	SDXC (UHS-II)		SDXC (UHS-I)	SDXC (UHS-I)		
	microSDHC (UHS-I) microSDXC (UHS-I)	SDHC (UHS-I) SDXC (UHS-I)		microSDHC (UHS-I) microSDXC (UHS-I)	microSDHC (UHS-I) microSDXC (UHS-I)		
	CompactFlash (UDMA7)	, ,		CompactFlash (UDMA7	, ,		
		microSDXC(UHS-I)			,		
	Co	mpactFlash (UDMA6	5)				
	Co	mpactFlash (UDMA7	")				
SD UHS-II	-	\checkmark	-	-	-		
SD UHS-I and below	\checkmark	\checkmark	-	\checkmark	\checkmark		
microSD UHS-I and below	\checkmark	\checkmark	-	\checkmark	\checkmark		
CompactFlash UDMA5 and below	\checkmark	\checkmark	-	\checkmark	-		
CompactFlash UDMA7 & UDMA6	\checkmark	\checkmark	-	\checkmark	-		
CFast 2.0 and below		-	\checkmark	-	-		