Caussade, the 19th of Decmeber 2025

***Subject*: REACH European regulation**

Supplier's name : *APEM SAS,*

a private company incorporated and existing under the laws of France having its registered offices at 55 avenue Edouard Herriot – BP 1 – 82303 Caussade cedex – France acting in its name and in the name and on behalf of its subsidiaries:

MEC Aps (Denmark),

APEM Components Ltd (UK)

whose legal information are attached in appendix to this declaration, is perfectly informed about the new obligations coming from the REACH regulation N°1907/2006/EC.

Under REACH, we are producers of articles: switches, switch panels, professional joysticks, and LED indicators. All the substances present in the articles that we deliver to your company are not intended to be released during normal and reasonably foreseeable conditions of use. Therefore, we are exempted from pre-registration and registration.

In accordance with the regulation, we have taken the necessary steps with our own suppliers to ensure that they achieved the procedures of pre-registration and registration for the substances and preparations that we use. We have also ensured that the articles that we purchase will continue to be supplied in the same conditions or that alternative products will be proposed as soon as possible.

Based on the information we have from our suppliers of raw materials and products and to the best of our knowledge, we can confirm and declare that all items and packaging we supply comply with the authorization list in Annex XIV and the restrictions of substances listed in Annex XVII of REACH.

The identification of a substance as a Substance of Very High Concern (SVHC), and its inclusion in the Candidate List creates the duty to transfer information about the SVHC contained in products to recipient of the products in Europe (1). It does not impose any restrictions on the use of the products, nor is it a substance ban.

To the present and best of our knowledge, and based upon the information available to us from our suppliers, APEM has established a list of the products containing substances of very high concern (SVHC), as identified in the amended Candidate List, above a limit of 0.1 % w/w.

Please refer to the attached list "APEM list of products containing SVHC Candidate List amended.

(1): Relevant article: Article 59 (1, 10) and Article 33 of Regulation (EC) No. 1907/2006.

We remain at your disposal for further information. The person in charge of REACH in our company is: cyril.demoulin@apem.com

Yours sincerely,

Marc ENJALBERT
Chief Executive Officer

55, avenue Edouard Herriot – BP 1 – 82303 CAUSSADE Cedex – FRANCE
Tel. : +33 (0)5 63 93 14 98 – Fax : +33 (0)5 63 93 19 03

APEM SAS (France)

55 avenue Edouard Herriot – BP 1 – 82303 Caussade cedex – France

MEC Aps (Denmark)

Industriparken 23 – 2750 Ballerup - Denmark

APEM Components Ltd (UK)

Drakes Drive - Long Crendon – Aylesbury – Buckinghamshire HP 18 9BA – United Kingdom

Liste des produits APEM contenant des 250 SVHC liste candidate modifiée le 25 Juin 2025 du règlement REACH N°1907/2006/CE.
APEM list of products containing 250 SVHC Candidate List amended:June25th , 2025 of REACH N°1907/2006/CE regulation.

APEM séries/series	Octamethyl Cycotetrasiloxane (D4) CAS N° 556-67-2	Decamethyl cyclopentasiloxane (D5) CAS N° 541-02-6	Dodecamethyl cyclohexasiloxane (D6) CAS N° 540-97-6	Boric acid CAS N° 10043-35-3	Lead titalium zirconium oxide CAS N° 12626-81-2	Lead CAS N° 7439-92-1	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	Chlorinated parafin (C10-C13) CAS N° 85535-84-8	Chlorinated parafin (C14-C17) CAS N° 85535-85-9	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol CAS N° 119-47-1	Melamine CAS N° 108-78-1	vinyl-tris(2-methoxyethoxy) CAS N° 1067-53-4	Bis(α,α-dimethylbenzyl)peroxide CAS N° 80-43-3	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol (UV-329) CAS N° 3147-75-9	Numéro SCIP/SCIP Number
500				X		X									c6b0b61a-46e5-41a4-b6d5-6911e9a6c4bf
600 (3 & 4 poles)				X		X						X	X		97c6243e-1da4-4bb6-8cfd-b8187a61965c
600 (except 3 & 4 poles)	X	X	X			X					X	X	X		b915c9c8-39a8-4f95-ae27-e8c60c90e091
1000				X		X									0617693e-981b-462a-a789-3568344b685b
1200						X									281a72d4-2d54-42a5-96ee-a95eeb36af0b
1600				X		X									ceb36c9a-e26d-4d0c-9e81-d085233f80c1
2600						X								X	69b703e0-0d20-4706-a7ac-bc9072afe74b
3500	X	X	X			X									9eb518e2-57be-4861-8478-bdddc9aaf83a
3600	X	X	X	X		X									b1945ec5-aad1-41cd-8983-9d26527ebd9d
4000				X							X				d4d8b208-9bd4-4405-9721-e15585864e7f
5000						X					X	X	X		d0902301-0cb8-41bd-889c-020f683bb064
6000	X	X	X	X		X					X	X	X		af871ca3-d992-4788-9a05-87e81fb2d2ba
7000											X	X	X		b7947c44-f0fb-49e0-b84c-5d8bc216b6c7
7747ADBX1130-01+U532-2										X					08deea81-4117-45a5-80e6-348470eafd7a
8000						X				X		X	X		26ce83c9-d4b2-4647-88ef-c53e1901b1be
10300						X									48a87e28-70b2-4112-ab43-2a5eff659054
10400						X									01b8c8a8-57a7-4c64-b4aa-9917f893df92
11000						X					X	X	X		3d8900b1-78b3-4d2b-afa7-794cdbe8d0f5
11139AGKX687-05	X	X	X							X					17cae495-5388-4b1f-b41d-402852ff54d4
11147AGKX687-05	X	X	X												7a27b152-8438-4b60-b40c-59a4a0cf02d1
12000						X				X	X	X	X		80dcc346-36c7-4f16-9bda-e13020141c53
13000						X					X	X	X		84cc28f9-0de7-4c12-af75-0498bf2e99a2
18000						X									45aab9cc-51af-48a4-916f-dec19d5a8613
21000				X											d0df5f3b-1382-4cb8-8e8a-c001b8fd044a
25000											X				e353d76e-bb2a-4572-ba78-ece0997ce8ea
55000						X									ad08c546-57a7-4985-954b-ee4edabbb12f
4400-4600						X									f5e7d443-b5cb-48bf-b41a-2c7a44a41add
4700-4800						X									cc245e6b-1d50-4f5a-8cac-0163d9f73e02
5000M						X									14b0337c-b482-4b68-8421-3922d60b8467
9100-9200-9500						X									8c5981f5-7e85-41ee-ae95-857a617fb06c
9400-9600						X									385bd78f-8550-45d5-b5b9-a4af2cf6eea6
A01	X					X	X							X	f9c24d63-df31-4821-86a7-1a1f49158c41
A02 - A03 - A09						X	X								1929eef5-6101-4e14-bb87-93725f79f167
AV	X					X								X	5462ffc3-478e-4218-a531-083daaf2259c
AV0911L6EA270KX2848	X	X	X			X								X	924a05ef-1c5e-4d13-b9d5-83526d7957f3
CP						X								X	524074e2-5fa6-4f93-b702-1249af4f4ae3
CT	X			X		X									8fe02ad5-2aab-48b5-9e43-0399b0471a52
EC	X														e340d87d-735d-45f0-9c41-ceba5b1f07bd
ES	X					X									533e5b31-e37d-453c-a754-6c695fd91473
ES1C41653X1171-239/ES1C41653X1171-223/ES2E41653001X1171-217	X	X	X			X									21acdb6a-d138-4789-a18d-fe23aa22c10b
FD THREADED	X					X								X	31579cfe-e705-48cf-9ea6-bd50157652f2
FNR						X									6c262152-f73a-46ae-a219-97a2ec07f603
FP THREADED	X					X									5f4df2f9-9ddc-4b3a-944d-86ff6900917a
FPAR3C4422B22WFX1383	X	X	X			X									eb4d9728-a220-4fb3-8683-1be843087a84
HR360	X														015ef3e0-9082-4b63-9be9-e39a8915a066
HR														X	97e0ecc5-d7c9-4298-9de8-529ba32f0dc0
IA						X				X					170dc93d-b480-4e46-aa23-6db8d260af37
IB															d2ff2e61-c8d7-40de-a091-45ee9a36fa28
IC	X	X	X			X									adb10f6f-64fe-4fdc-a5fd-0a2e2025e295
IF THREADED						X									c487fd8b-cea5-4476-9ed8-a9c27a191bf1
IG														X	46e7e1c8-dd29-4583-bdb0-0a51f65c47ba
IHL	X					X									1ba0fbd0-bcd5-43d3-83e7-3196a7419451
IHS	X					X				X					0ff4ef61-f212-44a2-bb8e-7753ea13468e
IL	X	X	X			X									efd74e0f-e51a-42ce-9393-3a98750ccb86
IM	X					X									848c35c8-dad1-499e-89d4-dc5942f968d0
IP	X	X	X			X				X				X	544a61f5-6b3a-4b71-a4c8-3f8a3fc9fcfb
IR	X	X	X			X								X	28c3c84d-9795-4c2f-9a23-26fab16a7a63
IS	X	X	X			X					X				593f2962-f4db-4fa9-b436-33accfb5b2f1
IX	X					X								X	0ef09e67-0ffc-4b90-8c35-44047ef52415
IZ METAL	X	X	X			X									b54cdbf0-19c2-4367-ac11-34666a907d75
Joystick APEM brand all series except starting by TS & CW and except series 3000 & 6000.						X		X	X						e37ea3f5-7e84-4be7-9640-0f54a6533634
Joystick APEM brand starting by TS & CW and series 3000 & 6000	X					X		X	X						b1549bf0-ee91-42f2-8c59-dd2af03f113b
KG						X									7a1e1d40-a606-40d9-b789-fea18de551a4
KH	X					X									ec848cf6-fa9f-41ac-9f94-b77382e2198a
KL	X					X									7b7c2dac-d8ba-49fb-a5b4-9893cea2358a
KN	X					X									fa6e4c12-282f-403c-9e36-6b837d5e3a2c
KR	X					X									01314565-a62a-4491-b999-88f88d521150
LED indicators APEM brand EXCEPT Q6 &Q12						X									836c8be1-e0f2-425d-8042-8bbca98f9a00
LED indicators APEM brand Q6 & Q12	X					X		X	X	X					78a36d90-5b00-4c0c-a99d-073b1e457511
LK						X									128b5107-fc4b-4d78-b67e-953d9eb270c4
LPI	X													X	f9a7779a-0347-4de6-8a0e-d933c70ed046
MP	X														873a3f9a-f3e5-48d4-b869-9fd613ddca2c
MSG (white and orange)											X				74f07595-8c53-425a-9470-a3180f8864c1
MSG35KS1XXX												X	X		9bb28e3c-1d60-436f-b98e-284858257f97

MT						X									d7760290-b359-45d3-b287-40f326d33733
NK						X									9087f23f-4d1e-49dc-a388-a91bf1b56a0c
NV	X	X	X			X									b84a164a-72d1-418f-9f0c-7c168b63fb42
PBA					X	X								X	7bc8ce47-8747-4a3f-b866-56689cfa7bea
PT65						X									b2c07e16-a6e4-45f5-b0eb-c032fb48dd38
S (EXCEPT SLG)						X									3e861a8-46ad-4f71-b852-727429817d4b
Sealing boot APEM brand neoprene						X		X	X						b33f9aa7-c6e8-41a9-9cad-05a3a060066f
Sealing boot APEM brand silicone	X					X									706e1d8e-34e0-4927-9ee0-c40514c59460
SMT TL						X									3a3cf109-d4ba-42bb-9371-6e7867aadcde
SMT TR						X									e72fc8fc-2aad-455e-9e46-545a7354df6b
SP						X									de0632ca-0936-46ef-b669-5c5d491b4c71
Switch guards except color red or black APEM brand P/N starting by :1xx, 2xx,3xx,5xx, and MSG						X									bba9041e-f7ff-4b1f-acc1-c1fda2b66ebc
Switch guards except color red or black APEM brand P/N starting by :2x,3x,4x,5x,6x,7x,8x						X									e8efad70-0637-423a-8c15-db6aae71f228
Switch guards red or black APEM brand P/N starting by : 2x,3x,4x,5x,6x,7x,8x				X		X									0515809a-0a00-4c5f-80de-573f3bcdd8c6
Switch guards red or black APEM brand P/N starting by :1xx, 2xx,3xx,5xx, and MSG				X		X									43ed6681-2ce1-417a-8407-92b060cf7c8e
TG	X														13181be4-bac1-4f15-87c5-f889ed963c23
TL						X									d036bf88-084c-4bbc-8061-4ac4c6f44c77
TR						X									b3725595-4dfa-475c-b198-9c801be169f8
U (only nut)						X									d68d726a-006b-4136-90f3-1412175d4b1f
U (sealing washers)	X	X	X												7148a567-0eeb-4909-bd0e-e0b295bc4749
WP						X									fe7885eb-b8c3-4496-9bb2-8b5c5af04edd
ZL						X									0d4dd9fd-fad9-4c55-bb9b-971297ffd9d7
ZP						X									7b4ae733-cbe3-4ace-8ad2-0ae14a9c0842
END															