(96200099)

REACH Auskunft (1907/2006)

gemäß der Verordnung 1907/2006 (REACH), Artikel 33, sind Sie als Lieferant von Erzeugnissen verpflichtet, uns als Abnehmer Informationen zu besonders besorgniserregenden Stoffen (SVHCs) zu liefern. Diese SVHCs sind in einer so genannten Kandidatenliste aufgeführt, die regelmäßig von der ECHA aktualisiert wird.
Da eine neue Kandidatenliste veröffentlicht wurde, möchten wir Sie bitten, uns ein aktuelles REACH-Statement mit Angabe des Erstellungsdatums zukommen zu lassen.
In diesem Zusammenhang möchten wir Sie auf Ihre Verpflichtung hinweisen, uns unaufgefordert zu informieren, wenn eines Ihrer Produkte einen neu hinzugekommenen SVHC enthält.

Bitte senden Sie Ihr REACH-Statement an folgende E-Mail-Adresse: RoHS.REACH@conrad.de

Lieferantenerklärung

- ❏ Alle Produkte, die wir an die Firma Conrad Electronic SE liefern, enthalten keine SVHCs oberhalb der gesetzlichen Grenzwerte.

- ❏ Einige Produkte, die wir an die Firma Conrad Electronic SE liefern, enthalten SVHCs über dem gesetzlichen Grenzwert. Entsprechend der Verordnung informieren wir Sie über die betroffenen Produkte in der angehängten Liste. Für die korrekte Zuordnung ist die Angabe der Conrad-Artikelnummer zwingend erforderlich.

Ort, Datum

Firma/Unterschrift

(96200099)

REACH Information (1907/2006)

Dear business partner,

according to Regulation 1907/2006 (REACH), Article 33, as a supplier of articles you are obliged to provide us as a customer with information on substances of very high concern (SVHCs).
These SVHCs are listed in a so-called candidate list, which is regularly updated by ECHA.
As a new list of candidates has been published, we would like to ask you to send us a current REACH statement with indication of creation date.
In this context we would like to draw your attention to your obligation to inform us unsolicited if one of your products contains a newly added SVHC.

Please send your REACH statement to the following e-mail address:
RoHS.REACH@conrad.de

Supplier's declaration

☐ All products we deliver to Conrad Electronic SE do not contain SVHCs above the legal limits.

☑ Some of the products we supply to Conrad Electronic SE contain SVHCs above the legal limit. In accordance with the regulation, we provide information about the affected products in the attached list. For correct identification, the Conrad article number is mandatory.

Company: Schneider Electric – Secure Power Division
Signature:

Raymond P. Lizotte, Jr. ✓

Schneider Electric • SPBusiness Schneider Electric ★OFFICIAL DOCUMENT★ APC by Schneider Electric
Company Seal

Authorized representative:
Raymond P. Lizotte, Jr.
Director, Sustainable Innovation Office
EMAIL: raymond.lizotte@SE.com
Schneider Electric Andover R&D Center
Andover, MA 01810, United States

(96200099)

Liste der Produkte mit SVHCs über dem gesetzlichen Grenzwert

List of products with SVHCs above the legal limit

Product Identifier Artikelbezeichnung	SVHC Identifier SVHC Bezeichnung (Name/CAS No.)	Part containing SVHC Teil, das SVHC enthält	Percentage of SVHC Prozentanteil SVHC
AP9335T:Wired, Sensor, NetBotz, Temperature, 13 ft	None		
NBES0301:Wired, Sensor, NetBotz, Spot Fluid, 15ft	Lead/7439-92-1 Lead monoxide (lead oxide)/1317-36-8 Diboron trioxide/1303-86-2	PCBA, metal	>0.1%
AP9335TH:APC Temperature & Humidity Sensor	None		
AP8702S-WW:Power Cord Kit (6 ea), Locking, C13 to C14, 0.6m	None		
AP8704R-WW:Power Cord Kit (6 ea), Locking, C13 to C14 (90 Degree), 1.2m	None		
AP8704S-WW:Power Cord Kit (6 ea), Locking, C13 to C14, 1.2m	None		
AP8706S-WW:Power Cord Kit (6 ea), Locking, C13 to C14, 1.8m	None		
AP8755:Power Cord, Locking C19 to CEE/7 Schuko, 3.0m	None		
AP8758:Power Cord, Locking C19 to IEC309-16A, 3.0m	None		
AP8760:APC NetShelter Power Cord, Locking, IEC C19 to C20, 3.0m	None		
AP9870:Power Cord, C13 to C14, 2.5m	None		
AP9875:Power Cord, C19 to CEE/7 Schuko, 2.5m	None		
AP9876:APC NetShelter Power Cord, C19 to IEC309 16A, 2.5m	None		
AP9877:APC NetShelter Power Cord, IEC C19 to C20, 2.0m	None		
AP9878:APC NetShelter Power Cord, IEC C19 to C14, 2.0m	None		
AP9879:APC NetShelter Power Cord, IEC C13 to C20, 2.0m	None		
AP9880:Power Cord, C14 to CEE 7/7 Schuko, 0.6m	None		
AP9899:Power Cord, C20 to IEC309 (16A), 2.5m	None		
AP7551:APC NetShelter Basic Rack PDU, Zero U,	None		

16A, 230V, 20 C13 and 4 C19 outlet, IEC309 inlet			
AP7821B:APC NetShelter Metered Rack PDU, 1U, 16A, 208/230V, 8 C13 outlet	None		
AP7920B:APC NetShelter Switched Rack PDU, 1U, 1PH, 2.3kW 230V 10A or 2.5kW 208V 12A, 8 C13 outlets, C14 cord	None		
AP7921B:RACK PDU, SWITCHED	EGDME/110-71-4 Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 2-methylimidazole/693-98-1 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol/119-47-1	PCBA, metal, cable	>0.1%
AP8653:APC NetShelter Metered-by-Outlet with Switching Rack PDU, 2G, 0U, 32A, 230V, 21 C13 and 3 C19 outlet	EGDME/110-71-4 Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 2-methylimidazole/693-98-1 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol/119-47-1	PCBA, metal, cable	>0.1%
AP8853:APC NetShelter Metered Rack PDU, 0U, 1 phase, 7.4kW 230V 32A, 36 C13 and 6 C19 outlets, IEC 309 2P+E cord	EGDME/110-71-4 Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 2-methylimidazole/693-98-1	PCBA, metal, cable	>0.1%
AP8858:APC NetShelter Metered Rack PDU, 0U, 1 phase, 3.3kW 208V 16A or 3.7kW 230V 16A, 18 C13 and 2 C19 outlets, C20 inlet	None		
AP8886:APC NetShelter Metered Rack PDU, 0U, 3 phase, 22kW 230V 32A or 17.3kW 230V 24A, 30 C13 and 12 C19 outlets, IEC 309 3P+N+PE cord	EGDME/110-71-4 Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 2-methylimidazole/693-98-1	PCBA, metal, cable	>0.1%
AP9559:APC NetShelter Basic Rack PDU, 1U, 16A, 208 & 230V, 10 C13 and 2 C19 outlets	None		
AP9565:APC NetShelter Basic Rack PDU, 1U, 1 phase, 3.7kW 230V 16A or 3.3kW 208V 16A, 12 C13 outlets, C20 cord	None		
AP9572:APC NetShelter Basic Rack PDU, 0U, 16A, 208/230V, 15 C13 outlets	None		
AP6003A:APC NetShelter Basic Rack PDU, Half Height, 100-240V/20A, 220-240V/16A, 14 C13 outlet	None		
AP6015A:APC NetShelter Basic Rack PDU, 0U/1U, 120-240V/15A, 220-240V/10A, 8 C13 outlet	None		
AP6020A:APC NetShelter Basic Rack PDU, 0U, 1 phase, 3.3kW, 100-240V 20A or 200-240V 16A, 13	None		

C13 outlets, C20 inlet			
AP6032A:APC NetShelter Basic Rack PDU, 0U/1U, 220-240V, 32A, 4 C19 outlet, EMEA/ASIA	None		
AP6038A:APC NetShelter Basic Rack PDU, 0U/1U, 220-240V, 63A, 3 C19 outlet	None		
AP6120A:APC NetShelter Basic Rack PDU, 0U/1U, 100-240V/20A, 220-240V/16A, 7 C13 and 2 C19 outlet	None		
AP9613:Dry contact, Management Options, Dry Contact I/O Card, monitor external UPS environmental sensors, output relays, and input contacts	Lead/7439-92-1	PCBA	>0.1%
AP9620:Protocol translation to UPS-Link, Management Options, Legacy Communications SmartSlot Card, UPS support for UPSLink protocol serial communications	None		
SRTRK2:APC Smart-UPS SRT 19 inch Rail Kit for Smart-UPS SRT 5/6/8/10kVA	None		
SRTRK4:APC Smart-UPS SRT 19 inch Rail Kit for Smart-UPS SRT 1/1.5/2.2/3kVA	None		
SRT192RMBP:APC Smart-UPS On-Line SRT External Battery Pack, 3U Rack, 192Vdc	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (trimellitic anhydride TMA)/552-30-7 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol/119-47-1	PCBA, Lead acid battery	>0.1%
SRT96BP:APC Smart-UPS On-Line SRT Battery Pack for 3kVA Extended runtime model 96V	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol/119-47-1	PCBA, Lead acid battery	>0.1%
APCRBC106:APC Replacement Battery Cartridge 106 with 2 Year Warranty	Lead/7439-92-1	Lead acid battery	>0.1%
APCRBC110:APC Replacement Battery Cartridge, VRLA battery, 7Ah, 12VDC, 2-year warranty	Lead/7439-92-1	Lead acid battery	>0.1%
APCRBC113:APC Replacement Battery Cartridge 113 with 2 Year Warranty	Lead/7439-92-1	Lead acid battery	>0.1%
APCRBC114:APC Replacement Battery Cartridge 114 with 2 Year Warranty	Lead/7439-92-1	Lead acid battery	>0.1%

APCRBC115:APC Replacement Battery Cartridge for Smart-UPS Line Interactive, 48V 9Ah lead-acid battery, 2-year repair or replace warranty	Lead/7439-92-1	Lead acid battery	>0.1%
APCRBC118:APC Replacement Battery Cartridge #118 with 2 Year Warranty	Lead/7439-92-1	Lead acid battery	>0.1%
APCRBC123:APC Replacement Battery Cartridge for Smart-UPS Line Interactive, 24V 7Ah lead-acid battery, 2-year repair or replace warranty	Lead/7439-92-1	Lead acid battery	>0.1%
APCRBC124:APC Replacement Battery Cartridge for Smart-UPS Line Interactive, 24V 9Ah lead-acid battery, 2-year repair or replace warranty	Lead/7439-92-1	Lead acid battery	>0.1%
APCRBC132:APC Replacement Battery Cartridge 132 with 2 Year Warranty	Lead/7439-92-1	Lead acid battery	>0.1%
APCRBC133:APC Replacement Battery Cartridge for Smart-UPS Line Interactive, 24V 9Ah lead-acid battery, 2-year repair or replace warranty	Lead/7439-92-1	Lead acid battery	>0.1%
APCRBC140:APC Replacement Battery Cartridge for Smart-UPS On-Line, 192V 5.1Ah lead-acid Battery, 2-year repair or replace warranty	Lead/7439-92-1	Lead acid battery	>0.1%
APCRBC152:APC Replacement Battery Cartridge for Smart-UPS On-Line, 12V 5Ah lead-acid battery, 2-year repair or replace warranty	Lead/7439-92-1	Lead acid battery	>0.1%
RBC17:APC Replacement Battery Cartridge for Back-UPS, 12V 9Ah lead-acid battery, 2-year repair or replace warranty	Lead/7439-92-1	Lead acid battery	>0.1%
RBC18:APC Replacement Battery Cartridge 18 with 2 Year Warranty	Lead/7439-92-1	Lead acid battery	>0.1%
RBC2:APC Replacement Battery Cartridge, Valve regulated lead–acid battery, 7Ah, 12VDC, 2-year warranty	Lead/7439-92-1	Lead acid battery	>0.1%
RBC27:APC Replacement Battery Cartridge #27 with 2 Year Warranty	Lead/7439-92-1	Lead acid battery	>0.1%
RBC33:APC Replacement Battery Cartridge 33 with 2 Year Warranty	Lead/7439-92-1	Lead acid battery	>0.1%
RBC34:APC Replacement Battery Cartridge #34 with 2	Lead/7439-92-1	Lead acid battery	>0.1%

Year Warranty			
RBC43:APC Replacement Battery Cartridge for Smart-UPS Line Interactive, 48V 10Ah lead-acid battery, 2-year repair or replace warranty	Lead/7439-92-1	Lead acid battery	>0.1%
RBC48:APC Replacement Battery Cartridge for Smart-UPS Line Interactive, 24V 7Ah lead-acid battery, 2-year repair or replace warranty	Lead/7439-92-1	Lead acid battery	>0.1%
RBC5:APC Replacement Battery Cartridge #5 with 2 Year Warranty	Lead/7439-92-1	Lead acid battery	>0.1%
BV1000I:APC Easy UPS, 1000VA, Floor/Wall Mount, 230V, 6x IEC C13 outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BV1000I-GR:APC Easy UPS, 1000VA, Floor/Wall Mount, 230V, 4x CEE 7/3 Schuko outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BV500I:APC Easy UPS, 500VA, Floor/Wall Mount, 230V, 6x IEC C13 outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BV500I-GR:APC Easy UPS, 500VA, Floor/Wall Mount, 230V, 4x CEE 7/3 Schuko outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BV650I-GR:APC Easy UPS, 650VA, Floor/Wall Mount, 230V, 4x CEE 7/3 Schuko outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BV800I:APC Easy UPS, 800VA, Floor/Wall Mount, 230V, 6x IEC C13 outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BV800I-GR:APC Easy UPS, 800VA, Floor/Wall Mount, 230V, 4x CEE 7/3 Schuko outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BVX700LI:APC Easy UPS, 700VA, Tower, 230V, 4x IEC C13 Outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BVX900LI:APC Easy UPS, 900VA, Tower, 230V, 4x IEC C13 outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BVX1200LI:APC Easy UPS, 1200VA, Tower, 230V, 6x IEC C13 Outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BVX2200LI:APC Easy UPS, 2200VA, Tower, 230V, 6x IEC C19 Outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BVX700LI-GR:APC Easy UPS, 700VA, Tower, 230V, 2x CEE 7/3 Schuko outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BVX900LI-GR:APC Easy UPS, 900VA, Tower, 230V, 2x CEE 7/3 Schuko outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%

BVX1200LI-GR:APC Easy UPS, 1200VA, Tower, 230V, 4x CEE 7/3 Schuko Outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BVX1600LI-GR:APC Easy UPS, 1600VA, Tower, 230V, 4x CEE 7/3 Schuko Outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BVX2200LI-GR:APC Easy UPS, 2200VA, Tower, 230V, 4x CEE 7/3 Schuko outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BR1200G-GR:APC Back-UPS Pro, 1200VA/720W, Tower, 230V, 6x CEE 7/7 Schuko outlets, AVR, LCD, User Replaceable Battery	Lead/7439-92-1	lead-acid battery, metal	>0.1%
BR1500G-GR:APC Back-UPS Pro, 1500VA/865W, Tower, 230V, 6x CEE 7/7 Schuko outlets, Sine Wave, AVR, LCD, User Replaceable Battery	Lead/7439-92-1	lead-acid battery, metal	>0.1%
BR1500GI:APC Back-UPS Pro, 1500VA/865W, Tower, 230V, 10x IEC C13 outlets, AVR, LCD, User Replaceable Battery	Diboron trioxyde/1303-86-2 Silicic acid, lead salt/11120-22-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1	PCBA, Lead acid battery, metal	>0.1%
BR900G-GR:APC Back-UPS Pro, 900VA/540W, Tower, 230V, 5x CEE 7/7 Schuko outlets, AVR, LCD, User Replaceable Battery	Lead/7439-92-1	Lead acid battery, metal	>0.1%
BR1300MI:APC Back-UPS Pro, 1300VA/780W, Tower, 230V, 8x IEC C13 outlets, AVR, LCD, User Replaceable Battery	Lead/7439-92-1	PCBA, Lead acid battery	>0.1%
BR1600MI:APC Back-UPS Pro, 1600VA/960W, Tower, 230V, 8x IEC C13 outlets, AVR, LCD, User Replaceable Battery	Lead/7439-92-1	PCBA, Lead acid battery	>0.1%
BR650MI:APC Back-UPS Pro, 650VA/390W, Tower, 230V, 6x IEC C13 outlets, AVR, LCD, User Replaceable Battery	Diboron trioxyde/1303-86-2 MHHPA/25550-51-0 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol/79-94-7	PCBA, Lead acid battery, metal, plastic	>0.1%
BR900MI:APC Back-UPS Pro, 900VA/540W, Tower, 230V, 6x IEC C13 outlets, AVR, LCD, User Replaceable Battery	Diboron trioxyde/1303-86-2 MHHPA/25550-51-0 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol/79-94-7	PCBA, Lead acid battery, metal, plastic	>0.1%
BX750MI:APC Back-UPS, 750VA, Tower, 230V, 4 IEC C13, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BX1200MI:APC Back-UPS, 1200VA, Tower, 230V, 6 IEC C13 outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BX2200MI:APC Back-UPS, 2200VA, Tower, 230V, 6 IEC C13 outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%

BX750MI-GR:APC Back-UPS, 750VA, Tower, 230V, 4x CEE 7/7 Schuko outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BX950MI-GR:APC Back-UPS, 950VA, Tower, 230V, 4x CEE 7/7 Schuko outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BX1200MI-GR:APC Back-UPS, 1200VA, Tower, 230V, 4x CEE 7/7 Schuko outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
BX1600MI-GR:APC Back-UPS, 1600VA, Tower, 230V, 4x CEE 7/7 Schuko outlets, AVR	Lead/7439-92-1	Lead acid battery	>0.1%
SC450RMI1U:APC Smart-UPS SC 450VA 230V - 1U Rackmount/Tower	Lead/7439-92-1	PCBA, Lead acid battery, metal	>0.1%
SMX750I:APC Smart-UPS X, Line Interactive, 750VA, Rack/tower convertible 2U, 230V, 8x C13 IEC, SmartSlot, Extended runtime	Lead/7439-92-1	PCBA, Lead acid battery, metal	>0.1%
SMC1000I-2UC:APC Smart-UPS C, Line Interactive, 1000VA, Rackmount 2U, 230V, 4x IEC C13 outlets, SmartConnect port, USB and Serial communication, AVR, Graphic LCD	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 Bis(α,α-dimethylbenzyl) peroxide/80-43-3	PCBA, Lead acid battery, metal	>0.1%
SMC1000IC:APC Smart-UPS C, Line Interactive, 1000VA, Tower, 230V, 8x IEC C13 outlets, SmartConnect port, USB and Serial communication, AVR, Graphic LCD	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 Bis(α,α-dimethylbenzyl) peroxide/80-43-3	PCBA, Lead acid battery, metal	>0.1%
SMC1500IC:APC Smart-UPS C, Line Interactive, 1500VA, Tower, 230V, 8x IEC C13 outlets, SmartConnect port, USB and Serial communication, AVR, Graphic LCD	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 Bis(α,α-dimethylbenzyl) peroxide/80-43-3	PCBA, Lead acid battery, metal	>0.1%
SMT1000IC:APC Smart-UPS, Line Interactive, 1000VA, Tower, 230V, 8x IEC C13 outlets, SmartConnect Port+SmartSlot, AVR, LCD	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 Bis(α,α-dimethylbenzyl) peroxide/80-43-3	PCBA, Lead acid battery, metal	>0.1%
SMT1000RMI2UC:APC Smart-UPS, Line Interactive, 1000VA, Rackmount 2U, 230V, 4x IEC C13 outlets, SmartConnect Port+SmartSlot, AVR, LCD	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 Bis(α,α-dimethylbenzyl) peroxide/80-43-3	PCBA, Lead acid battery, metal	>0.1%
SMT1500IC:APC Smart-UPS, Line Interactive, 1500VA, Tower, 230V, 8x IEC C13 outlets, SmartConnect Port+SmartSlot, AVR, LCD	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 Bis(α,α-dimethylbenzyl) peroxide/80-43-3	PCBA, Lead acid battery, metal	>0.1%
SMT1500RMI2UC:APC Smart-UPS, Line Interactive,	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8	PCBA, Lead acid battery,	>0.1%

1500VA, Rackmount 2U, 230V, 4x IEC C13 outlets, SmartConnect Port+SmartSlot, AVR, LCD	Lead titanate/12060-00-3 Lead/7439-92-1 Bis(α,α-dimethylbenzyl) peroxide/80-43-3	metal	
SMT2200IC:APC Smart-UPS, Line Interactive, 2200VA, Tower, 230V, 8x IEC C13+2x IEC C19 outlets, SmartConnect Port+SmartSlot, AVR, LCD	Diboron trioxyde/1303-86-2 MHHPA/25550-51-0 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1	PCBA, Lead acid battery, metal	>0.1%
SMT2200RMI2UC:APC Smart-UPS, Line Interactive, 2200VA, Rackmount 2U, 230V, 8x IEC C13+1x IEC C19 outlets, SmartConnect Port+SmartSlot, AVR, LCD	Diboron trioxyde/1303-86-2 MHHPA/25550-51-0 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1	PCBA, Lead acid battery, metal	>0.1%
SMT3000IC:APC Smart-UPS, Line Interactive, 3kVA, Tower, 230V, 8x IEC C13+2x IEC C19 outlets, SmartConnect Port+SmartSlot, AVR, LCD	Diboron trioxyde/1303-86-2 MHHPA/25550-51-0 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1	PCBA, Lead acid battery, metal	>0.1%
SMT3000RMI2UC:APC Smart-UPS, Line Interactive, 3kVA, Rackmount 2U, 230V, 8x IEC C13+1x IEC C19 outlets, SmartConnect Port+SmartSlot, AVR, LCD	Diboron trioxyde/1303-86-2 MHHPA/25550-51-0 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1	PCBA, Lead acid battery, metal	>0.1%
SMT750IC:APC Smart-UPS, Line Interactive, 750VA, Tower, 230V, 6x IEC C13 outlets, SmartConnect Port+SmartSlot, AVR, LCD	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 2-methylimidazole/693-98-1 Bis(α,α-dimethylbenzyl) peroxide/80-43-3	PCBA, Lead acid battery, metal	>0.1%
SMT750RMI2UC:APC Smart-UPS, Line Interactive, 750VA, Rackmount 2U, 230V, 4x IEC C13 outlets, SmartConnect Port+SmartSlot, AVR, LCD	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 Bis(α,α-dimethylbenzyl) peroxide/80-43-3	PCBA, Lead acid battery, metal	>0.1%
SMX1000I:APC Smart-UPS X, Line Interactive, 1000VA, Rack/tower convertible 2U, 230V, 8x C13 IEC, SmartSlot, Extended runtime	Lead/7439-92-1	Lead acid battery, metal	>0.1%
SMX1500RMI2U:APC Smart-UPS X, Line Interactive, 1500VA, Rack/tower convertible 2U, 230V, 8x C13 IEC, SmartSlot, Extended runtime	Diboron trioxyde/1303-86-2 MHHPA/25550-51-0 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (trimellitic anhydride TMA)/552-30-7	PCBA, Lead acid battery, metal	>0.1%
SRT1000RMXLI:APC Smart-UPS On-Line, 1000VA/1000W, Rackmount 2U, 230V, 6x C13 IEC outlets, SmartSlot, Extended runtime, W/ rail kit	Lead/7439-92-1	Lead acid battery	>0.1%
SRT1000RMXLI-NC:APC Smart-UPS On-Line, 1000VA/1000W, Rackmount 2U, 230V, 6x C13 IEC outlets, Network Card, Extended runtime, W/ rail kit	Lead/7439-92-1	PCBA, Lead acid battery, metal	>0.1%

SRT2200RMXLI:APC Smart-UPS On-Line, 2200VA, Rackmount 2U, 230V, 8x C13+2x C19 IEC outlets, SmartSlot, Extended runtime, W/ rail kit	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Orange lead (lead tetroxide)/1314-41-6 Lead/7439-92-1 Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (trimellitic anhydride TMA)/552-30-7 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol/119-47-1 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol/79-94-7	PCBA, Lead acid battery, metal, plastic	>0.1%
SRT3000RMXLI-NC:APC Smart-UPS On-Line, 3kVA, Rackmount 2U, 230V, 8x C13+2x C19 IEC outlets, Network Card, Extended runtime, W/ rail kit	EGDME/110-71-4 Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 Orange lead (lead tetroxide)/1314-41-6 Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (trimellitic anhydride TMA)/552-30-7 2-methylimidazole/693-98-1 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol/119-47-1 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol/79-94-7	PCBA, Lead acid battery, metal, plastic	>0.1%
SRT3000XLI:APC Smart-UPS On-Line, 3kVA, Tower, 230V, 8x C13+2x C19 IEC outlets, SmartSlot, Extended runtime, W/O rail kit	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 Orange lead (lead tetroxide)/1314-41-6 Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (trimellitic anhydride TMA)/552-30-7 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol/119-47-1 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol/79-94-7	PCBA, Lead acid battery, metal, plastic	>0.1%
SRT5KXLI:APC Smart-UPS On-Line, 5kVA, Tower, 230V, 6x C13+4x C19 IEC outlets, Network Card+SmartSlot, Extended runtime, W/O rail kit	EGDME/110-71-4 Diboron trioxyde/1303-86-2 MHHPA/25550-51-0 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (trimellitic anhydride TMA)/552-30-7 2-methylimidazole/693-98-1 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol/119-47-1 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol/79-94-7	PCBA, Lead acid battery, metal	>0.1%
SRTL2200RMXLI-NC:APC Smart-UPS On-Line, 2200VA, Rackmount 3U, 230V, 6x C13+2x C19 IEC, Network Card, Extended runtime, W/ rail kit, W/ Lithium-ion external battery	DBP/84-74-2 EGDME/110-71-4 Diboron trioxyde/1303-86-2 MHHPA/25550-51-0 Lead monoxide (lead oxide)/1317-36-8 Lead titanate/12060-00-3 Lead/7439-92-1 Orange lead (lead tetroxide)/1314-41-6 Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (trimellitic anhydride TMA)/552-30-7 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol/119-47-1 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol/79-94-7 Bis(α,α-dimethylbenzyl)peroxide/80-43-3	PCBA, Li-Ion (Lithium-Ion) Battery, metal, plastic	>0.1%
SRV1KI:APC Easy UPS On-Line, 1000VA/800W, Tower, 230V, 3x IEC C13 outlets, Intelligent Card Slot, LCD	Lead/7439-92-1	PCBA, Lead acid battery, metal	>0.1%
SRV3KI:APC Easy UPS On-Line, 3kVA/2400W, Tower, 230V, 6x IEC C13 + 1x IEC C19 outlets, Intelligent Card Slot, LCD	Lead/7439-92-1	PCBA, Lead acid battery, metal	>0.1%
BK350EI:APC Back-UPS, 350VA/210W, Tower, 230V,	Lead/7439-92-1	PCBA, Lead acid battery	>0.1%

4x IEC C13 Outlets , User Replaceable Battery			
BK500EI:APC Back-UPS, 500VA/300W, Tower, 230V, 4x IEC C13 Outlets , User Replaceable Battery	Lead/7439-92-1	PCBA, Lead acid battery	>0.1%
BK650EI:APC Back-UPS, 650VA, Tower, 230V, 4 IEC C13 Outlets , User Replaceable Battery	Diboron trioxyde/1303-86-2 Lead monoxide (lead oxide)/1317-36-8 Lead/7439-92-1 Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (trimellitic anhydride TMA)/552-30-7	PCBA, Lead acid battery	>0.1%
BE650G2-GR:APC Back-UPS, 650VA/400W Floor/Wall Mount, 230V, 8x CEE 7/3 Schuko outlets, USB Type A Port, User Replaceable Battery	Lead/7439-92-1	PCBA, Lead acid battery	>0.1%
BE850G2-GR:APC Back-UPS, 850VA/520W Floor/Wall Mount, 230V, 8x CEE 7/3 Schuko outlets, USB Type A+C Ports, User Replaceable Battery	Lead/7439-92-1	PCBA, Lead acid battery	>0.1%
AR100:APC NetShelter 13U Wallmount Rack Cabinet Glass Door Double Hinged Server Depth	None		
AR100HD:APC NetShelter 13U Wallmount Rack Cabinet Vented Door Double Hinged Server Depth	None		
AR3150:APC NetShelter SX, Server Rack Enclosure, 42U, Black, 1991.4H x 750W x 1070D mm	Lead/7439-92-1	metal	>0.1%
AR3107:APC NetShelter SX, Server Rack Enclosure, 48U, Black, 2258H x 600W x 1070D mm	None		
AR8600A:APC NetShelter Cable Management, Horizontal Cable Manager, 2U, Single Side with Cover, Black, 483 x 88 x 110 mm	None		