

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 25/05/2023 Revision date: 28/09/2022 Supersedes version of: 09/03/2022 Version: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : DEGREASER 65
UFI : 3X2X-28X9-H000-2264
Product code : BDS000275AE
Type of product : Detergent

Vaporizer : Deterge

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Cleaners - Heavy duty

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

CRC Industries Europe B.V. Touwslagerstraat 1 9240 Zele Belgium

T +32(0)52/45.60.11 - F +32(0)52/45.00.34

hse@crcind.com - www.crcind.com

1.4. Emergency telephone number

Emergency number : +32(0)52/45.60.11

Office hours: 9-17h CET

| Country | Organisation/Company | Address | Emergency number | Comment |
|---------|--|------------------------------|------------------|---|
| Belgium | Centre Anti-Poisons/Antigifcentrum c/o Hôpital Militaire Reine Astrid | Rue Bruyn 1 1120 Brussels | +32 70 245 245 | Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee) |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Specific target organ toxicity – Single exposure, Category 3, Narcosis H336
Aspiration hazard, Category 1 H304

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP)

: Danger

Contains

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics; 2-methoxy-1methylethyl acetate; 1-methoxy-2-propanol; monopropylene glycol methyl ether; butan-2-ol

Hazard statements (CLP)

: H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated.

H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP)

: P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use. P261 - Avoid breathing vapours/spray.

P271 - Use only outdoors or in a well-ventilated area.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents/container to a hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements

EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Other information

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|---------|---|
| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics | EC-No.: 919-857-5 REACH-no: 01-2119463258- 33 | 50 – 75 | Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304 EUH066 |
| 2-methoxy-1-methylethyl acetate substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit | CAS-No.: 108-65-6 EC-No.: 203-603-9 EC Index-No.: 607-195-00-7 REACH-no: 01-2119475791- | 10 – 25 | Flam. Liq. 3, H226 STOT SE 3, H336 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|---------|--|
| 1-methoxy-2-propanol; monopropylene glycol methyl ether substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit | CAS-No.: 107-98-2 EC-No.: 203-539-1 EC Index-No.: 603-064-00-3 REACH-no: 01-2119457435- 35 | 10 – 25 | Flam. Liq. 3, H226 STOT SE 3, H336 |
| Carbon dioxide (CO2) (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit | CAS-No.: 124-38-9 | 1 – 5 | Press. Gas (Comp.), H280 |
| butan-2-ol substance with national workplace exposure limit(s) (BE) | CAS-No.: 78-92-2 EC-No.: 201-158-5 EC Index-No.: 603-127-00-5 REACH-no: 01-2119475146- 36 | ≤ 5 | Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 STOT SE 3, H335 |

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| min Booomption of mot ara moadaroo | |
|---------------------------------------|--|
| First-aid measures general | : Call a physician immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor. Allow the victim to rest. If signs/symptoms develop, get medical attention. |
| First-aid measures after skin contact | : Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Seek medical attention if irritation develops. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Obtain medical attention if pain, blinking or redness persists. Seek medical attention if irritation develops. |
| First-aid measures after ingestion | : Do not induce vomiting. Call a physician immediately. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after ingestion : Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Firefighting instructions : Move containers from fire area if it can be done without personal risk. Use standard

firefighting procedures and consider the hazards of other involved materials.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear appropriate protective equipment and clothing during clean-up.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb remaining liquid with sand or inert absorbent and remove to safe place. Clean

contaminated surfaces with an excess of water. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Mechanically recover the product. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to remove residual

contamination.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For disposal of contaminated materials refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged exposure. Handle in accordance with good industrial hygiene and safety procedures.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked

up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Keep container closed when not in use.

7.3. Specific end use(s)

No additional information available

28/09/2022 (Revision date) BE - en 4/17

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| 5.1.1 National occupational exposure and biological limit values | | |
|--|---|--|
| Carbon dioxide (CO2) (124-38-9) | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| Local name | Carbon dioxide | |
| IOEL TWA | 9000 mg/m³ | |
| IOEL TWA [ppm] | 5000 ppm | |
| Regulatory reference | COMMISSION DIRECTIVE 2006/15/EC | |
| Belgium - Occupational Exposure Limits | | |
| Local name | Carbone (dioxyde de) # Koolstofdioxide | |
| OEL TWA | 9131 mg/m³ | |
| OEL TWA [ppm] | 5000 ppm | |
| OEL STEL | 54784 mg/m³ | |
| OEL STEL [ppm] | 30000 ppm | |
| Remark | A: la mention "A" signifie que l'agent libère un gaz ou une vapeur qui n'ont en eux-mêmes aucun effet physiologique mais peuvent diminuer le taux d'oxygène dans l'air. Lorsque le taux d'oxygène descend en dessous de 17-18 % (vol/vol) le manque d'oxygène provoque des suffocations qu'aucun symptôme préalable n'annonce. # A: de vermelding "A" betekent dat dit agens gas of damp vrijgeeft dat of die op zich geen fysiologische werking heeft, maar het zuurstofgehalte in de lucht verlaagt. Wanneer het zuurstofgehalte daalt onder de 17-18 % (vol/vol), veroorzaakt het zuurstoftekort verstikking, die zich manifesteert zonder dat er een waarschuwing aan voorafgaat. | |
| Regulatory reference | Koninklijk besluit/Arrêté royal 11/05/2021 | |
| 2-methoxy-1-methylethyl acetate (108-65-6) | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| Local name | 2-Methoxy-1-methylethylacetate | |
| IOEL TWA | 275 mg/m³ | |
| IOEL TWA [ppm] | 50 ppm | |
| IOEL STEL | 550 mg/m³ | |
| IOEL STEL [ppm] | 100 ppm | |
| Remark | Skin | |
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC | |
| Belgium - Occupational Exposure Limits | | |
| Local name | Acétate de 2-(1-méthoxy)propyle # 2-(1-Methoxy)propylacetaat | |
| OEL TWA | 275 mg/m³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL STEL | 550 mg/m³ | |
| OEL STEL [ppm] | 100 ppm | |
| | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 2-methoxy-1-methylethyl acetate (1 | 08-65-6) |
|---------------------------------------|--|
| Remark | D: la mention "D" signifie que la résorption de l'agent, via la peau, les muqueuses ou les yeux, constitue une partie importante de l'exposition totale. Cette résorption peut se faire tant par contact direct que par présence de l'agent dans l'air. # D: de vermelding "D" betekent dat de opname van het agens via de huid, de slijmvliezen of de ogen een belangrijk deel van de totale blootstelling vormt. Deze opname kan het gevolg zijn van zowel direct contact als zijn aanwezigheid in de lucht. |
| Regulatory reference | Koninklijk besluit/Arrêté royal 11/05/2021 |
| 1-methoxy-2-propanol; monopropy | lene glycol methyl ether (107-98-2) |
| EU - Indicative Occupational Exposure | Limit (IOEL) |
| Local name | 1-Methoxypropanol-2 |
| IOEL TWA | 375 mg/m³ |
| IOEL TWA [ppm] | 100 ppm |
| IOEL STEL | 568 mg/m³ |
| IOEL STEL [ppm] | 150 ppm |
| Remark | Skin |
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC |
| Belgium - Occupational Exposure Limit | s |
| Local name | 1-Méthoxy-2-propanol # 1-Methoxy-2-propanol |
| OEL TWA | 184 mg/m³ |
| OEL TWA [ppm] | 50 ppm |
| OEL STEL | 369 mg/m³ |
| OEL STEL [ppm] | 100 ppm |
| Remark | D: la mention "D" signifie que la résorption de l'agent, via la peau, les muqueuses ou les yeux, constitue une partie importante de l'exposition totale. Cette résorption peut se faire tant par contact direct que par présence de l'agent dans l'air. # D: de vermelding "D" betekent dat de opname van het agens via de huid, de slijmvliezen of de ogen een belangrijk deel van de totale blootstelling vormt. Deze opname kan het gevolg zijn van zowel direct contact als zijn aanwezigheid in de lucht. |
| Regulatory reference | Koninklijk besluit/Arrêté royal 11/05/2021 |
| butan-2-ol (78-92-2) | |
| Belgium - Occupational Exposure Limit | s |
| Local name | Alcool sec-butylique # sec-Butanol |
| OEL TWA | 307 mg/m³ |
| OEL TWA [ppm] | 100 ppm |
| Regulatory reference | Koninklijk besluit/Arrêté royal 11/05/2021 |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

| Long-term - systemic effects, inhalation 87 DNEL/DMEL (General population) | cyclics, < 2% aromatics 208 mg/kg bodyweight/day | | |
|--|--|--|--|
| Long-term - systemic effects, dermal Long-term - systemic effects, inhalation BNEL/DMEL (General population) | 208 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation 87 DNEL/DMEL (General population) | 208 mg/kg bodyweight/day | | |
| DNEL/DMEL (General population) | | | |
| | 371 mg/m³ | | |
| | DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 25 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation 18 | 85 mg/m³ | | |
| Long-term - systemic effects, dermal | 25 mg/kg bodyweight/day | | |
| 2-methoxy-1-methylethyl acetate (108-65-6) | | | |
| DNEL/DMEL (Workers) | | | |
| Acute - local effects, inhalation 55 | 550 mg/m³ | | |
| Long-term - systemic effects, dermal 79 | 96 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation 27 | 275 mg/m³ | | |
| DNEL/DMEL (General population) | | | |
| Acute - systemic effects, oral 50 | 600 mg/kg bodyweight/day | | |
| Long-term - systemic effects,oral 36 | 66 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation 33 | 3 mg/m³ | | |
| Long-term - systemic effects, dermal 32 | 20 mg/kg bodyweight/day | | |
| Long-term - local effects, inhalation 33 | 3 mg/m³ | | |
| PNEC (Water) | | | |
| PNEC aqua (freshwater) 0, |),635 mg/l | | |
| PNEC aqua (marine water) 0, | 1,0635 mg/l | | |
| PNEC aqua (intermittent, freshwater) 6, | 5,35 mg/l | | |
| PNEC (Sediment) | | | |
| PNEC sediment (freshwater) 3, | 3,29 mg/kg dwt | | |
| PNEC sediment (marine water) 0, |),329 mg/kg dwt | | |
| PNEC (Soil) | | | |
| PNEC soil 0, | 0,29 mg/kg dwt | | |
| PNEC (STP) | | | |
| PNEC sewage treatment plant 10 | 00 mg/l | | |
| 1-methoxy-2-propanol; monopropylene glycol m | 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) | | |
| DNEL/DMEL (Workers) | | | |
| Acute - systemic effects, inhalation 55 | 53,5 mg/m³ | | |
| Acute - local effects, inhalation 55 | 53,5 mg/m³ | | |
| Long-term - systemic effects, dermal | 83 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation 36 | 69 mg/m³ | | |
| DNEL/DMEL (General population) | | | |
| Long-term - systemic effects,oral 33 | 3 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation 43 | 3,9 mg/m³ | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) | | |
|--|--------------------------|--|
| Long-term - systemic effects, dermal | 78 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 10 mg/l | |
| PNEC aqua (marine water) | 1 mg/l | |
| PNEC aqua (intermittent, freshwater) | 100 mg/l | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 52,3 mg/kg dwt | |
| PNEC sediment (marine water) | 5,2 mg/kg dwt | |
| PNEC (Soil) | | |
| PNEC soil | 4,59 mg/kg dwt | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 100 mg/l | |
| butan-2-ol (78-92-2) | | |
| DNEL/DMEL (Workers) | | |
| Long-term - systemic effects, dermal | 405 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 600 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 15 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 213 mg/m³ | |
| Long-term - systemic effects, dermal | 203 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 47,1 mg/l | |
| PNEC aqua (marine water) | 47,1 mg/l | |
| PNEC aqua (intermittent, freshwater) | 47,1 mg/l | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 196,19 mg/kg dwt | |
| PNEC sediment (marine water) | 196,19 mg/kg dwt | |
| PNEC (Soil) | | |
| PNEC soil | 11,58 mg/kg dwt | |
| PNEC (Oral) | | |
| PNEC oral (secondary poisoning) | 1000 mg/kg food | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 761 mg/l | |

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields.

8.2.2.2. Skin protection

Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn. Wear suitable protective clothing

Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: A

8.2.2.4. Thermal hazards

Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless.

Appearance : CO2 propelled liquid.
Odour : slightly ethereal.
Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : 100 – 200 °C

Flammability : Extremely flammable aerosol.

Explosive properties : Pressurised container: May burst if heated.

Explosive limits : Not available
Lower explosion limit : Not available
Upper explosion limit : Not available
Flash point : 23 °C (closed cup)
Auto-ignition temperature : > 200 °C
Decomposition temperature : Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

рΗ : Not applicable Viscosity, kinematic $< 20.5 \text{ mm}^2/\text{s}$ Solubility insoluble in water. Partition coefficient n-octanol/water (Log Kow) : Not applicable Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : 0,81 g/cm3 at 20 °C Relative density : 0,81 at 20 °C Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

% of flammable ingredients : 75 - 100 %

9.2.2. Other safety characteristics

VOC content : 783 g/l

Additional information : For aerosols data for the product without propellant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics | |
|--|-----------------------|
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rat | > 5000 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| 2-methoxy-1-methylethyl acetate (108-65-6) | |
| LD50 oral rat | > 5000 mg/kg |
| LD50 oral | 8532 mg/kg bodyweight |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 2-methoxy-1-methylethyl acetate (108-65-6) | | | |
|--|--|--|--|
| LD50 dermal rat | > 2000 mg/kg bodyweight | | |
| LD50 dermal | > 5000 mg/kg bodyweight | | |
| LC50 Inhalation - Rat (Dust/Mist) | > 10800 mg/l | | |
| 1-methoxy-2-propanol; monopropylene | 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) | | |
| LD50 oral rat | 4016 mg/kg | | |
| LD50 dermal rabbit | > 2000 mg/kg | | |
| LC50 Inhalation - Rat | > 25,8 mg/l | | |
| butan-2-ol (78-92-2) | | | |
| LD50 oral rat | 2193 mg/kg | | |
| LD50 dermal rat | > 2000 mg/kg bodyweight | | |
| Skin corrosion/irritation | Not classified (Based on available data, the classification criteria are not met) pH: Not applicable | | |
| Serious eye damage/irritation | Not classified (Based on available data, the classification criteria are not met) pH: Not applicable | | |
| Respiratory or skin sensitisation | : Not classified (Based on available data, the classification criteria are not met) | | |
| Germ cell mutagenicity Carcinogenicity | Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) | | |
| Reproductive toxicity | Not classified (Based on available data, the classification criteria are not met) | | |
| STOT-single exposure | : May cause drowsiness or dizziness. | | |
| Hydrocarbons, C9-C11, n-alkanes, isoa | lkanes, cyclics, < 2% aromatics | | |
| STOT-single exposure | May cause drowsiness or dizziness. | | |
| 2-methoxy-1-methylethyl acetate (108-6 | 65-6) | | |
| STOT-single exposure | May cause drowsiness or dizziness. | | |
| 1-methoxy-2-propanol; monopropylene | e glycol methyl ether (107-98-2) | | |
| STOT-single exposure | May cause drowsiness or dizziness. | | |
| butan-2-ol (78-92-2) | | | |
| STOT-single exposure | May cause drowsiness or dizziness. May cause respiratory irritation. | | |
| STOT-repeated exposure | : Not classified (Based on available data, the classification criteria are not met) | | |
| 2-methoxy-1-methylethyl acetate (108-6 | 65-6) | | |
| NOAEL (dermal, rat/rabbit, 90 days) | > 1000 mg/kg bodyweight | | |
| 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) | | | |
| LOAEL (oral, rat, 90 days) | 2757 mg/kg bodyweight | | |
| NOAEL (oral, rat, 90 days) | 919 mg/kg bodyweight | | |
| NOAEL (dermal, rat/rabbit, 90 days) | > 1000 mg/kg bodyweight | | |
| Aspiration hazard | : May be fatal if swallowed and enters airways. | | |
| DEGREASER 65 | | | |
| Vaporizer | Aerosol | | |
| Viscosity, kinematic | < 20,5 mm²/s | | |
| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics | | | |
| Viscosity, kinematic | 1,33 mm²/s | | |
| | | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) | |
|--|--|
| Viscosity, kinematic 1,848 mm²/s | |
| butan-2-ol (78-92-2) | |
| Viscosity, kinematic 5,185 mm²/s | |

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

: Not classified

Hazardous to the aquatic environment, short–term

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

ErC50 algae

Not rapidly degradable

| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics | | |
|--|--------------------|--|
| LC50 - Fish [1] | > 1000 mg/l | |
| EC50 - Crustacea [1] | > 1000 mg/l | |
| EC50 - Other aquatic organisms [1] | > 1000 mg/l | |
| EC50 72h - Algae [1] | > 1000 mg/l | |
| 2-methoxy-1-methylethyl acetate (108-65-6) | | |
| LC50 - Fish [1] | > 100 mg/l | |
| EC50 - Crustacea [1] | > 500 mg/l | |
| EC50 - Other aquatic organisms [1] | 408 mg/l | |
| EC50 - Other aquatic organisms [2] | > 1000 mg/l | |
| EC50 72h - Algae [1] | > 1000 mg/l | |
| NOEC (chronic) | ≥ 100 mg/l | |
| NOEC chronic fish | 47,5 mg/l | |
| 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) | | |
| LC50 - Fish [1] | 6812 mg/l | |
| LC50 - Fish [2] | 20800 mg/l | |
| EC50 - Crustacea [1] | 21100 – 25900 mg/l | |
| EC50 - Other aquatic organisms [1] | 2954 mg/l | |

> 1000 mg/l

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| butan-2-ol (78-92-2) | |
|----------------------|-----------|
| LC50 - Fish [1] | 2993 mg/l |
| EC50 - Crustacea [1] | 308 mg/l |
| EC50 72h - Algae [1] | 1972 mg/l |
| EC50 96h - Algae [1] | 2029 mg/l |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

| DEGREASER 65 | |
|--|----------------|
| Partition coefficient n-octanol/water (Log Kow) | Not applicable |
| Carbon dioxide (CO2) (124-38-9) | |
| Partition coefficient n-octanol/water (Log Pow) | 0,83 |
| 2-methoxy-1-methylethyl acetate (108-65-6) | |
| Partition coefficient n-octanol/water (Log Pow) | 1,2 |
| 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) | |
| Bioconcentration factor (BCF REACH) | < 100 |
| Partition coefficient n-octanol/water (Log Pow) 0,37 | |
| butan-2-ol (78-92-2) | |
| Partition coefficient n-octanol/water (Log Pow) | 0,65 |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

| DEGREASER 65 | |
|---------------------------|---|
| Results of PBT assessment | Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII |

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Additional information : No other effects known

Global warming potential (GWP) : 0 (Fluorinated greenhouse gases - (EC) No 517/2014)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

28/09/2022 (Revision date) BE - en 13/17

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

European List of Waste (LoW) code

: According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|-----------------------------------|--|-----------------------------------|-----------------------------------|-----------------------------------|
| 4.1. UN number or ID n | umber | | | |
| UN 1950 | UN 1950 | UN 1950 | UN 1950 | UN 1950 |
| 4.2. UN proper shipping | g name | | | |
| AEROSOLS | AEROSOLS | Aerosols, flammable | AEROSOLS | AEROSOLS |
| ransport document descri | ption | | | |
| JN 1950 AEROSOLS, 2.1, (D) | UN 1950 AEROSOLS, 2.1 | UN 1950 Aerosols, flammable, 2.1 | UN 1950 AEROSOLS, 2.1 | UN 1950 AEROSOLS, 2.1 |
| 4.3. Transport hazard c | lass(es) | | | |
| 2.1 | 2.1 | 2.1 | 2.1 | 2.1 |
| 2 | 2 | 2 | 2 | 2 |
| 4.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 4.5. Environmental haz | ards | | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11 Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP200 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9

Transport category (ADR) : 2

Special provisions for carriage - Packages (ADR) : V14

Special provisions for carriage - Loading, unloading : CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Limited quantities (IMDG) : SP277 Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP200 Special packing provisions (IMDG) : PP87, L2

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN): 1 LExcepted quantities (ADN): E0Equipment required (ADN): PP, EX, AVentilation (ADN): VE01, VE04

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200
Special packing provisions (RID) : PP87, RR6, L2
Mixed packing provisions (RID) : MP9

Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W14
Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content : 783 g/l

Detergent Regulation (648/2004)

| Labelling of contents | |
|------------------------|------|
| Component | % |
| aliphatic hydrocarbons | ≥30% |

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acronyms: | |
|-----------------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | |
|-----------------------------|--|
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| Aerosol 1 | Aerosol, Category 1 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H222 | Extremely flammable aerosol. |
| H226 | Flammable liquid and vapour. |
| H229 | Pressurised container: May burst if heated. |
| H280 | Contains gas under pressure; may explode if heated. |
| H304 | May be fatal if swallowed and enters airways. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| Press. Gas (Comp.) | Gases under pressure : Compressed gas |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.