

KERAFOL Keramische Folien GmbH & Co. KG
92676 Eschenbach

Date printed 01.03.2019, Revision 01.03.2019

Version 03. Supersedes version: 02

Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

KERATHERM® - Wärmeleitpaste KP97

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Heatled paste

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company KERAFOL Keramische Folien GmbH & Co. KG
Koppe-Platz 1
92676 Eschenbach / GERMANY
Phone +49 (0) 9645 88-300
Fax +49 (0) 9645 88-390
Homepage www.kerafol.com
E-mail info@kerafol.com

Address enquiries to

Technical information info@kerafol.com

Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with GHS/CLP-directives.

Hazard pictograms none

Signal word none

Hazard statements none

Precautionary statements none

2.3 Other hazards

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Environmental hazards Does not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
< 80	Aluminium oxide CAS: 1344-28-1, EINECS/ELINCS: 215-691-6

Comment on component parts No dangerous components.
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

KERAFOL Keramische Folien GmbH & Co. KG
92676 Eschenbach

Date printed 01.03.2019, Revision 01.03.2019

Version 03. Supersedes version: 02

Page 2 / 8

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Seek medical advice immediately. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Foam. Dry powder. Water spray jet. Carbon dioxide.
Extinguishing media that must not be used	Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Wear suitable protective equipment. For personal protection see SECTION 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Take up residues with absorbent material (f.ex. diatomaceous earth).
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

KERAFOL Keramische Folien GmbH & Co. KG
92676 Eschenbach

Date printed 01.03.2019, Revision 01.03.2019

Version 03. Supersedes version: 02

Page 3 / 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Use personal protective equipment.

Do not eat, drink or smoke when using this product.
Wash hands before breaks and after work.
Use barrier skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Protect from sun.
Store in a dry place.
Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Aluminium oxide
CAS: 1344-28-1, EINECS/ELINCS: 215-691-6
Long-term exposure: 10 mg/m ³ , inhalable dust (respirable dust: 4 mg/m ³)

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	0,4mm Butyl rubber, >120 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Not required under normal conditions.
Other	Avoid contact with eyes and skin.
Respiratory protection	Not required under normal conditions.
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

KERAFOL Keramische Folien GmbH & Co. KG
92676 Eschenbach

Date printed 01.03.2019, Revision 01.03.2019

Version 03. Supersedes version: 02

Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	pasty
Color	white
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not applicable
Flash point [°C]	ca. 270
Flammability (solid, gas) [°C]	> 400
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	2,1
Bulk density [kg/m ³]	not applicable
Solubility in water	virtually insoluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	70-110 Pas
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	> 400
Decomposition temperature [°C]	> 350

9.2 Other information

Operation temperature: -60 - +150°C

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

In the case of heating (150-180°C) following modest (decomposition) products may occur:

Possible in traces:

Formaldehyde.

KERAFOL Keramische Folien GmbH & Co. KG
92676 Eschenbach

Date printed 01.03.2019, Revision 01.03.2019

Version 03. Supersedes version: 02

Page 5 / 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Substance
Aluminium oxide, CAS: 1344-28-1
LD50, oral, Rat: > 5000 mg/kg (Lit.).

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	

Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	The methods for determining the biological degradability are not applicable to inorganic substances. The organic component of the product is non biodegradable.

12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecological data of complete product are not available.

KERAFOL Keramische Folien GmbH & Co. KG
92676 Eschenbach

Date printed 01.03.2019, Revision 01.03.2019

Version 03. Supersedes version: 02

Page 6 / 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.
In according to RoHS!

Waste no. (recommended) 070217

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150102

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

KERAFOL Keramische Folien GmbH & Co. KG
92676 Eschenbach

Date printed 01.03.2019, Revision 01.03.2019

Version 03. Supersedes version: 02

Page 7 / 8

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions for people none

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

not applicable

KERAFOL Keramische Folien GmbH & Co. KG
92676 Eschenbach

Date printed 01.03.2019, Revision 01.03.2019

Version 03. Supersedes version: 02

Page 8 / 8

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
ELINCS = European List of Notified Chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.2 Other information

Classification procedure

Modified position

SECTION 4 been added: Forward this sheet to the doctor.

SECTION 7 been added: Do not eat, drink or smoke when using this product.

SECTION 12 been added: The organic component of the product is non biodegradable.

SECTION 12 been added: The methods for determining the biological degradability are not applicable to inorganic substances.



Copyright: Chemiebuero®

