

**Industrial Ethernet
IE-C7FS8LY-305M**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



Bulk stock, copper cable, flexible, Cat. 7

General ordering data

Type	IE-C7FS8LY-305M
Order No.	1344670000
Version	System cable, Cat.7 (ISO/IEC 11801), LSZH, 305 m
GTIN (EAN)	4050118146813
Qty.	1 pc(s).

Industrial Ethernet IE-C7FS8LY-305M

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technische Daten

Dimensions and weights

Length	305 m	Net weight	12,360 g
--------	-------	------------	----------

Temperatures

Operating temperature	-20 °C...+60 °C	Storage temperature	
Installation temperature	0 °C...+50 °C		

Standards

Generic communication cable facilities	ISO / IEC 11801:2002, EN 50173-1:2007
--	---------------------------------------

Cable structure

Copper diameter	0.43 mm	Strands	7
Cross-section	4*2*AWG 27/7 - 4*2*0.1 mm ²	Insulation	PE
Insulation cross-section	1.04 mm	No. of wires	8
Arrangement of wire cores	Twisted pair	Colour sequence or wires - wire pairs	white - blue, white - orange, white - green, white - brown
Shielding	S/FTP	Complete shielding	Shielding braid made from copper wiring
Overlap of shielding braid	60 %	Material sheath	LSZH
Sheath diameter, min.	5.5 mm	Sheath diameter, max.	5.9 mm
Sheathing colour	Yellow		

Electrical properties of cable

Category	Cat.7 (ISO/IEC 11801)	Test voltage: wire-wire-shield, at RMS 50Hz, 1 min.	750 V
Characteristic impedance	100 ± 15 Ω at 1-100 MHz	Loop resistance	183 Ω/km
Deviation	25 ns/100m	Resistance differential	5 %
Capacity at 1 kHz	46 nF/km		

Mechanical and material properties of cable

Min. bending radius, once only	25 mm	Min. bending radius, repetitive	50 mm
Resistance to spread of flame	in accordance with IEC 60332-1	Halogen	No

Classifications

eClass 6.2	27-06-18-01
------------	-------------

Approvals

Approvals



ROHS	Conform
------	---------

Datenblatt

**Industrial Ethernet
IE-C7FS8LY-305M**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Zeichnungen

Detailed drawing

