

# SAFETY DATA SHEET Durable 5756/02 Whiteboard Foam 400 ml

SDS according to Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex II-EU

# SECTION 1: Identification of the substance/mixture and of the

Date issued	10.11.2015
1.1. Product identifier	
Product name	Durable Whiteboard Foam 400 ml
Specification No.	L1099000008
Article no.	5756/02
1.2. Relevant identifie	d uses of the substance or mixture and uses advised against
Product group	Aerosols
Relevant identified uses	SU21 Consumer uses: Private households (= general public = consumers) SU22 Professional uses: publicly accessible (administration, education, entertainment, services, craftsmen) PC35 Washing and cleaning products (including solvent based products)
	PROC11 Non-industrial spraying
	ERC8A Wide dispersive indoor use of processing aids in open systems
	ERC8D Wide dispersive outdoor use of processing aids in open systems
Uses advised against	No specific uses advised against are identified.
•	plier of the safety data sheet
Distributor	
Company name	DURABLE Hunke & Jochheim GmbH & Co. KG
Postal address	Westfalenstrasse 77-79
Postcode	D-58636
City	Iserlohn
Country	Germany
Tel	+49 (0) 2371 / 662 - 0
Fax	+49 (0) 2371 / 662 - 221
E-mail	durable@durable.de
Website	http://www.durable.de
Enterprise no.	
1.4. Emergency teleph	none number
Emergency telephone	+49 (0) 2371 / 662 - 0 (nur zu den Bürozeiten)

#### **SECTION 2: Hazards identification**

## 2.1. Classification of substance or mixture

Aerosol 1;H222;

H229;

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS] Substance / mixture hazardous properties

Pressurized container: Do not pierce or burn, even after use. Do not expose to temperatures exceeding 50 °C/122 °F.

#### 2.2. Label elements

Hazard Pictograms (CLP)

|--|

Composition on the label Signal word Hazard statements Precautionary statements	Butane Danger H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P260 Do not breathe spray. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use. P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F.
2.3. Other hazards Description of hazard	Skin contact: May be slightly irritating on protracted or repeated exposure. Skin contact may cause redness, smarting and itching. Vapour or splashes to the eyes may cause redness, smarting and discomfort. Inhalation of high contents may cause headache, nausea and dizziness. Inhalation of aerosol/spray mist may cause slight irritation in the upper respiratory tract with symptoms like coughing and sneezing. Aerosol containers can explode when heated, due to excessive pressure build- up. Extremely flammable.
Environmental effects	This product does not contain any PBT or vPvB substances.

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Substance	Identification	Classification	Contents
Butane	CAS no.: 106-97-8	F+; R12	2,5 - 10 %
	EC no.: 203-448-7	Flam. gas 1; H220	
	Index no.: 601-004-00-0	Press. Gas	
	Synonyms: Butane	Note : C	
Substance comments	The Full Text for all R-Phrases and Hazard Statements are Displayed in		played in
	Section 16.		
	<5%: nonionic surfactant , 5-15%: alifatic hydrocarbons , perfume		

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General	Remove victim immediately from source of exposure.
Inhalation	Move the exposed person to fresh air at once. Call a POISON CENTER or
	doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.
Eye contact	Immediately flush with plenty of water or eyewash solution for up to 10 minutes.
Ingestion	Rinse mouth with water. Immediately give a couple of glasses of water or milk, provided the victim is fully conscious. Do not induce vomiting. Consult a physician for specific advice.
<b>10 M</b> = = ( <sup>1</sup> + + + + 1 = + ( + + + + + + + + + + + + + + + + +	

#### 4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects As described in section 2.2, 2.3 and 11.

Delayed symptoms and effects	Inhalation of high vapour concentrations may cause symptoms such as mild irritation, headache, dizziness, fatigue, nausea and in serious cases unconsciousness.		
4.3. Indication of any immediate medical attention and special treatment needed			
Other Information	If unconscious: Call an ambulance/physician immediately. Show this Safety Data Sheet.		

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.		
Improper extinguishing media	Do not use a solid water stream as it may scatter and spread fire.		
5.2. Special hazards arising from the substance or mixture			
Fire and explosion hazards	Aerosol containers can explode when heated, due to excessive pressure build- up. Gases that are dangerous to health may be formed in a fire: carbon		

#### 5.3. Advice for firefighters

Personal protective equipment	Wear personal protective equipment, see section 8. Avoid breathing of
	combustion gases. Wear self contained breathing apparatus during fire fighting.
Fire fighting procedures	Containers close to fire should be removed immediately or cooled with water.

monoxide (CO), carbon dioxide (CO2).

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures	For personal protection, see section 8. Do not smoke, use open fire or other
	sources of ignition.

#### 6.2. Environmental precautions

Environmental precautionary	Contain spillages with sand, earth or any suitable adsorbent material. Provide
measures	ventilation and confine spill. Do not allow runoff to sewer. Do not let washing
	down water contaminate ponds or waterways. Contact local authorities in case
	of spillage to drain/aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

Cleaning method

Clean contaminated area with oil-removing material. For waste disposal, see section 13.

## 6.4. Reference to other sections

Other instructions See section 8 and section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Handling	Avoid contact with skin and eyes. Avoid inhalation of vapours and spray mists. Keep away from heat, sparks and open flame. Provide good ventilation. Mechanical ventilation or local exhaust ventilation may be required. Risk of vapour concentration on the floor and in low-lying areas. Take precautionary measures against static discharges. Do not eat, drink or smoke when using the product. Wash hands before breaks and before smoking, eating or drinking.
7.2. Conditions for safe sto	rage, including any incompatibilities
Storage	Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C. Allways store proper, out of the reach of children and not together with

#### 50°C. Allways store proper, out of the reach of children and not together v food, feed, medicine and the like. Store at moderate temperatures in dry, well ventilated area.

#### 7.3. Specific end use(s)

Specific use(s)

The identified uses for this product are detailed in Section 1.2.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **Occupational Exposure limit values**

Substance	Identification	Value	TWA Year
Butane	CAS no.: 106-97-8	8-hour TWA: 600 ppm	2011
	EC no.: 203-448-7	8-hour TWA: 1450 mg/m3	
	Index no.: 601-004-00-0	15 min.: 750 ppm	
	Synonyms: Butane	15 min.: 1810 mg/m3	
8.2. Exposure controls			
Limitation of exposure on workplace	Working place and methods must be arranged in order to avoid any direct contact with the product. All handling to take place in well-ventilated area.		
Respiratory protection			
Respiratory protection	If ventilation is insufficient, use a respirator with type A (EN 141) gas filter		
	and P2 particle filter (EN 143/EN 149)		
Hand protection			
Hand protection	Nitrile gloves are recommended. Breakthrough time: >2 hours. (EN 374)		
Eye / face protection			
Eye protection	Use approved safety goggles or face shield. (EN 166).		
Thermal hazards			
Thermal hazards	See section 5.		
Appropriate environmenta	l exposure control		
Environmental exposure controls	See section 6.		

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

•	•
Physical state	Aerosol.
Colour	Colourless.
Odour	Almost odourless.
Comments, Odour limit	Not relevant.
Comments, pH (as supplied)	Not relevant.
Comments, pH (aqueous solution)	Not relevant.
Comments, Melting point / melting	Not relevant.
range	
Boiling point / boiling range	Value: 100 °C
Comments, Flash point	Not relevant.
Comments, Evaporation rate	Not relevant.
Comments, Explosion limit	Not relevant.
Comments, Vapour pressure	Not relevant.
Comments, Vapour density	Not relevant.
Comments, Specific gravity	Not relevant.
Comments, Bulk density	Not relevant.
Solubility in water	löslich
Comments, Partition coefficient: n-	Not relevant.
octanol / water	
Comments, Spontaneous	Not relevant.
combustability	
Comments, Decomposition	Not relevant.
temperature	
Comments, Viscosity	Not relevant.

Durable Whiteboard Foam 400 ml	
--------------------------------	--

Explosive properties Oxidising properties

Not explosive. Does not meet the criteria for oxidising.

#### 9.2. Other information

## Other physical and chemical properties

Comments

Reactivity

Stability

No information required.

No data recorded.

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

No specific reactivity hazards associated with this product.

## 10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions See section 10.4 and section 10.5.

#### 10.4. Conditions to avoid

Conditions to avoid

Avoid exposing aerosol containers to high temperatures or direct sunlight.

Avoid heat, flames and other sources of ignition.

## 10.5. Incompatible materials

Materials to avoid

#### 10.6. Hazardous decomposition products

Hazardous decomposition products

Gases that are dangerous to health may be formed in a fire: carbon dioxide (CO2), carbon monoxide (CO).

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## **Toxicological Information:**

Toxicological tests on the product has not been performed.

## Toxicological data for substances

#### Potential acute effects

Other toxicological data

Inhalation	Vapours may cause drowsiness and dizziness. Inhalation of oil spray mist/aerosols may even in small amounts cause serious chemical pneumonia.
	Contains organic solvents which in case of overexposure may depress the central nervous system causing dizziness and intoxication.
Skin contact	Skin contact may cause redness, smarting and itching. Prolonged or repeated exposure may degrease the skin with symptoms like redness, smarting, itching, cracking of skin and possible eczema.
Eye contact	May cause temporary eye irritation.
Ingestion	May cause nausea, headache, dizziness and intoxication. Pneumonia may be the result if vomited material containing solvents reaches the lungs.
Symptoms of Exposure	
Symptoms of overexposure	High concentrations of vapours may irritate respiratory system and lead to

headache, fatigue, nausea and vomiting.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Aquatic, comments

No data available for the product.

## Toxicological data for substances

## 12.2. Persistence and degradability

Persistence and degradability

The product is readily biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

#### 12.4. Mobility in soil

Mobility

No data recorded.

#### 12.5. Results of PBT and vPvB assessment

PBT assessment results

This product does not contain any PBT or vPvB substances.

#### 12.6. Other adverse effects

Environmental details, summation For this product no classification is required for environmental hazards.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Specify the appropriate methods of disposal	Do not dispose of residues and waste down the drains. Dispose of waste and residues in accordance with local authority requirements.
Product classified as hazardous waste	Yes
Packaging classified as hazardous waste	Yes
EWC waste code	EWC: 150110 packaging containing residues of or contaminated by dangerous substances
Other Information	Waste code applies to product remnants in pure form. When handling waste, consideration should be made to the safety precautions applying to handling of the product.

#### **SECTION 14: Transport information**

## 14.1. UN number

14.1. UN number	
ADR	1950
RID	1950
IMDG	1950
ICAO/IATA	1950
14.2. UN proper shipping	name
ADR	AEROSOL (Butan)
RID	AEROSOL (Butan)
IMDG	AEROSOLS (Butane)
ICAO/IATA	AEROSOLS, FLAMMABLE (Butane)
14.3. Transport hazard class(es)	
ADR	2.2
RID	2.2
IMDG	2.2
ICAO/IATA	2.2
14.4. Packing group	
Comments	Not relevant.
14.5. Environmental hazards	
IMDG Marine pollutant	No
14.6. Special precautions for user	
EmS	F-D, S-U
Special safety precautions for user	None.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
Additional information.	
Additional information.	Not relevant.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the

#### substance or mixture Other Label Information

Other Label Information	As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.
Legislation and regulations	The Aerosol Dispensers Regulations 2009 (SI 2824), with amendments. EH40/2005, Workplace exposure limits 2005, with amendments. The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents.

## 15.2. Chemical safety assessment

No

Chemical safety assessment	
performed	

# **SECTION 16: Other information**

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]	Aerosol 1; H222; ; H229;
List of relevant R-phrases (under headings 2 and 3).	R12 Extremely flammable.
List of relevant H-phrases (Section	H222 Extremely flammable aerosol.
2 and 3).	H220 Extremely flammable gas.
	H229 Pressurised container: May burst if heated.
Training advice	No particular training or education is required but the user must be familiar with this SDS. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.
Information which has been added, deleted or revised	New safety data sheet.
Version	1
Responsible for safety data sheet	DURABLE Hunke & Jochheim GmbH & Co. KG
Prepared by	ALM
Responsible for safety data sheet	