

## Electronic housing - MKDSO 2,5/ 4-R YE - 1730362

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

PCB terminal block

### Key commercial data

<b>package_quantity</b>	50
<b>GTIN</b>	4046356152709

### classifications

#### eCl@ss

<b>eCl@ss 4.0</b>	272607xx
<b>eCl@ss 4.1</b>	27260701
<b>eCl@ss 5.0</b>	27260701
<b>eCl@ss 5.1</b>	27141190
<b>eCl@ss 6.0</b>	27141190
<b>eCl@ss 7.0</b>	27141190
<b>eCl@ss 8.0</b>	27141190

#### ETIM

<b>ETIM 3.0</b>	EC001121
<b>ETIM 4.0</b>	EC002643
<b>ETIM 5.0</b>	EC002643

#### UNSPSC

<b>UNSPSC 6.01</b>	30211810
<b>UNSPSC 7.0901</b>	39121409
<b>UNSPSC 11</b>	39121409
<b>UNSPSC 12.01</b>	39121409
<b>UNSPSC 13.2</b>	39121409

### approvals

CSA / UL Recognized / VDE Gutachten mit Fertigungsüberwachung / cUL Recognized / GOST / CCA / IECB Scheme / GOST / cULus Recognized /

### Approval details

# Electronic housing - MKDSO 2,5/ 4-R YE - 1730362

## approvals

**CSA**

Usegroups	B	D
Nominal voltage UN	300 V	300 V
Nominal current IN	10 A	10 A
mm <sup>2</sup> /AWG/kcmil	28-12	28-12

**UL Recognized**

Usegroups	B	D
Nominal voltage UN	300 V	300 V
Nominal current IN	20 A	10 A
mm <sup>2</sup> /AWG/kcmil	30-12	30-12

**VDE Gutachten mit Fertigungsüberwachung**

Nominal voltage UN	450 V
Nominal current IN	24 A
mm <sup>2</sup> /AWG/kcmil	0.2-2.5

**cUL Recognized**

Usegroups	B	D
Nominal voltage UN	300 V	300 V
Nominal current IN	20 A	10 A
mm <sup>2</sup> /AWG/kcmil	30-12	30-12


**GOST**



**CCA**

Nominal voltage UN	450 V
Nominal current IN	24 A
mm <sup>2</sup> /AWG/kcmil	2.5

# Electronic housing - MKDSO 2,5/ 4-R YE - 1730362

approvals

<b>IECEE CB Scheme</b> 	
Nominal voltage UN	450 V
Nominal current IN	24 A
mm <sup>2</sup> /AWG/kcmil	2.5



© Phoenix Contact 2013 - all rights reserved  
<http://www.phoenixcontact.com>