

# Components of electronic housing - UM-PRO PE CONTACT L2 - 2200162

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



PE contact for UM-PRO panel mounting base for connecting the PCB to the DIN rail at level 2

The figure shows the versions for PCB level 1

## Product Features

- Plug-in assembly reduces assembly time and therefore saves costs
- Mounting close to the edge provides wiring advantages
- Freely positionable covers offer flexibility
- PE contacts that can be fitted on both sides ensure safety
- Additional foot elements increase mechanical stability
- Temperature range up to 100°C extends the possible fields of application (UM-PRO)
- Device communication can be extended by BUS cross contacting
- Additional labeling of PCB with Phoenix Contact PMB module marker carrier (drill hole diameter 4 mm)
- Well-designed profile geometry increases the form stability

## Key commercial data

<b>package_quantity</b>	20
<b>GTIN</b>	4046356547253

## classifications

### eCl@ss

<b>eCl@ss 4.0</b>	27180401
<b>eCl@ss 4.1</b>	27180401
<b>eCl@ss 5.0</b>	27180506
<b>eCl@ss 5.1</b>	27180506
<b>eCl@ss 6.0</b>	27400603
<b>eCl@ss 7.0</b>	27182701
<b>eCl@ss 8.0</b>	27182701

### ETIM

<b>ETIM 2.0</b>	EC001031
<b>ETIM 3.0</b>	EC001031
<b>ETIM 4.0</b>	EC000275
<b>ETIM 5.0</b>	EC000275

# Components of electronic housing - UM-PRO PE CONTACT L2 - 2200162

## classifications

### UNSPSC

<b>UNSPSC 6.01</b>	31261501
<b>UNSPSC 7.0901</b>	31261501
<b>UNSPSC 11</b>	31261501
<b>UNSPSC 12.01</b>	31261501
<b>UNSPSC 13.2</b>	31261501

## Drawings

© Phoenix Contact 2013 - all rights reserved  
<http://www.phoenixcontact.com>