


## Capacitor, ceramic, 1000 pF, +/-10% Tol, 50V, X7R, 0805



## **Dimensions (mm)**

ID	Dimension	Tolerance
L	2.00	+/-0.20
W	1.25	+/-0.20
т	0.78	+/-0.1
В	0.50	+/-0.25

## **Specifications**

Manufacturer: Capacitance: Chip Size: Voltage: Temperature Coefficient: Tolerance:	KEMET 1000 pF 0805 50V X7R +/-10%
Chip Size: Voltage: Temperature Coefficient: Tolerance:	0805 50V X7R
Voltage: Temperature Coefficient: Tolerance:	50V X7R
Temperature Coefficient: Tolerance:	X7R
Tolerance:	
	+/-10%
Application:	Std Chip
Termination Type:	Tin
Marked:	No
Dissipation Factor:	2.5%
Insulation Resistance:	10 GOhm
Dielectric Strength:	125V
Miscellaneous Electrical:	Regarding Aging Rate: Capacitance
	measurements (including tolerance)
	indexed to a referee time of 1000 ho
Package Kind:	T&R
Package Size:	7in
Package Type:	Paper Tape
Package Quantity:	4000



© 2006-2011 IntelliData.net

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.