

# Components of electronic housing - UM-PRO 122 COVER-R BK - 2200159

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Lateral element (right) with mounting foot for DIN rails for 122 mm wide UM-PRO profiles

## Product Features

- Plug-in assembly reduces assembly time and therefore saves costs
- Freely positionable covers offer flexibility
- Mounting close to the edge provides wiring advantages
- Additional foot elements increase mechanical stability
- PE contacts that can be fitted on both sides ensure safety
- Labeling area for standard SK strips or TML marking foil (max. height 6 mm)
- Temperature range up to 100°C extends the possible fields of application (UM-PRO)
- Device communication can be extended by BUS cross contacting
- Additional labeling of PCB with Phoenix Contact PMB module marker carrier (drill hole diameter 4 mm)
- Well-designed profile geometry increases the form stability

## Key commercial data

<b>package_quantity</b>	10
<b>GTIN</b>	4046356547413

## Technical data

### General

<b>Housing type</b>	Side cover
<b>Housing material</b>	Polyamide
<b>Color</b>	black

## classifications

### eCl@ss

<b>eCl@ss 4.0</b>	27180401
<b>eCl@ss 4.1</b>	27180401
<b>eCl@ss 5.0</b>	27180506
<b>eCl@ss 5.1</b>	27180506
<b>eCl@ss 6.0</b>	27182003
<b>eCl@ss 7.0</b>	27182701

# Components of electronic housing - UM-PRO 122 COVER-R BK - 2200159

## classifications

### eCl@ss

eCl@ss 8.0	27182701
------------	----------

### ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC000721
ETIM 5.0	EC000721

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## approvals

---

UL Recognized /

---

### Approval details



## Drawings

© Phoenix Contact 2013 - all rights reserved  
<http://www.phoenixcontact.com>