


4-CONDUCTOR TERMINAL STRIP LATERAL MARKING WITH FIXING FLANGE MOUNTING


© 1992 - 2011 CADENAS GmbH


PDF DATASHEET

260-202 TO 260-212











4-CONDUCTOR TERMINAL STRIP LATERAL MARKING WITH FIXING FLANGE MOUNTING

PDF DATASHEET

© 1992 - 2011 CADENAS GmbH

260)-202	TO	260	-212	<u> </u>

ITEM-NO. (ITEM-NO.)	260-208	
Cross section1 (Cross section / mm²)	0.08 - 1.5	
Cross section2 (Cross section / AWG)	28 - 16	
Strip length (Strip length / mm)	8 - 9	
Measured voltage (Measured voltage / V)	400	
Measured shock voltage (Measured shock voltage / kV)	6	
Pollution degree (Pollution degree)	3	
Current intensity (Current intensity / A)	18	
P (NO. OF POLES)	8	
Height (Height / mm)	17	
Width (Width / mm)	78.5	
Depth (Depth / mm)	25	
No. of connection Points (No. of connection Points)	32	
No. of potentials (No. of potentials)	8	
COLOR (COLOR)	grau	
WEIGHT (WEIGHT / g)	21.55	
Comment (Comment)	L = (No. of poles x pole width) L1 = L + 8,1 mm L2 = L + 14,5 mm	