

## Coding element - HC-CBU - 1676860

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Coding socket for coding up to 16 connectors

### Key commercial data

<b>package_quantity</b>	10
<b>GTIN</b>	4017918129484

### Technical data

#### General

<b>Material</b>	Steel
<b>Note</b>	Prevents most cases of the connector being inserted at an angle; Prescribed for contact inserts of series HC-D... and HC-DD...
<b>Assembly instructions</b>	Cannot be used for modular systems.

### classifications

#### eCl@ss

<b>eCl@ss 4.0</b>	27140816
<b>eCl@ss 4.1</b>	27140816
<b>eCl@ss 5.0</b>	27143424
<b>eCl@ss 5.1</b>	27143424
<b>eCl@ss 6.0</b>	27143424
<b>eCl@ss 7.0</b>	27440209
<b>eCl@ss 8.0</b>	27440209

#### ETIM

<b>ETIM 2.0</b>	EC001121
<b>ETIM 3.0</b>	EC001121
<b>ETIM 4.0</b>	EC002498
<b>ETIM 5.0</b>	EC002498

#### UNSPSC

<b>UNSPSC 6.01</b>	30211817
<b>UNSPSC 7.0901</b>	39121416
<b>UNSPSC 11</b>	43172601

# Coding element - HC-CBU - 1676860

classifications

UNSPSC


UNSPSC 12.01	39121522
UNSPSC 13.2	39121522

Drawings

Dimensioned drawing

Dimensional drawing


Circuit diagram



Coding for housings with one contact insert

# Coding element - HC-CBU - 1676860

Circuit diagram



Coding for housings with two contact inserts

© Phoenix Contact 2013 - all rights reserved  
<http://www.phoenixcontact.com>