

## Coding bolt - HC-CB - 1772722

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Coding pin, prevents mismatching of up to six connectors with an identical number of positions

### Key commercial data

<b>package_quantity</b>	10
<b>GTIN</b>	4017918037376

### Technical data

#### General

<b>Material</b>	Steel
<b>Assembly instructions</b>	Not suitable for modular contact inserts (HEAVYCON modular).

### classifications

#### eCl@ss

<b>eCl@ss 4.0</b>	27140816
<b>eCl@ss 4.1</b>	27140816
<b>eCl@ss 5.0</b>	27143424
<b>eCl@ss 5.1</b>	27143424
<b>eCl@ss 6.0</b>	27143424
<b>eCl@ss 7.0</b>	27440209
<b>eCl@ss 8.0</b>	27440209

#### ETIM

<b>ETIM 2.0</b>	EC001121
<b>ETIM 3.0</b>	EC001121
<b>ETIM 4.0</b>	EC002498
<b>ETIM 5.0</b>	EC002498

#### UNSPSC

<b>UNSPSC 6.01</b>	30211817
<b>UNSPSC 7.0901</b>	39121416
<b>UNSPSC 11</b>	43172601
<b>UNSPSC 12.01</b>	39121522
<b>UNSPSC 13.2</b>	39121522


# Coding bolt - HC-CB - 1772722

## Drawings

Dimensioned drawing


Dimensional drawing

Schematic diagram



Coding for housings with one contact insert

Schematic diagram



Coding for housings with two contact inserts

© Phoenix Contact 2013 - all rights reserved  
<http://www.phoenixcontact.com>