


Software - PSR-CONF-WIN1.0 - 2981554

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Configuration software for parameterizing the PSR-RSM4 safe downtime and over-speed safety relay, with programming cable

Key Commercial Data

Packing unit	1 STK
GTIN	 4 017918 996840
GTIN	4017918996840
Weight per Piece (excluding packing)	174.800 g
Weight per piece (including packing)	174.800 g
Custom tariff number	85234910
Country of origin	Germany
Sales Key	G1 - Relay

Technical data

General

Operating systems	Windows 98, Windows 2000, Windows XP
Basic functions	Configuration software for PSR-RSM4 safe downtime and over-speed safety relay
Scope of delivery	PSR configuration software with connecting cable

System requirements

Operating systems	Windows® 7 (32-Bit/64-Bit)
	Windows XP
	MS Windows NT 4.0 with Service Pack > 4, MS Windows 2000 and MS Windows XP
Operating equipment	Keyboard, mouse
CPU	Pentium, 2 GHz (recommended), 1 GHz (min.)
Main memory (RAM)	1 GByte (under Windows 7/under Windows XP: 512 Mbytes (min.))
Hard disk	min. 250 Mbyte (Free hard disk memory space)
Optical drive	CD-ROM
Monitor resolution	800x600

Software - PSR-CONF-WIN1.0 - 2981554

Technical data

System requirements

Languages supported	German, English, French, Spanish, Italian
---------------------	---

Classifications

eCl@ss

eCl@ss 4.0	27371102
eCl@ss 4.1	27371102
eCl@ss 5.0	27371901
eCl@ss 5.1	27371901
eCl@ss 6.0	27242590
eCl@ss 7.0	27242590
eCl@ss 8.0	27242590
eCl@ss 9.0	27242590

ETIM

ETIM 2.0	EC001435
ETIM 3.0	EC001435
ETIM 4.0	EC001435
ETIM 5.0	EC001435
ETIM 6.0	EC001435

UNSPSC

UNSPSC 6.01	30211901
UNSPSC 7.0901	39121501
UNSPSC 11	39121501
UNSPSC 12.01	39121501
UNSPSC 13.2	39121501

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

Software - PSR-CONF-WIN1.0 - 2981554

Approvals

EAC



EAC-Zulassung