

## DIN rail - NS 15 AL PERF 2000MM - 1401763

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



DIN rail, material: Aluminum, perforated, height 5.5 mm, width 15 mm, length: 2 m

### Product Features

- All DIN rails are also available cut to length
- Particular attention has been paid to high dimensional accuracy and surface tempering
- The design of the DIN rails corresponds to European standard EN 60715

### Key commercial data

<b>package_quantity</b>	5
<b>GTIN</b>	4017918020521

### Technical data

#### Dimensions

<b>Height</b>	5 mm
<b>Length</b>	2000 mm
<b>Width</b>	15 mm

#### General

<b>Material</b>	Aluminum
<b>Coating</b>	uncoated
<b>Color</b>	silver
<b>Test standard</b>	In acc. with EN 60715: 2001

### classifications

#### eCl@ss

<b>eCl@ss 4.0</b>	27110804
<b>eCl@ss 4.1</b>	27110804
<b>eCl@ss 5.0</b>	27141143
<b>eCl@ss 5.1</b>	27141143
<b>eCl@ss 6.0</b>	27141143
<b>eCl@ss 7.0</b>	27141143
<b>eCl@ss 8.0</b>	27141143

#### ETIM

## DIN rail - NS 15 AL PERF 2000MM - 1401763

### classifications

#### ETIM

<b>ETIM 2.0</b>	EC001285
<b>ETIM 3.0</b>	EC001285
<b>ETIM 4.0</b>	EC001285
<b>ETIM 5.0</b>	EC001285

#### UNSPSC

<b>UNSPSC 6.01</b>	30212109
<b>UNSPSC 7.0901</b>	39121708
<b>UNSPSC 11</b>	39121708
<b>UNSPSC 12.01</b>	39121708
<b>UNSPSC 13.2</b>	39121708

### Drawings

# DIN rail - NS 15 AL PERF 2000MM - 1401763

Dimensioned drawing

