according to Regulation (EC) No 1907/2006

ABUS Test-Spray RM

Print date: 20.06.2014

Product code: 11ACH20057A0125

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ABUS Test-Spray RM

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	ABUS August Bremicker Söhne KG	
Street:	Altenhofer Weg 25	
Place:	D-58300 Wetter	
Telephone:	+49 (0) 2335 6340	Telefax: +49 (0) 2335 634316
<u>1.4. Emergency telephone</u> number:	+49 (0) 2335 6340 (Mo-Do 07.15-16.45; Fr 07.15-15.00)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: F+ - Extremely flammable

R phrases:

Extremely flammable.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Vapours may cause drowsiness and dizziness.

GHS classification

Hazard categories: Aerosol: Aerosol 1 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazardous components which must be listed on the label

Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane Hydrocarbons, C7, n-alkanes, iso-alkanes, cyclics propan-2-ol Signal word: Danger

Pictograms:	GHS02-GHS07

Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.

according to Regulation (EC) No 1907/2006

ABUS Test-Spray RM Print date: 20.06.2014 Product code: 11ACH20057A0125 Page 2 of 13 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects. Precautionary statements If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smokina. Do not spray on an open flame or other ignition source. P211 P251 Do not pierce or burn, even after use. P260 Do not breathe Aerosol. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P332+P313 If skin irritation occurs: Get medical advice/attention. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P312 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. P337+P313 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F. P410+P412 P501 Dispose of contents/container to Dispose of contents / container in accordance with local regulations.

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to Regulation (EC) No 1907/2006

ABUS Test-Spray RM

Print date: 20.06.2014

Product code: 11ACH20057A0125

Page 3 of 13

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
921-024-6	Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane	5 - < 10 %
	F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R11-38-51-53-65-67	
	Flam. Liq. 2, Skin Irrit. 2, Asp. Tox. 1, STOT SE 3, Aquatic Chronic 2; H225 H315 H304 H336 H411	
01-2119475514-35		
927-510-4	Hydrocarbons, C7, n-alkanes, iso-alkanes, cyclics	5 - < 10 %
	F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R11-38-51-53-65-67	
	Flam. Liq. 2, Skin Irrit. 2, Asp. Tox. 1, STOT SE 3, Aquatic Chronic 2; H225 H315 H304 H336 H411	
01-2119475515-33		
200-661-7	propan-2-ol	1 - < 5 %
67-63-0	F - Highly flammable, Xi - Irritant R11-36-67	
603-117-00-0	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336	
01-2119457558-25		
203-777-6	n-hexane	0.1 - < 1 %
110-54-3	Repr. Cat. 3, F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R11-62-48/20-65-38-67-51-53	
601-037-00-0	Flam. Liq. 2, Repr. 2, Skin Irrit. 2, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Chronic 2; H225 H361f H315 H336 H373 H304 H411	
203-806-2	cyclohexane	< 0.1 %
110-82-7	F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R11-65-38-67-50-53	
601-017-00-1	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H225 H315 H336 H304 H400 H410	

Full text of R and H phrases: see Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Never give anything by mouth to an unconscious person or a person with cramps. Remove persons to safety.

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

according to Regulation (EC) No 1907/2006

ABUS Test-Spray RM Product code: 11ACH20057A0125

Print date: 20.06.2014

Page 4 of 13

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F. Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharge. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

according to Regulation (EC) No 1907/2006

ABUS Test-Spray RM

Print date: 20.06.2014

Product code: 11ACH20057A0125

Page 5 of 13

Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

Further information on storage conditions

Protect from frost. Protect against direct sunlight.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane		1500		TWA (8 h)	
					STEL (15 min)	
	Hydrocarbons, C7, n-alkanes, iso-alkanes, cyclics		1500		TWA (8 h)	TRGS
					STEL (15 min)	TRGS
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL
110-82-7	Cyclohexane	100	350		TWA (8 h)	WEL
1		300	1050		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
1		500	1250		STEL (15 min)	WEL
110-54-3	n-Hexane	20	72		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

Additional advice on limit values

a no restriction

b End of exposure or shift

c in long-term exposure: after several shifts

d prior to next shift

TWA (EC): time-weighted average

8.2. Exposure controls

Appropriate engineering controls

U: Urea

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a

Test method

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ABUS	Test-S	prav	RM
ADOO	1031-0	piuy	1 / 1/1

Print date: 20.06.2014

Product code: 11ACH20057A0125

Page 6 of 13

function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Aerosol colourless solvent like
pH-Value (at 20 °C):	
Changes in the physical state	
Melting point:	
Initial boiling point and boiling range:	

pH-Value (at 20 °C):	not determined	DIN 19268
Changes in the physical state		
Melting point:	not determined	
Initial boiling point and boiling range:	-40 °C	
Sublimation point:	No information available.	
Softening point:	No information available.	
:	No information available.	
Flash point:	-80 °C	
Flammability		
Solid:	not applicable	
Gas:	not applicable	
Lower explosion limits:	1 vol. %	
Upper explosion limits:	11 vol. %	
Ignition temperature:	No information available.	
Auto-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	not determined	
Oxidizing properties		
Not oxidizing.		
Vapour pressure:	not determined	
Vapour pressure:	No information available.	
Density (at 20 °C):		DIN 51757
Bulk density:	No information available.	
Water solubility:	insoluble	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Viscosity / dynamic:	No information available.	
Viscosity / kinematic:	No information available.	
viscosity / minorialio.		

Flow time:

No information available.

according to Regulation (EC) No 1907/2006

ABUS Test-Spray RM						
Print date: 20.06.2014	Product code: 11ACH20057A0125	Page 7 of 13				
Vapour density:	not determined					
Evaporation rate:	not determined					
Solvent separation test: Solvent content:	No information available. No information available.					
9.2. Other information						
Solid content:	not determined					

Density Data apply to the technically active substance. pressure - bar (20°C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable, Ignition hazard.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

ABUS Test-Spray RM

Print date: 20.06.2014

Product code: 11ACH20057A0125

Page 8 of 13

Acute toxicity

CAS No	Chemical name							
	Exposure routes	Method	Dose	Species	Source			
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane							
	oral	LD50 mg/kg	> 5000	Rat				
	dermal	LD50 mg/kg	> 2000	Rabbit				
	inhalative (4 h) vapour	LC50	> 23,3 mg/l	Rat				
	Hydrocarbons, C7, n-alkanes, iso-alkanes, cyclics							
	oral	LD50	5500 mg/kg	Rat				
	dermal	LD50	2770 mg/kg	Rat				
	inhalative (4 h) vapour	LC50	23,3 mg/l	Rat				
67-63-0	propan-2-ol							
	oral	LD50	5280 mg/kg	Rat				
	dermal	LD50 mg/kg	> 2000	Rabbit				
	inhalative (4 h) vapour	LC50	47,5 mg/l	Rat				
110-54-3	n-hexane							
	dermal	LD50 mg/kg	> 2000	Rabbit				
	inhalative (4 h) vapour	LC50 mg/l	> 31,86	Rat				
110-82-7	cyclohexane							
	oral	LD50 mg/kg	> 5000	Rat				
	dermal	LD50 mg/kg	> 2000	Rabbit				
	inhalative (4 h) vapour	LC50 mg/l	> 32,88	Rat				

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane), (Hydrocarbons, C7, n-alkanes, iso-alkanes, cyclics), (propan-2-ol), (n-hexane)

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

Aspiration hazard

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

ABUS Test-Spray RM

Print date: 20.06.2014

Product code: 11ACH20057A0125

Page 9 of 13

Specific effects in experiment on an animal

No information available.

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name								
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source			
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane								
	Acute fish toxicity	LC50	> 1-10 mg/l	96 h	Pimephales promelas				
	Acute algae toxicity	ErC50 mg/l	> 10 - 100	72 h	Pseudokirchneriella subcapitata				
	Acute crustacea toxicity	EC50	> 1-10 mg/l	48 h	Daphnia magna				
	Hydrocarbons, C7, n-alkanes	, iso-alkanes,	cyclics						
	Acute fish toxicity	LC50	>1 - 10 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)				
	Acute algae toxicity	ErC50 mg/l	>10 - 100	72 h	Algae toxicity				
	Acute crustacea toxicity	EC50	>1 - 10 mg/l	48 h	Daphnia magna				
67-63-0	propan-2-ol								
	Acute fish toxicity	LC50	9640 mg/l	96 h	Pimephales promelas				
	Acute algae toxicity	ErC50	> 100 mg/l	72 h	Desmodesmus subspicatus.				
	Acute crustacea toxicity	EC50	> 100 mg/l	48 h	Daphnia magna				
110-54-3	54-3 n-hexane								
	Acute fish toxicity	LC50	2,5 mg/l	96 h	Pimephales promelas				
	Acute algae toxicity	ErC50	9,9 mg/l	72 h	Pseudokirchneriella subcapitata				
	Acute crustacea toxicity	EC50	30 mg/l	48 h	Daphnia magna				
	algea toxicity	NOEC	2,077 mg/l	3 d	Pseudokirchneriella subcapitata				
	Acute bacteria toxicity	(48,39 m	ıg/l)	0 h	Tetrahymena pyriformis				
110-82-7	cyclohexane			_					
	Acute fish toxicity	LC50	4,53 mg/l	96 h	Pimephales promelas				
	Acute algae toxicity	ErC50	3,4 mg/l	72 h	Selenastrum capricornutum				
	Acute crustacea toxicity	EC50	0,9 mg/l	48 h	Daphnia magna				

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane	3,4 - 5,2
67-63-0	propan-2-ol	0,05
110-54-3	n-hexane	3,9

according to Regulation (EC) No 1907/2006

ABUS Test-Spray RM

Print date: 20.06.2014

Product code: 11ACH20057A0125

Page 10 of 13

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing dangerous substances Classified as hazardous waste.

Waste disposal number of used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing dangerous substances Classified as hazardous waste.

Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1950			
14.2. UN proper shipping name:	AEROSOLS			
14.3. Transport hazard class(es):	2			
Hazard label:	2.1			
Classification code:	5F			
Special Provisions:	190 327 344 625			
Limited quantity:	1 L			
Transport category:	2			
Tunnel restriction code:	D			
Other applicable information (land transport) Limited quantity: E0				
Inland waterways transport (ADN)				
<u>14.1. UN number:</u>	UN 1950			
14.2. UN proper shipping name:	AEROSOLS			
14.3. Transport hazard class(es):	2			

according to Regulation (EC) No 1907/2006

ABUS Test-Spray RM						
Print date: 20.06.2014	Product code: 11ACH20057A0125	Page 11 of 13				
Hazard label: Classification code: Special Provisions: Limited quantity:	2.1 5F 190 327 344 625 1 L					
Other applicable information (inland wa Limited quantity: E0	terways transport)					
Marine transport (IMDG)						
<u>14.1. UN number:</u>	UN 1950					
14.2. UN proper shipping name:	AEROSOLS					
14.3. Transport hazard class(es):	2					
14.4. Packing group:	-					
Hazard label:	2, see SP63					
Marine pollutant:	no					
Special Provisions: Limited quantity:	63, 190, 277, 327, 344, 959 See SP277					
EmS:	F-D, S-U					
Other applicable information (marine tra Limited quantity: E0	ansport)					
Air transport (ICAO)						
<u>14.1. UN number:</u>	UN 1950					
14.2. UN proper shipping name:	AEROSOLS, flammable					
14.3. Transport hazard class(es):	2.1					
Hazard label: Special Provisions: Limited quantity Passenger:	2.1 A145 A167 A802 30 kg G					
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	203 75 kg 203 150 kg					
Other applicable information (air transp Limited quantity: E0 Passenger-LQ: Y203	ort)					
14.5. Environmental hazards						
ENVIRONMENTALLY HAZARDOUS:	no					
<u>14.6. Special precautions for user</u> Warning: Flammable gases.						
14.7. Transport in bulk according to Annex not applicable	II of MARPOL73/78 and the IBC Code					
SECTION 15: Regulatory information						
15.1. Safety, health and environmental regu	Ilations/legislation specific for the substance or mixture					
EU regulatory information						
1999/13/EC (VOC):	No information available.					
Additional information						
	to Regulation (EC) No. 1907/2006 (REACH) 9/13/EC about limitation of emissions of volatile organic compounds					

4007/0000 ...

according to Regulation (EC) No 1907/2006						
ABUS Test-Spray RM						
Print date: 20.0	6.2014	Product code: 11ACH20057A0125	Page 12 of 13			
National re	gulatory information					
	t restrictions: aminating class (D):	Observe employment restrictions for young people. 1 - slightly water contaminating				
15.2. Chemica	safety assessment					
	Chemical safety assessment	ts for substances in this mixture were not carried out.				
SECTION 16:	Other information					
Abbroviotic	ons and acronyms					
hobionatio	ADR: Accord européen sur le Agreement concerning the In RID: Règlement internationa fer (Regulations Concerning IATA: International Air Transp IMDG: International Maritime GHS: Globally Harmonized S EINECS: European Inventory ELINCS: European List of No CAS: Chemical Abstracts Se DNEL/DMEL: Derived No Eff WEL (UK): Workplace Expos TWA (EC): Time-Weighted A ATE: Acute Toxicity Estimate STEL (EC) Short Term Expos LC50: Lethal Concentration EC50: half maximal Effective	e Code for Dangerous Goods System of Classification and Labelling of Chemicals y of Existing Commercial Chemical Substances otified Chemical Substances revice (division of the American Chemical Society) fect Level / Derived Minimal Effect Level sure Limits verage e sure Limit e Concentration				
Eull toyt of	ErC50: means EC50 in terms	-				
11 12 36 38 48/20 50 51 52/53 53 62 65 67	Very toxic to aquatic o Toxic to aquatic organi Harmful to aquatic org May cause long-term a Possible risk of impain Harmful: may cause lu Vapours may cause dr	rious damage to health by prolonged exposure through inhalation. rganisms. isms. janisms, may cause long-term adverse effects in the aquatic environment. adverse effects in the aquatic environment. ed fertility. ing damage if swallowed. rowsiness and dizziness.				
Full text of H222	H statements referred to und	der Sections 2 and 3 mmable aerosol.				
H225 H229 H304 H315 H319 H336 H361f	Highly flamma Pressurised c May be fatal ir Causes skin i Causes serior May cause dr	able liquid and vapour. container: May burst if heated. f swallowed and enters airways.				
H373 H400 H410 H411	May cause da Very toxic to a Very toxic to a	amage to organs through prolonged or repeated exposure.				

- Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. H411
- H412

according to Regulation (EC) No 1907/2006

ABUS Test-Spray RM

Print date: 20.06.2014

Product code: 11ACH20057A0125

Page 13 of 13

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)