

B Page 1 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2021 / 0036 Replacing version dated / version: 27.04.2020 / 0035 Valid from: 04.05.2021 PDF print date: 14.06.2021 Motor Clean

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Motor Clean

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Cleaner Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP)

containing to recognitation (E	
Hazard category	Hazard statement
2	H319-Causes serious eye irritation.
1	H317-May cause an allergic skin reaction.
1	H304-May be fatal if swallowed and enters airways.
	U U (

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

Danger



Page 2 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2021 / 0036 Replacing version dated / version: 27.04.2020 / 0035 Valid from: 04.05.2021 PDF print date: 14.06.2021 Motor Clean

H319-Causes serious eye irritation. H317-May cause an allergic skin reaction. H304-May be fatal if swallowed and enters airways.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.

P261-Avoid breathing vapours or spray. P280-Wear protective gloves / eye protection / face protection.

P301+P310-IF SWALLOWED: Immediately call a POISON CENTER / doctor. P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314-Get medical advice / attention if you feel unwell. P331-Do NOT induce vomiting.

P405-Store locked up.

ആ

P501-Dispose of contents / container to an approved waste disposal facility.

EUH066-Repeated exposure may cause skin dryness or cracking.

Distillates (petroleum), hydrotreated heavy paraffinic Distillates (petroleum), solvent-dewaxed heavy paraffinic Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

Dangerous vapours heavier than air.

In case of spreading near the ground, flashback to distance sources of ignition is possible.

SECTION 3: Composition/information on ingredients

3.1 Substances

^{n.a.} 3.2 Mixtures

5.2 WIATURS	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	
Registration number (REACH)	01-2119457273-39-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	918-481-9
CAS	
content %	70-<90
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Asp. Tox. 1, H304
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters,	
zinc salts	
Registration number (REACH)	01-2119948548-22-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	270-478-5
CAS	68442-22-8
content %	1-<2,5
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	Aquatic Chronic 2, H411
Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs.,	
calcium salts	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	682-816-2
CAS	722503-68-6
content %	1-<2,5
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Skin Sens. 1B, H317



Page 3 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2021 / 0036 Replacing version dated / version: 27.04.2020 / 0035 Valid from: 04.05.2021 PDF print date: 14.06.2021 Motor Clean

Impurities, test data and additional information may have been taken into account in classifying and labelling the product. For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

If, for example, the note P is applied for a hydrocarbon then this has already been taken into account for the classification named here. Quote: "Note P - The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7)."

Article 4 of the regulation (EC) no. 1272/2008 (CLP regulation) was also observed and taken into account for the classification named here.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

ആ

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

Danger of aspiration.

In case of vomiting, keep head low so that the stomach content does not reach the lungs.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. eyes, reddened

watering eyes With long-term contact: Nausea Dizziness Product removes fat. Drying of the skin. Dermatitis (skin inflammation) Ingestion: Vomiting Danger of aspiration. Oedema of the lungs In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. Ingestion: Activated carbon Gastric lavage (stomach washing) only under endotracheal intubation. Subsequent observation for pneumonia and pulmonary oedema.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

CO2 Extinction powder Foam Water jet spray



Page 4 of 14

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2021 / 0036 Replacing version dated / version: 27.04.2020 / 0035 Valid from: 04.05.2021 PDF print date: 14.06.2021 Motor Clean

Unsuitable extinguishing media

High volume water jet 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Hydrocarbons Toxic pyrolysis products. Flammable vapour/air mixtures

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove possible causes of ignition - do not smoke. Ensure sufficient supply of air. Avoid inhalation, and contact with eyes or skin.

If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk. Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Keep away from sources of ignition - Do not smoke.

Do not heat to temperatures close to flash point.

Take measures against electrostatic charging, if appropriate.

Avoid contact with eyes or skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Solvent resistant floor



Page 5 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2021 / 0036 Replacing version dated / version: 27.04.2020 / 0035 Valid from: 04.05.2021 PDF print date: 14.06.2021 Motor Clean

compartment

Do not store with oxidizing agents. Protect from direct sunlight and warming. Store in a well ventilated place.

7.3 Specific end use(s)

œ

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limit (WEL) of the total hydrocarbon solvent content of the mixture (RCP method according to EH40): 800 mg/m3

B Chemical Name	Hydrocarbons, C10-C13	natics	Co	ntent %:70 <90		
WEL-TWA: 800 mg/m3	WE			200		
Monitoring procedures:		er - Hydrocarbons 0,1%/c	(81 03 571)			
	- Draeg	er - Hydrocarbons 2/a (81	03 581)			
		ur - KÍTA-187 S (551 174)				
BMGV:	·	\$	Other inform	nation: (0	DEL acc. to RCI	-method
			paragraphs	84-87, EH	40)	
Chemical Name	Oil mist, mineral					Content %
WEL-TWA: 5 mg/m3 (Minera		L-STEL:				
working fluids, ACGIH)						
Monitoring procedures:	- Draeg	er - Oil Mist 1/a (67 33 03	1)			
BMGV:	21009		Other inforr	nation:	-	
Phosphorodithioic acid mixe	ed O,O-bis(2-ethylhexyl and is	so-Ru) esters zinc salts				
Area of application	Exposure route /	Effect on health	Descriptor	Value	Unit	Note
	Environmental		Decempter	Fullo		
	compartment					
	Environment - freshwater		PNEC	4	µg/l	
	Environment - marine		PNEC	4,6	μg/l	
	Environment - sewage		PNEC	100	mg/l	
	treatment plant					
	Environment - sediment,		PNEC	0.045	mg/kg dry	
	freshwater			· ·	weight	
	Environment - sediment,		PNEC	0,005	mg/kg dw	
	marine					
	Environment - soil		PNEC	0,007	mg/kg dry	
					weight	
	Environment - oral (animal		PNEC	10,67	mg/kg feed	
	feed)					
Consumer	Human - dermal	Long term, systemic	DNEL	5,71	mg/kg	
0		effects	DUE	1.00	bw/day	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	1,98	mg/m3	
Consumer	Human - oral	Long term, systemic	DNEL	0,24	malka	
Consumer	Human - Orai	effects	DINEL	0,24	mg/kg bw/day	
Workers / employees	Human - dermal	Long term, systemic	DNEL	11,4	mg/kg	
wonters / employees		effects		11,4	bw/day	
Workers / employees	Human - inhalation	Long term, systemic DNEL 8,05			mg/m3	
		effects		0,00	ling/ino	
		010010	1	<u> </u>		1
Distillates (petroleum), hydro						
Area of application	Exposure route /	Effect on health	Descriptor	Value	Unit	Note
Area or application	Environmental	Encoronnean	Decempter	Talao		



Page 6 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2021 / 0036 Replacing version dated / version: 27.04.2020 / 0035 Valid from: 04.05.2021 PDF print date: 14.06.2021 Motor Clean

	Environment - oral (animal feed)		PNEC	9,33	mg/kg	
Consumer	Human - inhalation	Long term, local effects	DNEL	1,2	mg/m3	24h
Workers / employees	Human - inhalation	Long term, local effects	DNEL	5,58	mg/m3	8h

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

ദ്ര

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection: Solvent resistant protective gloves (EN 374). If applicable Protective nitrile gloves (EN 374). Minimum layer thickness in mm: 0,4 Permeation time (penetration time) in minutes: >480 Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: If OES or MEL is exceeded. Filter A2 P2 (EN 14387), code colour brown, white Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.



Page 7 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2021 / 0036 Replacing version dated / version: 27.04.2020 / 0035 Valid from: 04.05.2021 PDF print date: 14.06.2021 Motor Clean

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

അ

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Orange
Odour:	Characteristic
Odour threshold:	Not determined
pH-value:	Not determined
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
Flash point:	63 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Lower explosive limit:	Not determined
Upper explosive limit:	Not determined
Vapour pressure:	Not determined
Vapour density (air = 1):	Not determined
Density:	0,808 g/cm3 (20°C)
Bulk density:	Not determined
Solubility(ies):	Not determined
Water solubility:	Insoluble
Partition coefficient (n-octanol/water):	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	3,462 mm2/s (40°C)
Explosive properties:	Not determined
Oxidising properties:	Not determined
9.2 Other information	
Miscibility:	Not determined
Fat solubility / solvent:	Not determined
Conductivity:	Not determined
Surface tension:	Not determined
Solvents content:	Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid** Open flame, ignition sources **10.5 Incompatible materials** Avoid contact with strong oxidizing agents. **10.6 Hazardous decomposition products** No decomposition when used as directed.



Page 8 of 14

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2021 / 0036 Replacing version dated / version: 27.04.2020 / 0035 Valid from: 04.05.2021 PDF print date: 14.06.2021 Motor Clean

SECTION 11: Toxicological information

11.1 Information on toxicological effects

 Possibly more information on health effects, see Section 2.1 (classification).

 Motor Clean

Motor orcan					-	
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral	Analogous
					Toxicity)	conclusion
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit	OECD 402 (Acute	Analogous
					Dermal Toxicity)	conclusion
Acute toxicity, by inhalation:	LC50	>4951	mg/m3/4h	Rat	OECD 403 (Acute	Analogous
			-		Inhalation Toxicity)	conclusion,
						Vapours
Skin corrosion/irritation:					OECD 404 (Acute	Not irritant,
					Dermal	Analogous
					Irritation/Corrosion)	conclusion
Serious eye damage/irritation:					OECD 405 (Acute Eye	Not irritant,
					Irritation/Corrosion)	Analogous
					,	conclusion
Respiratory or skin					OECD 406 (Skin	Not sensitizising
sensitisation:					Sensitisation)	Analogous
						conclusion
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative,
					Mammalian	Analogous
					Chromosome	conclusion
					Aberration Test)	
Germ cell mutagenicity:					OECD 474 (Mammalian	Negative,
					Erythrocyte	Analogous
					Micronucleus Test)	conclusion
Germ cell mutagenicity:				Salmonella	OECD 471 (Bacterial	Negative
				typhimurium	Reverse Mutation Test)	_
Carcinogenicity:					OECD 453 (Combined	Negative,
					Chronic	Analogous
					Toxicity/Carcinogenicity	conclusion
					Studies)	
Reproductive toxicity:					OECD 414 (Prenatal	Negative,
					Developmental Toxicity	Analogous
					Study)	conclusion
Specific target organ toxicity -					OECD 408 (Repeated	Negative,
repeated exposure (STOT-RE):					Dose 90-Day Oral	Analogous
					Toxicity Study in	conclusion
					Rodents)	
Aspiration hazard:						Yes



Page 9 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2021 / 0036 Replacing version dated / version: 27.04.2020 / 0035 Valid from: 04.05.2021 PDF print date: 14.06.2021 Motor Clean

œ

Symptoms:		unconsciousness , headaches, dizziness, mucous membrane irritation
Other information:		Repeated exposure may cause skin dryness or cracking.

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts								
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes		
Acute toxicity, by oral route:	LD50	4358	mg/kg	Rat				
Acute toxicity, by dermal route:	LD50	>2002	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)			
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Skin Irrit. 2		
Serious eye damage/irritation:				Rabbit		Eye Dam. 1		
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact)		
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative, Analogous conclusion		
Germ cell mutagenicity:				Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative, Analogous conclusion		
Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOEL	160	mg/kg bw/d	Rat	OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Developm. Tox. Screening Test)	Negative, Analogous conclusion		

Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts										
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes				
Respiratory or skin sensitisation:						Yes (skin contact), Analogous conclusion				

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification). Motor Clean **Toxicity / effect** Endpoint Time Value Unit Organism Test method Notes 12.1. Toxicity to fish: n.d.a. 12.1. Toxicity to daphnia: n.d.a. 12.1. Toxicity to algae: 12.2. Persistence and n.d.a. n.d.a. degradability: 12.3. Bioaccumulative n.d.a. potential: 12.4. Mobility in soil: n.d.a. 12.5. Results of PBT n.d.a. and vPvB assessment 12.6. Other adverse n.d.a. effects: According to the Other information: AOX recipe, contains no AOX.



Revision date / version: 04 Replacing version dated / Valid from: 04.05.2021 PDF print date: 14.06.202 Motor Clean	version: 27.04.20						
Other information:							DOC-eliminatior degree(complex ng organic substance)>= 80%/28d: No
Hydrocarbons, C10-C13	n-alkanes, isoa	Ikanes, cy	clics. <2% a	romatics			
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Water solubility:							Product floats o the water surface.
12.1. Toxicity to fish:	LL50	96h	>1000	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	NOELR	28d	0,101	mg/l	Oncorhynchus mykiss	,	
12.1. Toxicity to daphnia:	EL50	48h	>1000	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
2.1. Toxicity to daphnia:	NOELR	21d	0,176	mg/l	Daphnia magna	,	
12.1. Toxicity to algae:	EL50	72h	>1000	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	80	%	activated sludge	OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Readily biodegradable
Other organisms:	EL50	48h	>1000	mg/l	Tetrahymen pyriformis		
Phosphorodithioic acid,	mixed O O-bis(2	-ethylhex	vI and iso-B	u) esters 7	inc salts		
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to bacteria:	EC50	3h	>10000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
12.1. Toxicity to fish:	LL50	96h	4,5	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	LC50	96h	46	mg/l	Cyprinodon variegatus	OECD 203 (Fish, Acute Toxicity Test)	
2.1. Toxicity to daphnia:	EL50	48h	23	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,4	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to algae:	EL50	72h	21	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	



- @B							
Page 11 of 14 Safety data sheet accordi	ing to Regulation (E	EC) No 190	7/2006. Anr	nex II			
Revision date / version: 0			172000,741				
Replacing version dated	/ version: 27.04.202	20 / 0035					
Valid from: 04.05.2021 PDF print date: 14.06.202	21						
Motor Clean	21						
12.2. Persistence and		204		%			Netreedily
degradability:		28d	1,5	70	activated sludge	OECD 301 B (Ready	Not readily biodegradable
						Biodegradability -	
						Co2 Evolution	
						Test)	
	Ş	FCTIO	N 13 Di	snosal c	onsiderations		
				Sposal o			
10 1 Wests treating							
13.1 Waste treatm				_			
For the substance							
Soaked polluted cloths, p EC disposal code no.:	paper or other organ	nic material	s represent	a fire hazard	and should be control	ed, collected and disp	osed of.
The waste codes are rec	commendations bas	ed on the	scheduled u	se of this pro	duct.		
Owing to the user's speci							
allocated under certain ci	ircumstances. (201-	4/955/EU)					
07 07 04 other organic so	olvents, washing liq	uids and m	other liquor	5			
Recommendation: Sewage disposal shall be	discouraged						
Pay attention to local and		oulations.					
E.g. suitable incineration		<i></i>					
For contaminated	d packing mat	terial					
Pay attention to local and	national official reg						
Empty container complete							
Uncontaminated packaging				a tha aubata	200		
Dispose of packaging tha							
		SECTIO	ON 14: 1	ranspor	t information		
General statemer	nts						
14.1. UN number:				n.a.			
Transport by road	d/by rail (ADR	l/RID)					
14.2. UN proper shipping							
14.3. Transport hazard cl	lass(es):			n.a.			
14.4. Packing group: Classification code:				n.a. n.a.			
LQ:				n.a.			
14.5. Environmental haza	ards:				plicable		
Tunnel restriction code:							
Transport by sea	(IMDG-code)						
14.2. UN proper shipping							
14.3. Transport hazard cl	lass(es):			n.a.			
14.4. Packing group: Marine Pollutant:				n.a. n.a			
14.5. Environmental haza	ards:				plicable		
Transport by air (
14.2. UN proper shipping	• •						
14.3. Transport hazard cl				n.a.			
14.4. Packing group:				n.a.			
14.5. Environmental haza				Not ap	plicable		
14.6. Special prec							
Unless specified otherwis							
14.7. Transport in				ot MARPO	JL and the IBC	Code	
Non-dangerous material	according to Trans	oort Regula	ations.				
		SECTIC)N 15: R	egulator	y information		
					,		

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



Page 12 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2021 / 0036 Replacing version dated / version: 27.04.2020 / 0035 Valid from: 04.05.2021 PDF print date: 14.06.2021 Motor Clean

Observe restrictions:

ദ്ര

Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)! Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): REGULATION (EC) No 648/2004

30 % and more aliphatic hydrocarbons less than 5 % phosphates aromatic hydrocarbons

National rules/regulation for the compliance with maximum quantities with regard to phosphates and or phosphorous compounds must be observed and complied with.

15.2 Chemical safety assessment

These details refer to the product as it is delivered.

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

2, 3, 4, 8, 9, 11, 12, 15, 16

Employee instruction/training in handling hazardous materials is required. Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Eye Irrit. 2, H319	Classification according to calculation procedure.
Skin Sens. 1, H317	Classification according to calculation procedure.
Asp. Tox. 1, H304	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H317 May cause an allergic skin reaction. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation.

H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects.

Eye Irrit. — Eye irritation Skin Sens. — Skin sensitization Asp. Tox. — Aspiration hazard Skin Irrit. — Skin irritation Eye Dam. — Serious eye damage

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

88,371 %



	13 of 14 data sheet according to Regulation (EC) No 1907/2006, Annex II
	on date / version: 04.05.2021 / 0036
Replac	ing version dated / version: 27.04.2020 / 0035
	om: 04.05.2021
PDF pi Motor (int date: 14.06.2021
Wotor	
BAuA	Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)
BSEF	The International Bromine Council
bw	body weight
CAS	Chemical Abstracts Service
CLP and mi	Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances
CMR	carcinogenic, mutagenic, reproductive toxic
	Derived Minimum Effect Level
DNEL	
dw	dry weight
e.g. EC	for example (abbreviation of Latin 'exempli gratia'), for instance
	European Community European Chemicals Agency
EEC	European Economic Community
EINEC	S European Inventory of Existing Commercial Chemical Substances
ELINC	S European List of Notified Chemical Substances
EN	European Norms
EPA etc.	United States Environmental Protection Agency (United States of America) et cetera
EU	European Union
	Ethylene-vinyl alcohol copolymer
Fax.	Fax number
gen.	general
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
GWP IARC	Global warming potential International Agency for Research on Cancer
IATA	International Air Transport Association
IBC (C	
IMDĠ-	code International Maritime Code for Dangerous Goods
incl.	including, inclusive
	Dinternational Uniform Chemical Information Database
LC50	International Union for Pure Applied Chemistry Lethal Concentration to 50 % of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LQ	Limited Quantities
MARP	OL International Convention for the Prevention of Marine Pollution from Ships
n.a.	not applicable
n.av.	not available
n.c. n.d.a.	not checked no data available
	Organisation for Economic Co-operation and Development
org.	organic
PBT	persistent, bioaccumulative and toxic
PE	Polyethylene
	Predicted No Effect Concentration
ppm PVC	parts per million Polyvinylchloride
	Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration,
	tion, Authorisation and Restriction of Chemicals)
	H-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List
	ers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.
RID	Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International ge of Dangerous Goods by Rail)
	Substances of Very High Concern
Tel.	Telephone
UN RT	DG United Nations Recommendations on the Transport of Dangerous Goods
VOC	Volatile organic compounds
vPvB	very persistent and very bioaccumulative
wwt	wet weight
The sta	atements made here should describe the product with regard to the necessary safety precautions - they are
	ant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.
	ponsibility.
	statements were made by:

These statements were made by:



Page 14 of 14

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2021 / 0036 Replacing version dated / version: 27.04.2020 / 0035 Valid from: 04.05.2021 PDF print date: 14.06.2021 Motor Clean

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

C by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.