

Page 1 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Teerentferner 400 mL

Art.: 1600

(GB)

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Sector of use [SU]:

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC35 - Washing and cleaning products (including solvent based products)

Process category [PROC]:

PROC 7 - Industrial spraying

PROC 8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

PROC 9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC11 - Non industrial spraying

PROC19 - Hand-mixing with intimate contact and only PPE available

Article Categories [AC]:

AC99 - Not required.

Environmental Release Category [ERC]:

ERC 2 - Formulation of preparations

ERC 4 - Industrial use of processing aids in processes and products, not becoming part of articles

ERC 5 - Industrial use resulting in inclusion into or onto a matrix

ERC 8a - Wide dispersive indoor use of processing aids in open systems

ERC 8c - Wide dispersive indoor use resulting in inclusion into or onto a matrix

ERC 8d - Wide dispersive outdoor use of processing aids in open systems

ERC 8f - Wide dispersive outdoor use resulting in inclusion into or onto a matrix

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

œ

LIQUI MOLY GmbH, Jerg-Wieland-Str. 4, 89081 Ulm-Lehr, Germany Phone: (+49) 0731-1420-0, Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 19

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

Hazard statement
H336-May cause drowsiness or dizziness.
H412-Harmful to aquatic life with long lasting effects.
H222-Extremely flammable aerosol.
H229-Pressurised container: May burst if heated.

2.1.2 Classification according to Directives 67/548/EEC and 1999/45/EC (including amendments)

F+,Extremely flammable N, Dangerous for the environment, R51/53 R66

R67

2.2 Label elements

2.2.1 Labeling according to Regulation (EC) 1272/2008 (CLP)



Danger

H336-May cause drowsiness or dizziness. H412-Harmful to aquatic life with long lasting effects. H222-Extremely flammable aerosol. H229-Pressurised container: May burst if heated.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children. P210-Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211-Do not spray on an open flame or other ignition source. P251-Do not pierce or burn, even after use. P271-Use only outdoors or in a well-ventilated area. P312-Call a POISON CENTER/doctor if you feel unwell.

P405-Store locked up. P410+P412-Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501-Dispose of contents/container to special waste collection point.

EUH208-Contains Hydrocarbons, terpene processing by-products . May produce an allergic reaction. EUH066-Repeated exposure may cause skin dryness or cracking.

Without adequate ventilation, formation of explosive mixtures may be possible. Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Propan-2-ol

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006. The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC)

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006.

REGULATION (EC) No 648/2004

30 % and more aliphatic hydrocarbons less than 5 % non-ionic surfactants

perfumes LIMONENE



Page 3 of 19

B

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

SECTION 3: Composition/information on ingredients

Aerosol	
3.1 Substance	
n.a.	
3.2 Mixture	
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	
Registration number (REACH)	01-2119472146-39-XXXX
Index	
EINECS, ELINCS, NLP	918-167-1 (REACH-IT List-No.)
content %	20-30
Classification according to Directive 67/548/EEC	Dangerous for the environment, R53 Harmful, Xn, R65 R66
Classification according to Regulation (EC) 1272/2008 (CLP)	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	920-750-0 (REACH-IT List-No.)
CAS	
content %	20-<25
Classification according to Directive 67/548/EEC	Highly flammable, F, R11 Dangerous for the environment, N, R51 Dangerous for the environment, R53 Harmful, Xn, R65 R66 R67
Classification according to Regulation (EC) 1272/2008 (CLP)	Flam. Liq. 2, H225 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411
Propan-2-ol	
Registration number (REACH)	
Index	603-117-00-0
EINECS, ELINCS, NLP	200-661-7
CAS	67-63-0
content %	5-<10
Classification according to Directive 67/548/EEC	Highly flammable, F, R11 Irritant, Xi, R36 R67
Classification according to Degulation (EC) (272/2009 (CLD)	

Classification according to Regulation (EC) 1272/2008 (CLP)	Flam. Liq. 2, H225
	Eye Irrit. 2, H319
	STOT SE 3, H336
Distillates (petroleum), hydrotreated heavy paraffinic	
Registration number (REACH)	
Index	649-467-00-8
EINECS, ELINCS, NLP	265-157-1
CAS	64742-54-7
content %	1-5
Classification according to Directive 67/548/EEC	
Classification according to Regulation (EC) 1272/2008 (CLP)	Asp. Tox. 1, H304
Isopentane	Substance for which an EU exposure limit value applies.
Registration number (REACH)	
Index	601-006-00-1 / 601-085-00-2



Page 4 of 19

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

EINECS, ELINCS, NLP	201-142-8
CAS	78-78-4
content %	0,1-<1
Classification according to Directive 67/548/EEC	Extremely flammable, F+, R12 Dangerous for the environment, N, R51 Dangerous for the environment, R53 Harmful, Xn, R65 R66
Classification according to Regulation (EC) 1272/2008 (CLP)	R67 Flam. Liq. 1, H224 Aquatic Chronic 2, H411 Asp. Tox. 1, H304 STOT SE 3, H336

Hydrocarbons, terpene processing by-products	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	273-309-3
CAS	68956-56-9
content %	0,1-<1
Classification according to Directive 67/548/EEC	Flammable, R10
	Irritant, Xi, R36/38
	Sensitising, R43
	Dangerous for the environment, N, R51
	Dangerous for the environment, R53
	Harmful, Xn, R65
Classification according to Regulation (EC) 1272/2008 (CLP)	Flam. Liq. 3, H226
	Eye Irrit. 2, H319
	Skin Irrit. 2, H315
	Skin Sens. 1, H317
	Aquatic Chronic 2, H411
	Asp. Tox. 1, H304

For the text of the R-phrases / H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1/3.2 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Typically no exposure pathway.

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

Danger of aspiration

In case of vomiting, keep head low so that the stomach content does not reach the lungs.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. Headaches

Dizziness Coordination disorders



Page 5 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

Mental confusion Effect on the central nervous system Narcotic effect. Drying of the skin. Dermatitis (skin inflammation) In certain cases the symptoms of po

(GB)

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher Cool container at risk with water.

Unsuitable extinguishing media

High volume water jet 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Toxic gases Danger of bursting (explosion) when heated Explosive vapour/air mixture

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove possible causes of ignition - do not smoke. Ensure sufficient supply of air.

Avoid inhalation, and contact with eyes or skin. 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

If spray or gas escapes, ensure ample fresh air is available.

Active substance:

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13. Do not wash away with water or watery cleaning agents.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid inhalation of the vapours. Keep away from sources of ignition - Do not smoke.



Page 6 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

Take measures against electrostatic charging, if appropriate.

Do not use on hot surfaces. Avoid contact with eyes or skin.

(GB)

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Not to be stored in gangways or stair wells.

Observe special regulations for aerosols!

Keep protected from direct sunlight and temperatures over 50°C.

Store in a well ventilated place.

Observe special storage conditions (in Germany, e.g., in accordance with the regulations in the "Betriebssicherheitsverordnung").

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limit (WEL) of the total hydrocarbon solvent content of the mixture (RCP method according to EH40): 1200 mg/m3

Chemica		Hydrocarbons, C11		es, <2% aromatics		Content %:20-30
WEL-TWA:	1200 mg/m3 (>=C7 no	rmal and branched	WEL-STEL:	2(II) (AGW)		
chain alkane	S)					
BMGV:					Other information:	
Chemica	al Name	Hydrocarbons, C7-	C9. n-alkanes. i	soalkanes, cvclics		Content %:20-<25
WEL-TWA:			WEL-STEL:			
BMGV:					Other information:	
Chemica	al Name	Propan-2-ol				Content %:5-<10
	400 ppm (999 mg/m3)	11000112.01	WEL-STEL:	500 ppm (1250 mg	g/m3)	
BMGV:					Other information:	
Chemica	A Nome	Isopentane				Content %:0,1-<1
	600 ppm (1800 mg/m3		WEL-STEL:			 Content %.0,1-<1
ppm (3000 m) (VEL), 1000	WEL-SIEL.			
BMGV:					Other information:	
		.				-
Chemica		Oil mist, mineral				 Content %:
	5 mg/m3 (ACGIH)		WEL-STEL:	10 mg/m3 (ACGIF		
BMGV:					Other information:	
Chemica	al Name	Butane				Content %:
WEL-TWA:	600 ppm (1450 mg/m3)	WEL-STEL:	750 ppm (1810 mg	g/m3)	
BMGV:					Other information:	
Chemica	Nama	Propane				Contornt 0/ :
	a name	FIUpane				Content %:
WEL-TWA:		Flopane	WEL-STEL:			 Content %:
WEL-TWA: BMGV:	1000 ppm (ACGIH)	Fiopane	WEL-STEL:		Other information:	 Content %:
BMGV:	1000 ppm (ACGIH)	Isobutane	WEL-STEL:		Other information:	Content %:
BMGV:	1000 ppm (ACGIH)	·	WEL-STEL:		Other information:	
BMGV:	1000 ppm (ACGIH)	·			Other information: Other information:	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute)



Page 7 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

(GB)

reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics								
Area of application	Exposure route / Effect on health Environmental compartment			Value	Unit	Note		
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	773	mg/kg bw/d			
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	2035	mg/m3			
Consumer	Human - dermal	Long term, systemic effects	DNEL	699	mg/kg bw/d			
Consumer	Human - inhalation	Long term, systemic effects	DNEL	608	mg/m3			
	Human - oral	Long term, systemic effects	DNEL	699	mg/kg bw/d			

Propan-2-ol						
Area of application	Exposure route / Environmental	Effect on health	Descriptor	Value	Unit	Note
	compartment					
Workers / employees	Human - dermal	Long term	DNEL	888	mg/kg	(1 d)
Workers / employees	Human - inhalation	Long term	DNEL	500	mg/m3	
Consumer	Human - dermal	Long term	DNEL	319	mg/kg	(1 d)
Consumer	Human - inhalation	Long term	DNEL	89	mg/m3	
Consumer	Human - oral	Long term	DNEL	26	mg/kg	(1 d)
	Environment - freshwater		PNEC	140,9	mg/l	
	Environment - marine		PNEC	140,9	mg/l	
	Environment - sediment, freshwater		PNEC	552	mg/kg	
	Environment - sediment, marine		PNEC	552	mg/kg	
	Environment - soil		PNEC	28	mg/kg	

Distillates (petroleum), hydrotreated heavy paraffinic									
Area of application Exposure route / Effect on health Descriptor Value Unit									
	Environmental								
	compartment								
Workers / employees	Human - inhalation	Long term, local effects	DNEL	5,4	mg/m3				
Consumer	Human - inhalation	Long term, local effects	DNEL	1,2	mg/m3				
	Environment - oral (animal		PNEC	9,33	mg/kg feed				
	feed)								

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:



Page 8 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN 374). If applicable Protective nitrile gloves (EN 374) Protective gloves made of polyvinyl alcohol (EN 374) Protective Viton® / fluoroelastomer gloves (EN 374) Minimum layer thickness in mm: 0,4 Permeation time (penetration time) in minutes: > 480 The breakthrough times determined in accordance with EN 374 Part 3 were not obtained under practical conditions. The precommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended. Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments)

Respiratory protection: If OES or MEL is exceeded. Filter A P2 (EN 14387), code colour brown, white At high concentrations: Respiratory protection appliance (insulation device) (e.g. EN 137 or EN 138) Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

(GB)

Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications. Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Aerosol, Substance: Liquid			
Colour:	Colourless			
Odour:	Characteristic			
Odour threshold:	Not determined			
pH-value:	Not determined			
Melting point/freezing point:	Not determined			
Initial boiling point and boiling range:	n.a.			
Flash point:	-60 °C			
Evaporation rate:	n.a.			
Flammability (solid, gas):	n.a.			
Lower explosive limit:	0,6 Vol-%			
Upper explosive limit:	8,5 Vol-%			
Vapour pressure:	3000 hPa (20°C)			
Vapour density (air = 1):	Not determined			
Density:	0,66 g/ml (20°C)			
Bulk density:	n.a.			
Solubility(ies):	Not determined			
Water solubility:	Insoluble			
Partition coefficient (n-octanol/water):	Not determined			



Page 9 of 19

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties:

Oxidising properties: 9.2 Other information

Miscibility: Fat solubility / solvent: Conductivity: Surface tension: Solvents content: 230 °C (Ignition temperature) Not determined Not determined Product is not explosive. When using: development of explosive vapour/air mixture possible. No

Not determined Not determined Not determined Not determined 97,8 %

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

See also section 7. Heating, open flame, ignition sources Pressure increase will result in danger of bursting.

10.5 Incompatible materials

See also section 7. Oxidizing agents

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

eerentferner 400 mL rt.: 1600						
Foxicity/effect	Endpoin t	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
cute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin sensitisation:						n.d.a.
Serm cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - epeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
Other information:						Classification according
						to calculation procedure

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics									
Toxicity/effect Endpoin Value Unit Organism Test method Notes									
	t.			Ŭ					
					•				



B

Page 10 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat		
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit	OECD 427 (Skin Absorption - In Vivo Method)	
Acute toxicity, by inhalation:	LC50	>5000	mg/m3	Rat	OECD 403 (Acute Inhalation Toxicity)	
Skin corrosion/irritation:						Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation:						Not irritant
Serious eye damage/irritation:					OECD 405 (Acute Eye Irritation/Corrosion)	Mild irritant (Analogous conclusion)
Respiratory or skin sensitisation:						Not sensitizising
Respiratory or skin sensitisation:						Not sensitizising (Analogous conclusion)
Germ cell mutagenicity:						Analogous conclusion, Negative
Carcinogenicity:					OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies)	Analogous conclusion, Negative
Reproductive toxicity:						Negative
Specific target organ toxicity - repeated exposure (STOT-RE):						Analogous conclusion, No
Aspiration hazard:						Yes
Symptoms:						drowsiness, headaches

Toxicity/effect	Endpoin t	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>2800	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	>23,3	mg/l/4h	Rat	OECD 403 (Acute Inhalation Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	Not sensitizising
Germ cell mutagenicity:					OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative
Germ cell mutagenicity:		2000	mg/kg	Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Reproductive toxicity:	LOAEL	9000	ppm	Rat	OECD 416 (Two- generation Reproduction Toxicity Study)	Negative
Aspiration hazard:						Yes



B

Page 11 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

Symptoms:		drowsiness,
		unconsciousness,
		heart/circulatory
		disorders, headaches,
		cramps, drowsiness,
		mucous membrane
		irritation, dizziness,
		nausea and vomiting.

Toxicity/effect	Endpoin	Value	Unit	Organism	Test method	Notes
	t					
Acute toxicity, by oral route:	LD50	5840	mg/kg	Rat	OECD 401 (Acute Oral	
					Toxicity)	
Acute toxicity, by dermal route:	LD50	13900	mg/kg	Rabbit	OECD 402 (Acute	
					Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	30	mg/l/4h	Rat		
Skin corrosion/irritation:				Rabbit		Not irritant
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosion)	
Serious eye damage/irritation:				Rabbit		Eye Irrit. 2
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye	Eye Irrit. 2
					Irritation/Corrosion)	
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin	Not sensitizising
					Sensitisation)	
Germ cell mutagenicity:				Salmonella	(Ames-Test)	Negative
				typhimurium		
Carcinogenicity:						Negative
Reproductive toxicity:						Negative
Specific target organ toxicity -						Target organ(s): liver
repeated exposure (STOT-RE):						
Symptoms:						breathing difficulties,
						unconsciousness,
						vomiting, headaches,
						fatigue, dizziness, nausea

Toxicity/effect	Endpoin	Value	Unit	Organism	Test method	Notes
	t					
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat		
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	Analogous conclusion
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	Analogous conclusion
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit		
Acute toxicity, by inhalation:	LC50	>5,53	mg/l/4h	Rat	OECD 403 (Acute Inhalation Toxicity)	Aerosol, Analogous conclusion
Skin corrosion/irritation:						Not irritant
Skin corrosion/irritation:						Mild irritant, Analogous conclusion
Serious eye damage/irritation:						Not irritant
Respiratory or skin sensitisation:						Not sensitizising
Aspiration hazard:						Yes
Aspiration hazard:						Yes, Analogous conclusion
Symptoms:						coughing, respiratory distress, nausea and vomiting., diarrhoea

isopeniane						
Toxicity/effect	Endpoin	Value	Unit	Organism	Test method	Notes
	t					
Acute toxicity, by inhalation:	LC50	1280	mg/l/4h	Rat		



Page 12 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

B

Skin corrosion/irritation:	Human being		Not irritant, Repeated
			exposure may cause skin
			dryness or cracking.
Respiratory or skin sensitisation:	Guinea pig		Not sensitizising
Germ cell mutagenicity:		OECD 471 (Bacterial	Negative
		Reverse Mutation Test)	
Aspiration hazard:			Yes
Symptoms:			drowsiness,
			unconsciousness,
			diarrhoea, annoyance,
			headaches, cramps,
			circulatory disorders,
			drowsiness, mucous
			membrane irritation,
			dizziness, nausea and
			vomiting.

Hydrocarbons, terpene processing by-products									
Toxicity/effect	Endpoin	Value	Unit	Organism	Test method	Notes			
	t			J					
Aspiration hazard:						Yes			

Butane						
Toxicity/effect	Endpoin	Value	Unit	Organism	Test method	Notes
	t					
Acute toxicity, by inhalation:	LC50	658	mg/l/4h	Rat		
Germ cell mutagenicity:					OECD 471 (Bacterial	Negative
					Reverse Mutation Test)	<u> </u>
Symptoms:						ataxia, breathing
						difficulties, drowsiness,
						unconsciousness,
						frostbite, disturbed heart
						rhythm, headaches,
						cramps, intoxication,
						dizziness, nausea and
						vomiting.

Propane						
Toxicity/effect	Endpoin	Value	Unit	Organism	Test method	Notes
	t					
Germ cell mutagenicity:					OECD 471 (Bacterial	Negative
					Reverse Mutation Test)	-
Symptoms:						breathing difficulties,
						unconsciousness,
						frostbite, headaches,
						cramps, mucous
						membrane irritation,
						dizziness, nausea and
						vomiting.

Isobutane						
Toxicity/effect	Endpoin	Value	Unit	Organism	Test method	Notes
	t					
Acute toxicity, by inhalation:	LC50	658	mg/l/4h	Rat		
Serious eye damage/irritation:				Rabbit		Not irritant
Germ cell mutagenicity:					OECD 471 (Bacterial	Negative
					Reverse Mutation Test)	
Symptoms:						unconsciousness,
						frostbite, headaches,
						cramps, dizziness,
						nausea and vomiting.

SECTION 12: Ecological information



Page 13 of 19

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

Possibly more information on environmental effects, see Section 2.1 (classification).

Teerentferner 400 mL							
Art.: 1600 Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:					J		n.d.a.
Toxicity to daphnia:							n.d.a.
Toxicity to algae:							n.d.a.
Persistence and degradability:							The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Bioaccumulative							n.d.a.
potential:							
Mobility in soil:							Product is slightly volatile.
Results of PBT and							n.d.a.
vPvB assessment	_						
Other adverse effects:							n.d.a.
Other information:							According to the recipe, contains no AOX.

Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LL50	96h	>1000	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
Toxicity to fish:	NOELR	28d	0,21	mg/l	Oncorhynchus mykiss	QSÁR	
Toxicity to daphnia:	EL50	48h	>1000	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
Toxicity to daphnia:	NOELR	21d	>=1	mg/l	Daphnia magna		
Toxicity to daphnia:	NOELR	21d	0,02	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
Toxicity to algae:	NOELR	72h	1000	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
Toxicity to algae:	ErL50	72h	>1000	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
Toxicity to algae:	EbL50	72h	>1000	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	



Page 14 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009

B

Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

Persistence and degradability:	28d	31	%	OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	
Results of PBT and vPvB assessment					No PBT substance, No vPvB substance

Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LL50	96h	3 -10	mg/l	Oncorhynchus	OECD 203 (Fish,	
-					mykiss	Acute Toxicity	
						Test)	
Toxicity to daphnia:	EL50	48h	4,6 -	mg/l	Daphnia magna	OECD 202	
			10	_		(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
Toxicity to daphnia:	NOELR	21d	1 -1,6	mg/l	Daphnia magna	OECD 211	
						(Daphnia magna	
						Reproduction	
						Test)	
Toxicity to algae:	NOEC/NO	72h	10	mg/l	Pseudokirchneriell	OECD 201	
	EL				a subcapitata	(Alga, Growth	
						Inhibition Test)	
Toxicity to algae:	EbL50	72h	10-30		Pseudokirchneriell	OECD 201	
					a subcapitata	(Alga, Growth	
						Inhibition Test)	-
Persistence and		28d	98	%		OECD 301 F	Completely biodegradable.
degradability:						(Ready	
						Biodegradability -	
						Manometric	
						Respirometry	
						Test)	
Results of PBT and							No PBT substance, No
vPvB assessment		4.01					vPvB substance
Toxicity to bacteria:	EL50	48h	11,14	mg/l			calculated value
Water solubility:			2	mg/l			Insoluble

Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	96h	9640	mg/l	Pimephales		
•					promelas		
Toxicity to daphnia:	EC50	48h	13299	mg/l	Daphnia magna		References
Toxicity to algae:	EC50	72h	>100	mg/l	Desmodesmus subspicatus		
Toxicity to algae:	EC50	72h	>1000	mg/l	Desmodesmus subspicatus		
Persistence and degradability:		21d	95	%		OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	
Bioaccumulative potential:	Log Pow		0,05			OECD 107 (Partition Coefficient (n- octanol/water) - Shake Flask Method)	
Mobility in soil:	Koc		1,1				expert judgement
Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	EC50		>1000	mg/l	activated sludge		



Page 15 of 19

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

Toxicity to bacteria:	EC10	18h	5175	mg/l	Pseudomonas putida	DIN 38412 T.8	
Other information:	BOD5		53	%			
Other information:	COD		96	%			References
Other information:	ThOD		2,4	g/g			
Water solubility:							Soluble

Distillates (petroleum)	Distillates (petroleum), hydrotreated heavy paraffinic								
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes		
Toxicity to fish:	NOEC/NO	96h	>100	mg/l	Pimephales	OECD 203 (Fish,			
-	EL			-	promelas	Acute Toxicity			
						Test)			
Toxicity to daphnia:	LL50	96h	>10000	mg/l		OECD 202			
						(Daphnia sp.			
						Acute			
						Immobilisation			
						Test)			
Toxicity to algae:	NOEC/NO	72h	>=100	mg/l	Pseudokirchneriell	OECD 201			
	EL				a subcapitata	(Alga, Growth			
						Inhibition Test)			
Persistence and							Not readily biodegradable		
degradability:									
Water solubility:							Insoluble		

Isopentane							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	96h	3,1	mg/l	Oncorhynchus		
					mykiss		
Toxicity to daphnia:	EC50	48h	2,3	mg/l	Daphnia magna		
Persistence and		12d	100	%			
degradability:							

Butane							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Bioaccumulative	Log Pow		2,98				A notable biological
potential:	_						accumulation potential is
							not to be expected
							(LogPow 1-3).
Results of PBT and							No PBT substance, No
vPvB assessment							vPvB substance

Propane				_			
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Bioaccumulative potential:	Log Pow		2,28				A notable biological accumulation potential is not to be expected (LogPow 1-3).
Results of PBT and vPvB assessment							No PBT substance, No vPvB substance

SECTION 13: Disposal considerations

13.1 Waste treatment methods For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC) 16 05 04 gases in pressure containers (including halons) containing dangerous substances Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations



Page 16 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

(GB)

Take full aerosol cans to problem waste collection. Take emptied aerosol cans to valuable material collection. Pay attention to local and national official regulations 15 01 04 metallic packaging 15 01 10 packaging containing residues of or contaminated by dangerous substances Recycling Do not perforate, cut up or weld uncleaned container.

SECTION 14: Transport information

JN number:	1950
Fransport by road/by rail (ADR/RID)	
JN proper shipping name:	
JN 1950 AEROSOLS	•
Fransport hazard class(es):	2.1
Packing group:	
Classification code:	5F
Q (ADR 2015):	1 L
Q (ADR 2009):	2
Environmental hazards:	Not applicable
unnel restriction code:	D
Fransport by sea (IMDG-code)	
JN proper shipping name:	
AEROSOLS	
Transport hazard class(es):	2.1
Packing group:	
EmS:	F-D, S-U
Marine Pollutant:	n.a Nataraliashla
nvironmental hazards:	Not applicable
Γransport by air (ΙΑΤΑ)	
JN proper shipping name:	
Aerosols, flammable	
ransport hazard class(es):	2.1
Packing group:	- V
nvironmental hazards:	Not applicable
Special precautions for user	
Persons employed in transporting dangerous goods r	
All persons involved in transporting must observe saf	fety regulations.
Precautions must be taken to prevent damage.	
Fransport in bulk according to Anne	x II of MARPOL 73/78 and the IBC Code
reighted as packaged goods rather than in bulk, the	
Inimum amount regulations have not been taken inf	to account.
Danger code and packing code on request.	
Comply with special provisions.	
SECT	ION 15: Regulatory information
OLU1	

For classification and labelling see Section 2.

~ 98,2 %

0,257 kg (400 ml)

Observe restrictions: Comply with trade association/occupational health regulations. Observe youth employment law (German regulation).

Directive 2010/75/EU (VOC): VOC (CH):

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information



Page 17 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600

These details refer to the product as it is delivered. Revised sections:

2, 3, 8, 11, 12

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
STOT SE 3, H336	Classification according to calculation procedure.
Aquatic Chronic 3, H412	Classification according to calculation procedure.
Aerosol 1, H222	Classification based on test data.
Aerosol 1, H229	Classification based on test data.

The following phrases represent the posted R phrases / H phrases, Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

11 Highly flammable.

(GB)

36 Irritating to eyes.

51 Toxic to aquatic organisms.

53 May cause long-term adverse effects in the aquatic environment.

65 Harmful: may cause lung damage if swallowed.

66 Repeated exposure may cause skin dryness or cracking.

67 Vapours may cause drowsiness and dizziness.

10 Flammable.

12 Extremely flammable.

36/38 Irritating to eyes and skin.

43 May cause sensitization by skin contact.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

H224 Extremely flammable liquid and vapour.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

STOT SE - Specific target organ toxicity - single exposure - narcotic effects Aquatic Chronic - Hazardous to the aquatic environment - chronic Aerosol — Aerosols Flam. Liq. — Flammable liquid Asp. Tox. — Aspiration hazard Eye Irrit. — Eye irritation

Skin Irrit. — Skin irritation

Skin Sens. - Skin sensitization

Any abbreviations and acronyms used in this document:

AC Article Categories according, according to acc., acc. to ACGIH American Conference of Governmental Industrial Hygienists Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the ADR International Carriage of Dangerous Goods by Road) AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds approx. approximately Article number Art., Art. no. ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)



(GB) Page 18 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600 Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAM BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) BGV Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BHT BMGV Biological monitoring guidance value (EH40, UK) BOD Biochemical oxygen demand BSEF Bromine Science and Environmental Forum body weight bw CAS **Chemical Abstracts Service** Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids CEC CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques CIPAC Collaborative International Pesticides Analytical Council CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic COD Chemical oxygen demand CTFA Cosmetic, Toiletry, and Fragrance Association DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon DT50 Dwell Time - 50% reduction of start concentration DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes) dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EC European Community ECHA European Chemicals Agency EEA European Economic Area EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ΕN European Norms EPA United States Environmental Protection Agency (United States of America) ERC **Environmental Release Categories** FS Exposure scenario etc. et cetera EU **European Union** EWC European Waste Catalogue Fax number Fax. aen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential HET-CAM Hen's Egg Test - Chorionallantoic Membrane HGWP Halocarbon Global Warming Potential IARC International Agency for Research on Cancer IATA International Air Transport Association IBC Intermediate Bulk Container IBC (Code) International Bulk Chemical (Code) IC Inhibitory concentration IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. IUCLID International Uniform ChemicaL Information Database LC lethal concentration LC50 lethal concentration 50 percent kill LCLo lowest published lethal concentration Lethal Dose of a chemical LD LD50 Lethal Dose, 50% kill LDLo Lethal Dose Low LOAEL Lowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration LOEL Lowest Observed Effect Level Limited Quantities 10 MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable



(GB) Page 19 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 08.05.2015 / 0010 Replaces revision of / Version: 11.11.2013 / 0009 Valid from: 08.05.2015 PDF print date: 08.05.2015 Teerentferner 400 mL Art.: 1600 not available n.av. n.c. not checked n.d.a. no data available NIOSH National Institute of Occupational Safety and Health (United States of America) No Observed Adverse Effective Concentration NOAEC NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration NOEL No Observed Effect Level ODP Ozone Depletion Potential OECD Organisation for Economic Co-operation and Development org. organic polycyclic aromatic hydrocarbon PAH PBT persistent, bioaccumulative and toxic PC Chemical product category ΡE Polyethylene PNEC Predicted No Effect Concentration POCP Photochemical ozone creation potential parts per million ppm PROC Process category PTFE Polytetrafluorethylene REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) **REACH-IT List-No.** 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International RID Carriage of Dangerous Goods by Rail) SADT Self-Accelerating Decomposition Temperature SAR Structure Activity Relationship SU Sector of use SVHC Substances of Very High Concern Tel. Telephone ThOD Theoretical oxygen demand TOC Total organic carbon TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances) UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria)) VOC Volatile organic compounds vPvB very persistent and very bioaccumulative WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK). WHO World Health Organization wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.