

## D-SUB pressure nut - VS-M16 (3-6) - 1688450

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



D-SUB cap nut with line seal, for sleeve housing VS-09-..., conductor diameter of 3 mm ... 6 mm

### Key commercial data

<b>package_quantity</b>	5
<b>GTIN</b>	4017918818371

### Technical data

#### Mechanical characteristics

<b>External cable diameter</b>	3 mm ... 6 mm
<b>Color</b>	gray

#### Ambient conditions

<b>Ambient temperature (operation)</b>	-40 °C ... 80 °C
<b>Ambient temperature (assembly)</b>	-20 °C ... 80 °C
<b>Degree of protection</b>	IP67

#### Material data

<b>Inflammability class according to UL 94</b>	V0
<b>Housing material</b>	PA
<b>Sealing material</b>	Neoprene
<b>Seal material</b>	Neoprene

### classifications

#### eCl@ss

<b>eCl@ss 4.0</b>	27141209
<b>eCl@ss 4.1</b>	27141209
<b>eCl@ss 5.0</b>	27149109
<b>eCl@ss 5.1</b>	27149109
<b>eCl@ss 6.0</b>	27149109
<b>eCl@ss 7.0</b>	27149109
<b>eCl@ss 8.0</b>	27149109

#### ETIM

<b>ETIM 2.0</b>	EC000441
-----------------	----------

## D-SUB pressure nut - VS-M16 (3-6) - 1688450

### classifications

#### ETIM

<b>ETIM 3.0</b>	EC000441
<b>ETIM 4.0</b>	EC000441
<b>ETIM 5.0</b>	EC002355

#### UNSPSC

<b>UNSPSC 6.01</b>	30211923
<b>UNSPSC 7.0901</b>	39121522
<b>UNSPSC 11</b>	39121522
<b>UNSPSC 12.01</b>	39121522
<b>UNSPSC 13.2</b>	39121522

### Drawings

Dimensioned drawing

D-SUB cap nut

© Phoenix Contact 2013 - all rights reserved  
<http://www.phoenixcontact.com>