Printing date 28.09.2022

Version number 12 (replaces version 11)

Revision: 28.09.2022



SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: CARAMBA Profi Active foam cleaner (Aerosol)
- · Article number: 64010601
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- **1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:** CARAMBA CHEMIE GMBH & Co.KG Wanheimerstr. 334/336 47055 DUISBURG www.caramba.de

Tel.: +49(0)203/7786 01

• Further information obtainable from: Abteilung Produktsicherheit Sicherheitsdatenblaetter@caramba.de

· 1.4 Emergency telephone number: Giftnotruf Berlin +49(0)30 30686 790 Beratung in Deutsch und Englisch

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

- · Hazard statements
- H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- [.] Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P261 Avoid breathing spray.
- P271 Use only outdoors or in a well-ventilated area.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

GB

Printing date 28.09.2022

Version number 12 (replaces version 11)

Revision: 28.09.2022

Trade name: CARAMBA Profi Active foam cleaner (Aerosol)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32	butane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	2.5-5%	
	disodium silicate pentahydrate Met. Corr.1, H290; Skin Corr. 1B, H314; STOT SE 3, H335 Specific concentration limit: Met. Corr.1; H290: C ≥ 5 %	1-2.5%	
· Regulation (EC) No 648/2004 on detergents / Labelling for contents			
aliphatic hydrocarbons, PENTASODIUM TRIPHOSPHATE		<5%	
preservation agents (2-BROMO-2-NITROPROPANE-1,3-DIOL, OCTYLISOTHIAZOLINONE, DIMETHYLOL GLYCOL, GLUTARAL, BENZISOTHIAZOLINONE)			
Additional information: For the wording of the listed hazard phrases refer to section 16.			

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



... das wirkt!

(Contd. of page 1)

Printing date 28.09.2022

Version number 12 (replaces version 11)

Revision: 28.09.2022

Trade name: CARAMBA Profi Active foam cleaner (Aerosol)

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection:

- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool location. Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

- Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane (2.5-5%)

WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
 Wash hands before breaks and at the end of work.
 Do not inhale gases / fumes / aerosols.
- · Respiratory protection: Not required.
- · Hand protection Rubber gloves
- · Material of gloves Recommended thickness of the material: \geq 0.4 mm
- Penetration time of glove material
- Value for the permeation: Level \geq 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Colour:
- · Odour:

• Odour threshold:

Light green Characteristic Not determined.

(Contd. on page 4)



... das wirkt!

(Contd. of page 2)

Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2022

Version number 12 (replaces version 11)

Revision: 28.09.2022

Trade name: CARAMBA Profi Active foam cleaner (Aerosol)

	(Contd. of page 3)		
 Melting point/freezing point: 	Undetermined.		
• Boiling point or initial boiling point and boiling			
range	Not applicable, as aerosol.		
· Flammability	Not applicable.		
• Lower and upper explosion limit			
Lower:	Not determined.		
· Upper:	Not determined.		
· Flash point:	Not applicable, as aerosol.		
Decomposition temperature:	Not determined.		
· pH	Not determined.		
· Viscosity:			
· Kinematic viscosity	Not determined.		
· Dynamic:	Not determined.		
· Solubility			
· water:	Fully miscible.		
Partition coefficient n-octanol/water (log value)	Not determined.		
· Vapour pressure:	Not determined.		
· Density and/or relative density			
· Density at 20 °C:	0.97 g/cm³		
· Relative density	Not determined.		
· Vapour density	Not determined.		
, ,			
9.2 Other information			
· Appearance:			
Form:	Aerosol		
Important information on protection of health an	d		
environment, and on safety.			
Auto-ignition temperature:	Product is not selfigniting.		
· Explosive properties:	Product is not explosive. However, formation of		
	explosive air/vapour mixtures are possible.		
· Change in condition			
· Evaporation rate	Not applicable.		
 Information with regard to physical hazard classes 			
· Explosives	Void		
· Flammable gases	Void		
Aerosols			
Extremely flammable aerosol. Pressurised container: May burst if heated.			
	17-1-1		
• Oxidising gases	Void		
Gases under pressure	Void		
· Flammable liquids	Void		
Flammable solids	Void		
Self-reactive substances and mixtures	Void		
Pyrophoric liquids	Void		
Pyrophoric solids	Void		
Self-heating substances and mixtures	Void		
Substances and mixtures, which emit flammable			
gases in contact with water	Void		
· Oxidising liquids	Void		
Oxidising solids	Void		
Organic peroxides	Void		
· Corrosive to metals	Void		
· Desensitised explosives	Void		

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.



...das wirkt!

Printing date 28.09.2022

Version number 12 (replaces version 11)

Trade name: CARAMBA Profi Active foam cleaner (Aerosol)

- · 10.2 Chemical stability · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available. · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

10213-79-3 disodium silicate pentahydrate

LD50 1,280 mg/kg (rat) Oral

Dermal LD50 >5,000 mg/kg (rat)

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

- Causes serious eve irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

10213-79-3 disodium silicate pentahydrate

EC50 216 mg/l (daphnia)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- · Additional ecological information:
- General notes: Not hazardous for water.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6) GB



...das wirkt!

Revision: 28.09.2022

(Contd. of page 4)



Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2022

Version number 12 (replaces version 11)

Revision: 28.09.2022

(Contd. of page 5)

Trade name: CARAMBA Profi Active foam cleaner (Aerosol)

• Recommended cleansing agents: Water, if necessary together with cleansing agents. **SECTION 14: Transport information** · 14.1 UN number or ID number · ADR, IMDG, IATA UN1950 [•] 14.2 UN proper shipping name AEROSOLS · ADR, IMDG ·IATA AEROSOLS, flammable 14.3 Transport hazard class(es) · ADR 2 5F Gases. · Class · Label 2.1 · IMDG, IATA 2.1 Gases. · Class · Label 2.1 · 14.4 Packing group Void · ADR, IMDG, IATA · 14.5 Environmental hazards: • Marine pollutant: No · 14.6 Special precautions for user Warning: Gases. Hazard identification number (Kemler code): · EMS Number: F-D.S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation Code Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR • Excepted quantities (EQ): E0 Limited quantities (LQ) 1L Transport category 2 · Tunnel restriction code D · UN "Model Regulation": UN 1950 AEROSOLS, 2.1 GB

(Contd. on page 7)



5.09.2022

... das wirkt!

Printing date 28.09.2022

Version number 12 (replaces version 11)

Revision: 28.09.2022

Trade name: CARAMBA Profi Active foam cleaner (Aerosol)

(Contd. of page 6)

SECTION 15: Regulatory information

• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** *Please note TRGS 510.*

Directive 2012/18/EU

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated. H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases - Category 1A Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure - Compressed gas Met. Corr. 1: Corrosive to metals - Category 1 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 ** Data compared to the previous version altered.



...das wirkt!

GB