EU safety data sheet

 Trade name:
 Multigas 300,
 Multigas Jumbo

 Product no.:
 35510_150000045_1500003091

 Current version :
 2.0.0, issued:
 26.02.2021

Replaced version: 1.1.0, issued: 03.07.2020

OTHENBERGER

DUST

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name

Multigas 300, Multigas Jumbo

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Fuel gas Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

ROTHENBERGER Industrial GmbH Sodener Strasse 47 65779 Kelkheim

 Telephone no.
 +49 (0) 61 95 / 9981 - 0

 Fax no.
 +49 (0) 6195 / 9981 - 7910

 e-mail
 info-diy@rothenberger.com

Advice on Safety Data Sheet sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Flam. Gas 1A; H220 Press. Gas compr.; H280

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Danger

H280

P101

Hazard statement(s) H220

Extremely flammable gas. Contains gas under pressure; may explode if heated.

Precautionary statement(s)

If medical advice is needed, have product container or label at hand.

ROTHENBERGER

Region: GB

Trade name: Multigas 300, Multigas Jumbo

Product no.: 35510 150000045 1500003091

Current version : 2.0.0, issued: 26.02.2021 Replaced version: 1.1.0, issued: 03.07.2020

P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
P381	In case of leakage, eliminate all ignition sources.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.

Labelling information

It is allowed to use the reduced labelling for gas containers for propane, butane or liquefied petroleum gas (LPG) based on Annex I, point 1.3.2 (EC Regulation 1272/2008 Annex I, 1.3.4).

2.3 Other hazards

PBT assessment No data available. vPvB assessment

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name Ac			ional info	rmation		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration			%
	REACH no						
1	butane						
	106-97-8	Flam. Gas 1A; H220	>=	50.00 -	<	70.00	Vol%
	203-448-7	Press. Gas; H280					
	601-004-00-0						
	-						
2	propane		pls. r	efer to foo	otnote (1)	
	74-98-6	Flam. Gas 1A; H220	>=	25.00 -	<	50.00	Vol%
	200-827-9	Press. Gas compr.; H280					
	601-003-00-5						
	-						
3	isobutane						
	75-28-5	Flam. Gas 1A; H220	>=	5.00 -	<	10.00	Vol%
	200-857-2	Press. Gas liq.; H280					
	601-004-00-0						
	-						

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	C, U	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove affected person from danger area, lay him down. If the patient is likely to become unconscious, place and transport in stable sideways position. In case of persisting adverse effects, consult a physician.

Trade name: Multigas 300, Multigas Jumbo

Product no.: 35510_150000045_1500003091

Current version : 2.0.0, issued: 26.02.2021

Replaced version: 1.1.0, issued: 03.07.2020

Region: GB

<u>ROTHENBERGER</u>

NDUST

After inhalation

Ensure supply of fresh air. If breathing is irregular or stopped, administer artificial respiration.

After skin contact

In case of frostbite, rinse with plenty of water. Do not remove clothing. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Get medical attention if pain still persists.

- **4.2 Most important symptoms and effects, both acute and delayed** No data available.
- 4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder; Water spray jet; Carbon dioxide; Fight large fires with directed water spray or Alcohol-resistant foam

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; May explode if exposed to heat. Formation of explosive mixtures with air is possible.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water. Pressure increase, bursting and explosion hazard during heating. Do not inhale explosion and/or combustion byproducts.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Keep away from ignition sources. Evacuate all unprotected personnel from the danger zone. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Avoid release in the environment.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Allow to vaporise.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust

EU safety data sheet

Trade name: Multigas 300, Multigas Jumbo

Product no.: 35510 150000045 1500003091

Current version : 2.0.0, issued: 26.02.2021

Replaced version: 1.1.0, issued: 03.07.2020

Region: GB

OTHENBERGER

NDUST

ventilation, if necessary). Open and handle container with care. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Handle with care - avoid bumps, friction and impact.

General protective and hygiene measures

Wash hands before breaks and after work. Do not inhale gases. Do not eat, drink or smoke during work time. Keep away from food, drink and animal feeding stuffs. Avoid contact with eyes and skin.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Use explosion-proof equipment/fittings and non-sparking tools. Electrical equipment should be protected to the appropriate standard.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place, open and handle carefully. Protect from heat and direct sunlight. Protect from temperatures over 50°C.

Recommended storage temperature

Value < 50 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	butane	106-97-8		203-448-	7
	List of approved workplace exposure limits (WELs) / EH40				
	Butane				
	WEL short-term (15 min reference period)	1810	mg/m³	750	ppm
	WEL long-term (8-hr TWA reference period)	1450	mg/m³	600	ppm
	Comments	Carc, (only applies if Butane contains more than 0.1%			
		of buta-1,	3-diene)		

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Chemical-resistant work clothes.

Trade name: Multigas 300, Multigas Jumbo Product no.: 35510_150000045_1500003091

Current version : 2.0.0, issued: 26.02.2021

Replaced version: 1.1.0, issued: 03.07.2020

Region: GB

Environmental exposure controls No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

gas Form/Colour Compressed liquified gas colourless Colourless Colour Coharacteristic PH value Coharacteristic PH value Coharacteristic PH value Coharacteristic Coharacter	Form/Colour				
Compressed liquified gas colouriess Compressed liquified gas colouriess Codour characteristic PH value No data available Bolling point / bolling range Value Source So					
Odour characteristic pH value No data available Boiling point / boiling range Value -44 Source supplier Metting point/freezing point - No data available - Meting point/freezing point - No data available - Decomposition temperature - No data available - Telash point - Value -97 *C Source supplier - Value supolision limit - - Value supplier - - Value su					
characteristic pH value No data available Boiling point / boiling range Value Source Value Composition temperature No data available Value Source Supplier Value Source Su	colourless				
PH value No data available Boiing point / boiling range Value -44 °C Source supplier Melting point/freezing point					
No data available Boiling point / boiling range Value -44 °C Source supplier Metting point/freezing point No data available Decomposition temperature No data available Flash point Value -97 °C Source supplier Flash point Value -97 °C Source supplier Value 365 °C Source supplier Flash point is not explosive. In and after use danger of production of inflammable compounds. Flammability No data available Lower explosion limit Value 1.5 % vol Source supplier Value Source supplier Flammability No data available No data available Upper explosion limit Value 1.5 % vol Source supplier Paper explosion limit Value 0.9 % vol Source supplier Paper explosion limit Value Source supplier Source Supplier Source Supplier No data available Paper explosion limit Value Source Supplier Source Source Supplier Source Source Supplier Source Source Source Source Source </td <td></td> <td></td>					
Value -44 °C Source supplier No data available Decomposition temperature No data available Flash point Value -97 °C Source supplier Value -97 °C Source supplier Ignition temperature Value 365 °C Source supplier Explosive properties This product is not explosive. In and after use danger of production of inflammable compounds. Flammability No data available Lower explosion limit Value 1.5 % vol Source supplier Value 1.5 % vol Source supplier Value 1.5 % vol Source supplier Value 1.5 % vol Source supplier Value 3300 hPa <t< td=""><td></td><td></td></t<>					
Value -44 °C Source supplier No data available Decomposition temperature No data available Flash point Value -97 °C Source supplier Value -97 °C Source supplier Ignition temperature Value 365 °C Source supplier Explosive properties This product is not explosive. In and after use danger of production of inflammable compounds. Flammability No data available Lower explosion limit Value 1.5 % vol Source supplier Value 1.5 % vol Source supplier Value 1.5 % vol Source supplier Value 1.5 % vol Source supplier Value 3300 hPa <t< td=""><td>Boiling point / boiling range</td><td></td></t<>	Boiling point / boiling range				
Melting point/freezing point No data available No data available Person Per	Value -44 °C				
No data available Decomposition temperature No data available Flash point Value -97 °C Source supplier Ignition temperature -97 °C Value -97 °C Source supplier Ignition temperature -97 °C Value 365 °C Source supplier Explosive properties					
No data available Flash point Value -97 °C Source supplier Ignition temperature Value Value 365 °C Source supplier Explosive properties This product is not explosive. In and after use danger of production of inflammable compounds. Flammability Image: Supplier No data available Image: Supplier Lower explosion limit Value Value 1.5 % vol Source supplier Value 10.9 % vol Source supplier Value 8300 hPa Reference temperature 20 °C Source supplier Value supplier No data available No data available Relative vapour density No data available No data available Supplier					
Flash point Value -97 °C Source supplier Ignition temperature 365 °C Value 365 °C Source supplier Explosive properties This product is not explosive. In and after use danger of production of inflammable compounds. Flammability No data available No data available 1.5 % vol Source supplier Value 1.5 % vol Source supplier Value 10.9 % vol Source supplier Value 20 °C Source supplier Value 8300 hPa Reference temperature 20 °C Source supplier Value 8300 hPa Reference temperature supplier Value 8300 hPa Reference temperature supplier No data available No data available Relative vapour density No data available No data available Easing No data available Easing Relative density No data availa					
Value -97 °C Source supplier Ignition temperature 365 °C Value 365 °C Source supplier Source Explosive properties This product is not explosive. In and after use danger of production of inflammable compounds. Flammability No data available Lower explosion limit Value Value 1.5 % vol Source supplier Value 10.9 % vol Source supplier Value 10.9 % vol Source supplier Value 8300 hPa Reference temperature 20 °C Source supplier Relative vapour density No data available Relative density No data available Relative density No data available	No data available				
Source supplier Ignition temperature 365 °C Value 365 °C Source supplier Explosive properties This product is not explosive. In and after use danger of production of inflammable compounds. Flammability No data available No data available Inflammability Value 1.5 % vol Source supplier Upper explosion limit Value Value 10.9 % vol Source supplier Value 0 °C Source supplier Value 20 °C Source supplier					
Indicator Indicator <th colspan="2" indicat<="" td=""><td></td><td></td></th>	<td></td> <td></td>				
Value 365 °C Source supplier Explosive properties This product is not explosive. In and after use danger of production of inflammable compounds. Flammability No data available Lower explosion limit Value 1.5 Source supplier Upper explosion limit Value 10.9 Source supplier Value 10.9 Value 10.9 Value 20 Value 8300 Reference temperature 20 Source supplier Relative vapour density No data available Relative density No data available Density	Ignition temperature				
Explosive properties This product is not explosive. In and after use danger of production of inflammable compounds. Flammability No data available No data available Instruction of inflammable compounds. Lower explosion limit Instruction of inflammable compounds. Value 1.5 % vol Source supplier Value 10.9 % vol Source supplier Value 10.9 % vol Source supplier Source Value 20 °C Source supplier Source Value 8300 hPa Reference temperature 20 °C Source supplier Source Relative vapour density No data available Relative density No data available No data available Ensity	Value 365 °C				
This product is not explosive. In and after use danger of production of inflammable compounds. Flammability No data available Lower explosion limit Value 1.5 % vol Source supplier Upper explosion limit Value 10.9 % vol Value 10.9 % vol Source Supplier Value 20 °C Source Source Supplier Value 8300 hPa Source Source Supplier Value 8300 hPa Source Source Supplier Source Source Supplier Source Source Source Source Supplier Source Source Source Source Source Source Source Supplier Source Source Source Supplier Source Source </td <td>Source supplier</td> <td></td>	Source supplier				
Flammability No data available Lower explosion limit Value 1.5 % vol Source supplier Upper explosion limit 10.9 % vol Value 10.9 % vol Source supplier Value 20 °C Source supplier Value 8300 hPa Reference temperature 20 °C Source supplier Relative vapour density No data available Relative density No data available Density Density		compounds			
No data available Lower explosion limit Image: Source Value 1.5 % vol Source supplier Upper explosion limit 10.9 % vol Value 10.9 % vol Source supplier 10.9 % vol Value 10.9 % vol 10.9 % vol Source supplier 10.9 % vol 10.		compounds.			
Value 1.5 % vol Source supplier Upper explosion limit 10.9 % vol Value 10.9 % vol Source supplier 10.9 % vol Value 8300 hPa Reference temperature 20 °C Source supplier Relative vapour density 10.9 10.9 No data available 10.9 °C Relative density 10.9 °C No data available 10.9 °C Relative density 10.9 °C No data available 10.9 °C Relative density 10.9 °C No data available 10.9 °C					
Value 1.5 % vol Source supplier Upper explosion limit 10.9 % vol Value 10.9 % vol Source supplier 10.9 % vol Value 8300 hPa Reference temperature 20 °C Source supplier Relative vapour density 10.9 10.9 No data available 10.9 °C Relative density 10.9 °C No data available 10.9 °C Relative density 10.9 °C No data available 10.9 °C Relative density 10.9 °C No data available 10.9 °C	Lower explosion limit				
Upper explosion limit Value 10.9 % vol Source supplier Value 8300 hPa Value 8300 hPa Reference temperature 20 °C Source supplier Relative vapour density No data available Relative density No data available Density Image: Supplice	Value 1.5 % vol				
Value 10.9 % vol Source supplier Value 8300 hPa Reference temperature 20 °C Source supplier Relative vapour density No data available Relative density No data available Density					
Source supplier Vapour pressure 8300 hPa Value 8300 hPa Reference temperature 20 °C Source supplier Relative vapour density No data available Relative density No data available Density					
Value 8300 hPa Reference temperature 20 °C Source supplier Relative vapour density No data available Relative density No data available Density					
Reference temperature 20 °C Source supplier Relative vapour density No data available Relative density No data available Density	Vapour pressure				
Source supplier Relative vapour density No data available Relative density No data available Density					
No data available Relative density No data available Density					
No data available Relative density No data available Density	Relative vapour density				
No data available Density	No data available				
Density					
Solubility in water					

ROTHENBERGER

Trade name: Multigas 300, Multigas Jumbo

Product no.: 35510 150000045 1500003091

Current version : 2.0.0, issued: 26.02.2021

Replaced version: 1.1.0, issued: 03.07.2020

Region: GB

<u>R</u>OTHENBERGER

NDUSTRI

Source Comments	supplier insoluble		
Solubility No data available			
Partition coefficient n-octanol/water (log value) No data available			
Viscosity No data available			
Particle characteristics No data available			

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Risk of formation of explosive gas mixtures in air. Reactions with oxygen. Exothermic reactions are possible in the event of contact with incompatible substances.

10.4 Conditions to avoid

Temperatures > 50°C. Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Oxidizing agents; oxidizing substances; fats and oils

10.6 Hazardous decomposition products None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity					
No	Substance name	CAS no.		EC no.		
1	isobutane	75-28-5		200-857-2		
LD5)		12705	mg/kg bodyweight		
Spec	cies	rat				
Sour	се	Manufacturer				
Acu	e dermal toxicity					
No d	ata available					
Acu	te inhalational toxicity					
No d	ata available					
Skin	corrosion/irritation					
No d	ata available					
Seri	ous eye damage/irritation					
No d	ata available					
Res	Respiratory or skin sensitisation					
No d	ata available					

Trade name: Multigas 300, Multigas Jumbo

Product no.: 35510_150000045_1500003091

Current version : 2.0.0, issued: 26.02.2021

Replaced version: 1.1.0, issued: 03.07.2020

Region: GB

ROTHENBERGER

INDUSTRIA

Germ cell mutagenicity	
No data available	
Reproduction toxicity	
No data available	
Carcinogenicity	
No data available	
STOT - single exposure	
No data available	
STOT - repeated exposure	
No data available	
Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)
No data available
Toxicity to fish (chronic)
No data available
Toxicity to Daphnia (acute)
No data available
Toxicity to Daphnia (chronic)
No data available
Toxicity to algae (acute)
No data available
Toxicity to algae (chronic)
No data available
Bacteria toxicity
No data available

12.2 Persistence and degradability No data available.

12.3 Bioaccumulative potential No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	No data available.
vPvB assessment	No data available.

12.6 Endocrine disrupting properties

No data available.

Trade name: Multigas 300, Multigas Jumbo Product no.: 35510 150000045 1500003091

Current version : 2.0.0, issued: 26.02.2021

Replaced version: 1.1.0, issued: 03.07.2020

ROTHENBERGER

NDUST

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

dispose of in accordance with local regulation.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Compressed gas packaging under pressure. Do not open by force. Do not heat above 50°C. Dispose of compressed gas packagings only if completely discharged. Do not burn empty compressed gas packagings. Do not pierce, cut or weld uncleaned containers.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

	Class Classification code UN number Proper shipping name Tunnel restriction code Label	2 5F UN2037 RECEPTACLES, SMALL, CONTAINING GAS D 2.1
14.2	Transport IMDG Class UN number Proper shipping name EmS Label	2 UN2037 RECEPTACLES, SMALL, CONTAINING GAS F-D, S-U 2.1
14.3	Transport ICAO-TI / IATA Class UN number Proper shipping name Label	2.1 UN2037 Receptacles, small, containing gas 2.1

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

To be transported always in closed, upright and safe containers. Make sure that persons handling these containers are aware of the rules of conduct in case of incident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

EU safety data sheet

Trade name: Multigas 300, Multigas Jumbo

Product no.: 35510 150000045 1500003091

Current version : 2.0.0, issued: 26.02.2021

Replaced version: 1.1.0, issued: 03.07.2020

Region: GB

OTHENBERGER

NDUST

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

 Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

 The product is considered being subject to REACH regulation (EC) 1907/2006 annex

 No 40

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

Directive 2012/18/EUon the control of major-accident hazards involving dangerous substancesThis product is subject to Part I of Annex I, risk category:P2

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Further information

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Sources of key data used to compile the data sheet:

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

National Threshold Limit Values of the corresponding countries as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

С

Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

U When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 757032