

Red Line Lasermodule

LFL650-5(12x45)60-NT
Order Number: 70105728

Main Parameters (*)	min	typ	max	Unit
Wavelength		650		nm
Optical Diode Power		5		mW
Operating Voltage	3	6	12	V DC
Operating Current		30		mA
Operating Temperature	-20		40	°C
Storage Temperature	-40		80	°C

Optical Parameters

Beam Shape	Line
Laser Class	1
Divergence	0.8mrad
Fan Angle	60°
Line Thickness	<1.2mm@1m
Operating Distance	1m
Optics	acrylic lens
Laser technology	Diode
Focus	fixed (1000mm)

Technical Parameters

Lifetime	>3000h
RoHS	yes

Electrical Parameters

Potential of Housing	VDD(+)
Power Supply	LFNT-3-C

Mechanical Parameters

Size	Ø12x45mm
Material	Aluminium
Cable length	1360mm
Output Aperture	6mm
Weight	82g

(*) Over the complete operating temperature


Features

- Laser Class 1
- With 230V power supply
- Low cost
- Compact size
- Fixed focus

Picture



Safety Label



Revision

REV 8

Laserfuchs is a registered trademark of the Picotronic GmbH

Picotronic GmbH	Geschäftsführende	FON +49(0)261-983 497-50	Sparkasse Koblenz	Postbank Stuttgart	Steuernummer: 22/651/0291/4
Rudolf-Diesel-Str. 2a	Gesellschafter:	FAX +49(0)261-983 497-55	BLZ 570 501 20, KTO 211 003	BLZ 600 100 70, KTO 770 787 04	Ust-Idnr. DE814473445
56070 Koblenz	David Heckner,	www.laserfuchs.de	BIC / IBAN : MALADE51KOB	BIC / IBAN : PBNKDEFF	Amtsgericht Koblenz HRB 20026
Germany	Thiemo Komischke	info@laserfuchs.de	DE41 5705 0120 0000 2110 03	DE41 6001 0070 0077 0787 04	WEEE-Reg.-Nr. DE85231360