

# **SAFETY DATA SHEET**

Version #: Issue date: Revision date: 1,0 14-March-2022 14-March-2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

**DUST OFF 67** 

Registration number

UFI:

Austria: EN1X-G8KA-W00J-4XF5 Belgium: EN1X-G8KA-W00J-4XF5 Bulgaria: EN1X-G8KA-W00J-4XF5

Croatia: EN1X-G8KA-W00J-4XF5

Cyprus: EN1X-G8KA-W00J-4XF5
Czech Republic: EN1X-G8KA-W00J-4XF5
Denmark: EN1X-G8KA-W00J-4XF5

Estonia: EN1X-G8KA-W00J-4XF5
EU: EN1X-G8KA-W00J-4XF5
Finland: EN1X-G8KA-W00J-4XF5
France: EN1X-G8KA-W00J-4XF5
Germany: EN1X-G8KA-W00J-4XF5
Great Britain: EN1X-G8KA-W00J-4XF5
Greece: EN1X-G8KA-W00J-4XF5
Hungary: EN1X-G8KA-W00J-4XF5
Iceland: EN1X-G8KA-W00J-4XF5
Italy: EN1X-G8KA-W00J-4XF5

Lithuania: EN1X-G8KA-W00J-4XF5 Luxembourg: EN1X-G8KA-W00J-4XF5 Malta: EN1X-G8KA-W00J-4XF5 Netherlands: EN1X-G8KA-W00J-4XF5 Norway: EN1X-G8KA-W00J-4XF5 Poland: EN1X-G8KA-W00J-4XF5 Portugal: EN1X-G8KA-W00J-4XF5 Romania: EN1X-G8KA-W00J-4XF5 Slovakia: EN1X-G8KA-W00J-4XF5 Slovenia: EN1X-G8KA-W00J-4XF5

Spain: EN1X-G8KA-W00J-4XF5 Sweden: EN1X-G8KA-W00J-4XF5

Latvia: EN1X-G8KA-W00J-4XF5

Synonyms None.

Product code BDS002485AE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaners - Precision

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company name CRC Industries Europe by

Address Touwslagerstraat 1

9240 Zele Belgium

 Telephone
 +32(0)52/45.60.11

 Fax
 +32(0)52/45.00.34

 E-mail
 hse@crcind.com

 Website
 www.crcind.com

1.4. Emergency telephone

number

Tel.: +32(0)52/45.60.11 (office hours: 9-17h CET)

**General in EU** 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**Austria National Poisons** 

Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Belgium National Poisons** 

**Control Center** 

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Bulgaria National Toxicological Information** Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Czech Republic National Poisons Information** Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons Control Center** 

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Estonia National Poisons Information Centre** 

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

**Finland National Poison Information Center** 

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**France National Poisons Control Center** 

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Hungary National Emergency Phone Number** 

36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**  2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Netherlands National Poisons Information** Center (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)

**Norway Norwegian Poison** Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Portugal Poison Centre** 

800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Romania Număr de telefon care poate fi apelat în caz

021 5992300, int. 291 Spitalul Clinic de Urgență Bucuresti: spital@urgentafloreasca.ro

de urgență: Romania

0265 212111, 0265 211292, 0265 217235 Spitalul Clinic Județean de Urgență Târgu Mures: secretariat@spitjudms.ro

**Slovakia National Toxicological Information** Centre

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Sweden National Poison Information Center** 

112 - and ask for Poison Information (Available 24 hours a day, SDS/Product information may not be available for the Emergency Service.)

**Switzerland Tox Info** Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

# Classification according to Regulation (EC) No 1272/2008 as amended

### 2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None. Signal word Warning

**Hazard statements** 

Pressurized container: May burst if heated. H229

**Precautionary statements** 

Prevention

Keep out of reach of children. P102

Keep away from heat/sparks/open flames/hot surfaces. No smoking. P210

Do not pierce or burn, even after use. P251

Response

Thaw frosted parts with lukewarm water. Do not rub affected area. P336

Storage

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P410 + P412

Disposal Not assigned.

Supplemental label information Avoid contact with skin and eyes, in case of contact with liquid product frostbite symptoms may

Regulation (EC) No 648/2004 on detergents: halogenated hydrocarbons > 30%

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
(E)-1,3,3,3-tetrafluoroprop-1-ene	75 - 100	29118-24-9 471-480-0	01-0000019758-54	-	

Classification: Press. Gas;H280

### List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation If symptoms develop move victim to fresh air. Get medical attention if symptoms persist. Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms

and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention

and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

Water. Alcohol resistant foam. Carbon dioxide (CO2). Dry sand.

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

Containers should be cooled with water to prevent vapour pressure build up.

procedures Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

### **SECTION 6: Accidental release measures**

Material name: DUST OFF 67 - Kontakt chemie - Europe

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Wear appropriate personal protective equipment.

personnel

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the For emergency responders

SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. This product is miscible in water.

6.4 Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 2B (Aerosol dispensers and lighters)

Not available. 7.3. Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# Occupational exposure limits

Components	Туре	Value	
(E)-1,3,3,3-tetrafluoroprop-1 -ene (CAS 29118-24-9)	TWA (MAK)	1000 ppm	_
Germany. DFG MAK List (advisory O	ELs). Commission for the Inv	estigation of Health Hazards of Chemical Compounds	

in the Work Area (DFG)		
Components	Туре	Value

(E)-1,3,3,3-tetrafluoroprop-1 -ene (CAS 29118-24-9)

1000 ppm

Value

4700 mg/m3

Germany. TRGS 900, Limit Valu	es in the Ambient Air at the Workplace
Components	Туре

(E)-1,3,3,3-tetrafluoroprop-1	AGW	4700 mg/m3
-ene (CAS 29118-24-9)		

**TWA** 

1000 ppm

# Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components Type Value (E)-1,3,3,3-tetrafluoroprop-1 **TWA** 4700 mg/m3 -ene (CAS 29118-24-9) 1000 ppm

# Switzerland. SUVA Grenzwerte am Arbeitsplatz

Components	Туре	Value
(E)-1,3,3,3-tetrafluoroprop-1 -ene (CAS 29118-24-9)	STEL	9400 mg/m3
		2000 ppm
	TWA	4700 mg/m3
		1000 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring** 

procedures

Follow standard monitoring procedures.

Material name: DUST OFF 67 - Kontakt chemie - Europe

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information** 

discussion with the supplier of the personal protective equipment.

Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166. Eye/face protection

Skin protection

For incidental contact with the product wear chemical-resistant gloves (standard EN 374). The use - Hand protection

of disposable gloves is acceptable provided that they are changed immediately after a splash or

spill. Viton gloves are recommended.

Not available. - Other

In case of insufficient ventilation, wear suitable respiratory equipment. Recommended respiratory Respiratory protection

protection: Compressed air.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

When using do not smoke. Always observe good personal hygiene measures, such as washing Hygiene measures

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Liquid. Physical state

Form Compressed liquefied gas.

Colourless. Colour Odour Neutral. Not available. Melting point/freezing point Boiling point or initial boiling

point and boiling range

-19 °C (-2,2 °F)

Not available. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%) No LEL was assigned at standard testing conditions(20°C). Exhibits flame limits at temperatures in

excess of 28°C.

Explosive limit - upper

(%)

No UEL was assigned at standard testing conditions(20°C). Exhibits flame limits at temperatures in

excess of 28°C.

Flash point

288 - 293 °C (550,4 - 559,4 °F) Auto-ignition temperature

Not available. **Decomposition temperature** Not applicable.

Solubility(ies)

Solubility (water) Partly soluble in water 420 kPa at 20°C Vapour pressure Not available. Vapour density 1,18 g/cm3 at 20°C Relative density **Particle characteristics** Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

### 9.2.2. Other safety characteristics

# Aerosol spray enclosed space

Deflagration density > 300 g/cm³
Time equivalent > 300 s/m³
Aerosol spray ignition < 15 cm

distance

Evaporation rate

Explosive properties

Heat of combustion

Oxidising properties

VOC

Not applicable.

Not explosive.

< 20 kJ/g

Not oxidising.

1180 g/l

# **SECTION 10: Stability and reactivity**

**10.1. Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**10.4. Conditions to avoid** Avoid high temperatures. Avoid temperatures exceeding the decomposition temperature.

**10.5. Incompatible materials** Strong oxidising agents.

**10.6. Hazardous decomposition products**Carbon oxides.

HF may be formed.

# **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact**Based on available data, the classification criteria are not met. **Eye contact**Based on available data, the classification criteria are not met.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** Exposure may cause temporary irritation, redness, or discomfort.

### 11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye

Based on available data, the classification criteria are not met.

irritation

Respiratory sensitisationBased on available data, the classification criteria are not met.Skin sensitisationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Not likely, due to the form of the product.

Mixture versus substance

information

Not available

### 11.2. Information on other hazards

**Endocrine disrupting** 

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

Material name: DUST OFF 67 - Kontakt chemie - Europe

# **SECTION 12: Ecological information**

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

No data is available on the degradability of any ingredients in the mixture.

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data available.

**Partition coefficient** 

Not available.

n-octanol/water (log Kow)

**Bioconcentration factor (BCF)** Not available. No data available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

12.3. Bioaccumulative potential

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents Disposal methods/information

under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance

with local/regional/national/international regulations.

**Special precautions** Dispose in accordance with all applicable regulations.

# **SECTION 14: Transport information**

# **ADR**

UN1950 14.1. UN number 14.2. UN proper shipping **AEROSOLS** 

name

14.3. Transport hazard class(es)

Class 2.2 Subsidiary risk 22 Label(s)

Not available. Hazard No. (ADR)

Tunnel restriction code E

14.4. Packing group Not available.

14.3. Transport hazard class(es)

ADR/RID - Classification 5A

code:

14.5. Environmental hazards No.

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

ΙΔΤΔ

14.1. UN number UN1950 **AEROSOLS** 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Subsidiary risk

14.4. Packing group Not available.

14.5. Environmental hazards No. **ERG Code** 

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

Material name: DUST OFF 67 - Kontakt chemie - Europe

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

**IMDG** 

UN1950 14.1. UN number 14.2. UN proper shipping **AEROSOLS** 

name

14.3. Transport hazard class(es) Class 2.2 Subsidiary risk

Not available. 14.4. Packing group

14.5. Environmental hazards Marine pollutant No.

**EmS** F-D, S-U Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions

for user

14.7. Maritime transport in bulk Not applicable. according to IMO instruments

ADR; IATA; IMDG



# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

### Other EU regulations

### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

### Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

### **National regulations**

This safety data sheet conforms to the following laws, regulations and standards:

Act on the management of packaging and packaging waste of June 13, 2013

Regulation of the Minister of Health of June 11, 2012 on the categories of dangerous substances and dangerous preparations whose packaging should be fitted with child-resistant closures and a tactile warning of danger

REGULATION OF THE MINISTER OF HEALTH of February 2, 2011 on tests and measurements of factors harmful to health in working environments

Regulation of Ministry of Labor and Social Policy of June 6, 2014. On the matter of maximum permissible concentrations and intensities of harmful factors in the work environment (Journal of Laws 2014, item. 817)

Chemical Safety at Workplace Ordinance Joint Decree No. 25/2000 (Annex 2): Permissible limit values of biological exposure (effect) indices Decree No. 25/2000. (IX. 30.) EüM-SzCsM of the Minister of Health and the Minister of Social and Family Affairs on chemical safety at work Act No. 93 of 1993 on Labour Safety (1993.évi XCIII.), as amended

Government Decree No. 220 of 2004 (VII. 21.) providing rules on the protection of surface waters quality

Government Decree No. 98/2001 (VI. 15.), on the conditions of the activities related to hazardous waste, and Ministry of Environmental Affairs Decree No. 16/2001 (VII. 18.), on the register of waste s Public Act No. XXV of 2000 on Chemical Safety, and Application Decree No. 44/2000. (XII.27.) EüM [of the Ministry of Health]

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

# 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

CAS: Chemical Abstract Service.

Ceiling: Short Term Exposure Limit Ceiling value.

CEN: European Committee for Standardization.

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

GWP: Global Warming Potential.

IATA: International Air Transport Association.

IBC: Intermediate Bulk Container.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative, toxic.

REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement

International concernant le transport de marchandises dangereuses par chemin de fer).

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit.

TLV: Threshold Limit Value.

TWA: Time Weighted Average.

VLE: Exposure Limit Value.

VME: Exposure Average Value. VOC: Volatile organic compounds.

vPvB: Very persistent and very bioaccumulative.

STEL: Short-term Exposure Limit.

References Not available.

Material name: DUST OFF 67 - Kontakt chemie - Europe

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15 H280 Contains gas under pressure; may explode if heated.

methods and test data, if available.

**Revision information** 

Training information

**Disclaimer** 

None.

Follow training instructions when handling this material.

CRC Industries Europe byba cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

The classification for health and environmental hazards is derived by a combination of calculation

Material name: DUST OFF 67 - Kontakt chemie - Europe