





**Material Safety Data Sheet - according to Regulation (EC) No. 1907/2006**

**INTERNATIONAL STANDARD NORM ISO 11014-1**

|  |  |
|--|--|
| <p>Trade name: FLUXI FL 88</p>   | <p>Flux Dispenser</p> <p>F-SW 34<br/>DIN ISO 29454 / 2.2.3.A</p>   |
| <p>1.) <b><u>IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING</u></b></p> <p>1.1.) <b>Manufacturer/Supplier Address:</b></p> <p>1.2) <b>Product identifier</b></p> <p>1.3) <b>Relevant identified uses of the substance or mixture and uses advised against</b></p> <p><b>Use of the substance/mixture</b></p>   | <p><b>EDSYN GMBH EUROPA</b><br/>Finkenweg 2<br/>D 97892 Kreuzwertheim<br/>e-Mail: <a href="mailto:Edsyn-europa@t-online.de">Edsyn-europa@t-online.de</a><br/>Website: <a href="http://www.edsyn-europa.de">www.edsyn-europa.de</a></p> <p>Tel. 09342 - 6413<br/>Fax: 09342 - 6417</p> <p>Flux dispenser FLUXI FL 88</p> <p>Fluxes<br/>Industrial use of processing aids.</p>   |
| <p>2.) <b><u>HAZARDS IDENTIFICATION</u></b></p> <p>2.1) <b>Classification of the substance or mixture</b></p> <p><b>Classification according to Directive 67/548/EEC or 1999/45/EC</b></p> <p>Indications of danger:</p> <p>R-phrases:</p> <p><b>Classification according to Regulation (EC) No. 1272/2008 [CLP]</b></p> <p>Hazard categories:</p> <p>Hazard Statements:</p> <p>2.2) <b>Label elements</b></p> <p><b>Hazardous components which must be listed on the label:</b></p> | <p>F – Highly flammable, Xi – Irritant</p> <p>Highly flammable.<br/>Irritating to eyes.<br/>Vapours may cause drowsiness and dizziness.</p> <p><b>Flammable liquid:</b> Flam. Liq. 2<br/><b>Serious eye damage/eye irritation:</b> Eye Irrit. 2<br/><b>Specific target organ toxicity – single exposure:</b> STOT SE 3</p> <p>Highly flammable liquid and vapour.<br/>Causes serious eye irritation.<br/>May cause drowsiness or dizziness.</p> <p>propan-2-ol; isopropyl alcohol; isopropanol</p> |

GB EN

|   |  |   |
|---|--|---|
| Signal word:                                  | Danger   |   |
| Pictograms:                                   | GHS02-GHS07  |   |
|   |   |    |
| <b>Hazard statements:</b>                     | H225<br>H319<br>H336   | Highly flammable liquid and vapour.<br>Causes serious eye irritation.<br>May cause drowsiness or dizziness.   |
| <b>Precautionary statements:</b>              | P210<br>P233<br>P241<br>P242<br>P243<br>P261<br>P271<br>P280<br>P303+P361+P353<br>P304+P340<br>P312<br>P305+P351+P338<br>P337+P313<br>P370+P378<br>P235<br>P403+P233<br>P405<br>P501 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>Keep container tightly closed.<br>Use explosion-proof electrical/ventilating/lighting equipment.<br>Use only non-sparking tools.<br>Take precautionary measures against static discharge.<br>Avoid breathing dust/fume/gas/mist/vapours/spray.<br>Use only outdoors or in a well-ventilated area.<br>Wear protective gloves/protective clothing/eye protection/face protection.<br>IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.<br>IF INHALED: Remove person to fresh air and keep comfortable for breathing.<br>Call a POISON CENTER/doctor if you feel unwell.<br>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>If eye irritation persists: Get medical advice/attention.<br>In case of fire: Use SECTION 5: Firefighting measures to extinguish.<br>Keep cool.<br>Store in a well-ventilated place. Keep container tightly closed.<br>Store locked up.<br>Dispose of contents/container to Dispose of this material and its container to hazardous or special waste collection point. |
| <b>Special labelling of certain mixtures:</b> | EUH208   | Contains Rosin, colophony. May produce an allergic Reaction.  |
| <b>2.3) Other hazards</b>                     | No information available.  |   |



24.03.2021

|  |   |   |
|--|---|---|
| <p>3.) <b><u>COMPOSITION / INFORMATION ON INGREDIENTS</u></b></p> <p>3.1) <b>Mixtures</b></p> <p><b>Chemical characterization</b></p>  | <p>Contains: Alcohol</p>  |   |
| <p><b>Hazardous components:</b></p>  |   |   |
| <p><b>Chemical name</b></p>  | <p><b>Quantity %</b></p>  | <p><b>Classification according to Directive 67/548/EEC</b><br/><b>Classification according to Regulation (EC) Nr. 1272/2008 [CLP]</b></p> |
| <p>propan-2-ol; isopropyl alcohol; isopropanol</p>   | <p>EC No 200-661-7<br/>CAS No 67-63-0<br/>Index No 603-117-00-0<br/>REACH No</p>  | <p>80-100</p> <p>F – Highly flammable, Xi – Irritant, R11-36-67<br/>Flam. Liq.2, Eye Irrit. 2, STOT SE 3; H225, H319, H336</p>            |
| <p>adipic acid</p>   | <p>EC No 204-673-3<br/>CAS No 124-04-9<br/>Index No 607-144-00-9<br/>REACH No</p>   | <p>1-4</p> <p>Xi – Irritant R36<br/>Eye Irrit. 2; H319</p>  |
| <p>Itaconic acid</p>   | <p>EC No 202-599-6<br/>CAS No 97-65-4<br/>Index No<br/>REACH No</p>   | <p>1-4</p> <p>Xi – Irritant, R41<br/>Eye Dam. 1; H318</p>   |
| <p>Rosin, colophony</p>  | <p>EC No 232-475-7<br/>CAS No 8050-09-7<br/>Index No 650-015-00-7<br/>REACH No</p>  | <p>0-2</p> <p>R43<br/>Skin Sens. 1; H317</p>  |
| <p><b>Full text of R-, H- and EUH-phrases: see section 16.</b></p>   |   |   |
| <p>3.2) <b>Further information</b></p>   | <p>Contains: resin. &gt;&gt; No risks worthy of mention.</p>  |   |
| <p>4.) <b><u>FIRST AID MEASURES</u></b></p> <p>4.1) <b>Description of first aid measures</b></p> <p><b>After inhalation:</b></p> <p><b>After contact with skin:</b></p> <p><b>After contact with eyes:</b></p> <p><b>After ingestion:</b></p> <p>4.2) <b>Most important symptoms and effects, both acute and delayed</b></p> | <p>Provide fresh air.<br/>If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.</p> <p>After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water.<br/>Take off immediately all contaminated clothing and wash it before reuse.<br/>If skin irritation occurs: Get medical advice/attention.</p> <p>After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.</p> <p>Rinse mouth immediately and drink plenty of water.</p> <p>No information available.</p> |   |

GB EN







24.03.2021

|  |  |
|--|--|
| <p><b>4.3) Indication of any immediate medical attention and special treatment needed</b></p>  | <p>Treat symptomatically.</p>  |
| <p><b>5.) <u>FIREFIGHTING MEASURES</u></b></p> <p><b>5.1) Extinguishing media<br/>Suitable extinguishing media:</b></p> <p><b>5.2) Special hazards arising from the substance or mixture</b></p> <p><b>5.3) Advice for firefighters</b></p> <p><b>Additional information:</b></p>  | <p>Water spray jet, Carbon dioxide (CO<sub>2</sub>). Foam. Extinguishing powder.</p> <p>Flammable. Vapours can form explosive mixtures with air.</p> <p>In case of fire: Wear self-contained breathing apparatus.</p> <p>Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.</p>   |
| <p><b>6.) <u>ACCIDENTAL RELEASE MEASURES</u></b></p> <p><b>6.1) Personal precautions, protective equipment and emergency procedures</b></p> <p><b>6.2) Environmental precautions</b></p> <p><b>6.3) Methods and material for containment and cleaning up</b></p> <p><b>6.4) Reference to other sections</b></p>                                | <p>Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eye and clothes. Use personal protection equipment.</p> <p>Do not allow uncontrolled discharge of product into the environment. Danger of explosion.</p> <p>Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).<br/>Treat the recovered material as prescribed in the section on waste disposal.</p> <p>Safe handling: see section 7.<br/>Personal protection equipment: see section 8.<br/>Disposal: see section 13.</p> |
| <p><b>7.) <u>HANDLING AND STORAGE</u></b></p> <p><b>7.1) Precautions for safe handling</b></p> <p><b>Advice on safe handling:</b></p> <p><b>Advice on protection against fire and explosion:</b></p> <p><b>7.2) Conditions for safe storage, including any incompatibilities</b></p> <p><b>Requirements for storage rooms and vessels:</b></p> | <p>If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.</p> <p>Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.</p> <p>Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p>  |

GB EN



| <p><b>Advice on storage compatibility:</b></p> <p><b>7.3) Specific end use(s)</b></p>   | <p>Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.</p> <p>Fluxes<br/>Industrial use of processing aids.</p>   |            |                   |                       |                            |            |        |         |         |      |      |  |                            |            |         |             |            |             |  |                            |            |           |                              |        |              |  |                            |            |  |
|---|---|------------|-------------------|-----------------------|----------------------------|------------|--------|---------|---------|------|------|--|----------------------------|------------|---------|-------------|------------|-------------|--|----------------------------|------------|-----------|------------------------------|--------|--------------|--|----------------------------|------------|--|
| <p><b>8.) <u>EXPOSURE CONTROLS / PERSONAL PROTECTION</u></b></p> <p><b>8.1) Control parameters</b></p> <p><b>Exposure limits (EH40)</b></p> <table border="1"> <thead> <tr> <th>CAS No</th> <th>Substance</th> <th>ppm</th> <th>mg/m<sup>3</sup></th> <th>fibres/m<sup>3</sup></th> <th>Category</th> <th>Origin</th> </tr> </thead> <tbody> <tr> <td>64-17-5</td> <td>Ethanol</td> <td>1000</td> <td>1920</td> <td></td> <td>TWA (8 h)<br/>STEL (15 min)</td> <td>WEL<br/>WEL</td> </tr> <tr> <td>67-63-0</td> <td>Propan-2-ol</td> <td>400<br/>500</td> <td>999<br/>1250</td> <td></td> <td>TWA (8 h)<br/>STEL (15 min)</td> <td>WEL<br/>WEL</td> </tr> <tr> <td>8050-09-7</td> <td>Rosin-based solder flux fume</td> <td>-<br/>-</td> <td>0.05<br/>0.15</td> <td></td> <td>TWA (8 h)<br/>STEL (15 min)</td> <td>WEL<br/>WEL</td> </tr> </tbody> </table> | CAS No  | Substance  | ppm               | mg/m <sup>3</sup>     | fibres/m <sup>3</sup>      | Category   | Origin | 64-17-5 | Ethanol | 1000 | 1920 |  | TWA (8 h)<br>STEL (15 min) | WEL<br>WEL | 67-63-0 | Propan-2-ol | 400<br>500 | 999<br>1250 |  | TWA (8 h)<br>STEL (15 min) | WEL<br>WEL | 8050-09-7 | Rosin-based solder flux fume | -<br>- | 0.05<br>0.15 |  | TWA (8 h)<br>STEL (15 min) | WEL<br>WEL |  |
| CAS No  | Substance   | ppm        | mg/m <sup>3</sup> | fibres/m <sup>3</sup> | Category                   | Origin     |        |         |         |      |      |  |                            |            |         |             |            |             |  |                            |            |           |                              |        |              |  |                            |            |  |
| 64-17-5   | Ethanol   | 1000       | 1920              |                       | TWA (8 h)<br>STEL (15 min) | WEL<br>WEL |        |         |         |      |      |  |                            |            |         |             |            |             |  |                            |            |           |                              |        |              |  |                            |            |  |
| 67-63-0   | Propan-2-ol   | 400<br>500 | 999<br>1250       |                       | TWA (8 h)<br>STEL (15 min) | WEL<br>WEL |        |         |         |      |      |  |                            |            |         |             |            |             |  |                            |            |           |                              |        |              |  |                            |            |  |
| 8050-09-7   | Rosin-based solder flux fume  | -<br>-     | 0.05<br>0.15      |                       | TWA (8 h)<br>STEL (15 min) | WEL<br>WEL |        |         |         |      |      |  |                            |            |         |             |            |             |  |                            |            |           |                              |        |              |  |                            |            |  |
| <p><b>8.2) Exposure controls</b></p> <p><b>Appropriate engineering controls:</b></p> <p><b>8.3) Personal protection</b></p> <p><b>Protective and hygiene measures:</b></p> <p><b>Eye/face protection:</b></p> <p><b>Hand protection:</b></p>  | <div style="display: flex; justify-content: space-around; align-items: center;">     </div> <p>If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.</p> <p>Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.</p> <p>Suitable eye protection: goggles.</p> <p>When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.</p> <p><b><u>Additional protection measures for the hands</u></b><br/> Hand protection: DIN EN 374<br/> <b><u>CR (polychloroprenes, Chloroprene rubber)</u></b><br/> Thickness of glove material: 0,65 mm<br/> penetration time (maximum wearing period): &gt; 120 min.<br/> <b><u>NBR (Nitrile rubber)</u></b><br/> Thickness of glove material: 0,4 mm<br/> penetration time (maximum wearing period): &gt; 480 min.</p> |            |                   |                       |                            |            |        |         |         |      |      |  |                            |            |         |             |            |             |  |                            |            |           |                              |        |              |  |                            |            |  |



24.03.2021

|  |   |
|--|---|
| <p><b>Skin protection:</b></p> <p><b>Respiratory protection:</b></p> <p><b>Environmental exposure controls</b></p>   | <p>Breakthrough times and swelling properties of the material must be taken into consideration.<br/>         Take recovery periods for skin regeneration.<br/>         In the case of wanting to use the gloves again, clean them before taking off and air them well.<br/>         Use gloves only once.<br/>         When handling with chemical substances, protective gloves must be worn with CE label including the four control digits.<br/>         Before using check leak tightness / impermeability.</p> <p>Flame-retardant protective clothing. Wear anti-static footwear and clothing.</p> <p>In case of inadequate ventilation wear respiratory protection. (In case of inadequate ventilation) wear respiratory protection. Use appropriate respiratory protection. Use only respiratory protection equipment with CE-symbol including four-digit test number. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!<br/>         Filtering device (full mask or mouthpiece) with filter: A</p> <p>No special measures are necessary.</p> |
| <p><b>9.) <u>PHYSICAL AND CHEMICAL PROPERTIES</u></b></p> <p><b>9.1) Information on basic physical and chemical properties</b></p> <p><b>Physical state:</b><br/> <b>Colour:</b><br/> <b>Odour:</b></p> <p><b>pH-Value:</b></p> <p><b><u>Changes in the physical state</u></b><br/>         Melting point:<br/>         Initial boiling point and boiling range:<br/>         Flash point:</p> <p><b><u>Flammability</u></b><br/>         Solid:<br/>         Gas:<br/>         Lower explosion limits:<br/>         Upper explosion limits:</p> <p><b><u>Auto-ignition temperature</u></b><br/>         Solid:<br/>         Gas:<br/>         Decomposition temperature:</p> <p><b><u>Oxidizing properties:</u></b><br/>         Vapour pressure:<br/>         (at 20°C)<br/>         Vapour pressure:<br/>         (at 50°C)</p> | <p>liquid<br/>         light yellow<br/>         Alcohol</p> <p style="text-align: right;">Test-method</p> <p>not applicable etc.:</p> <p>not determined<br/>         ca. 80 °C<br/>         12 °C</p> <p>not applicable<br/>         not applicable<br/>         2 vol. %<br/>         12 vol. %</p> <p>not applicable<br/>         not applicable<br/>         not determined</p> <p>Not oxidizing.</p> <p>48 hPa</p> <p>236 hPa</p>  |

GB EN



24.03.2021

| <p>Density:<br/>Water solubility:</p> <p><b><u>Solubility in other solvents:</u></b><br/>Partition coefficient:<br/>Vapour density:<br/>Evaporation rate:<br/>Solvent content:</p> <p><b>9.2) Other information</b><br/>Solid content:</p>  | <p>ca. 0,8 g/cm<sup>3</sup><br/>slightly soluble</p> <p>not determined</p> <p>not determined<br/>not determined<br/>not determined</p> <p>ca. 97 %</p> <p>not determined</p>   |            |                 |         |         |         |         |          |      |            |         |     |  |  |                          |      |          |     |  |         |                 |        |      |         |         |         |      |            |             |     |  |
|---|--|------------|-----------------|---------|---------|---------|---------|----------|------|------------|---------|-----|--|--|--------------------------|------|----------|-----|--|---------|-----------------|--------|------|---------|---------|---------|------|------------|-------------|-----|--|
| <p><b>10.) <u>STABILITY AND REACTIVITY</u></b></p> <p><b>10.1) Reactivity</b></p> <p><b>10.2) Chemical stability</b></p> <p><b>10.3) Possibility of hazardous reactions</b></p> <p><b>10.4) Conditions to avoid</b></p> <p><b>10.5) Incompatible materials</b></p> <p><b>10.6) Hazardous decomposition products</b></p> | <p>Flammable, Ignition hazard. No risks worthy of mention.</p> <p>Stability and reactivity: Yes</p> <p>Violent reaction with: Oxidizing agents, strong.</p> <p>Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.</p> <p>Alkali metals.</p> <p>Thermal decomposition can lead to the escape of irritating gases and vapours.</p>  |            |                 |         |         |         |         |          |      |            |         |     |  |  |                          |      |          |     |  |         |                 |        |      |         |         |         |      |            |             |     |  |
| <p><b>11.) <u>TOXICOLOGICAL INFORMATION</u></b></p> <p><b>11.1) Information on toxicological effects</b></p> <p><b>Acute toxicity</b></p> <p><b>Additional information on tests</b></p>   | <p><b><u>adipic acid</u></b></p> <table border="1" data-bbox="691 1384 1519 1552"> <thead> <tr> <th>CAS No.</th> <th>Exposure routes</th> <th>Method</th> <th>Dose</th> <th>Species</th> <th>Sources</th> </tr> </thead> <tbody> <tr> <td>124-04-9</td> <td>oral</td> <td>LD50 mg/kg</td> <td>ca.5700</td> <td>Rat</td> <td></td> </tr> <tr> <td></td> <td>inhalative (4 h) aerosol</td> <td>LC50</td> <td>&gt;7,7mg/l</td> <td>Rat</td> <td></td> </tr> </tbody> </table> <p><b><u>Itaconic acid</u></b></p> <table border="1" data-bbox="691 1659 1519 1771"> <thead> <tr> <th>CAS No.</th> <th>Exposure routes</th> <th>Method</th> <th>Dose</th> <th>Species</th> <th>Sources</th> </tr> </thead> <tbody> <tr> <td>97-65-4</td> <td>oral</td> <td>LD50 mg/kg</td> <td>&gt;2000 mg/kg</td> <td>Rat</td> <td></td> </tr> </tbody> </table> <p>This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP]</p> | CAS No.    | Exposure routes | Method  | Dose    | Species | Sources | 124-04-9 | oral | LD50 mg/kg | ca.5700 | Rat |  |  | inhalative (4 h) aerosol | LC50 | >7,7mg/l | Rat |  | CAS No. | Exposure routes | Method | Dose | Species | Sources | 97-65-4 | oral | LD50 mg/kg | >2000 mg/kg | Rat |  |
| CAS No.   | Exposure routes  | Method     | Dose            | Species | Sources |         |         |          |      |            |         |     |  |  |                          |      |          |     |  |         |                 |        |      |         |         |         |      |            |             |     |  |
| 124-04-9  | oral   | LD50 mg/kg | ca.5700         | Rat     |         |         |         |          |      |            |         |     |  |  |                          |      |          |     |  |         |                 |        |      |         |         |         |      |            |             |     |  |
|   | inhalative (4 h) aerosol   | LC50       | >7,7mg/l        | Rat     |         |         |         |          |      |            |         |     |  |  |                          |      |          |     |  |         |                 |        |      |         |         |         |      |            |             |     |  |
| CAS No.   | Exposure routes  | Method     | Dose            | Species | Sources |         |         |          |      |            |         |     |  |  |                          |      |          |     |  |         |                 |        |      |         |         |         |      |            |             |     |  |
| 97-65-4   | oral   | LD50 mg/kg | >2000 mg/kg     | Rat     |         |         |         |          |      |            |         |     |  |  |                          |      |          |     |  |         |                 |        |      |         |         |         |      |            |             |     |  |
| <p><b>12.) <u>ECOLOGICAL INFORMATION</u></b></p> <p><b>12.1) Toxicity:</b></p>  | <p>The product is not: Ecotoxic.</p>   |            |                 |         |         |         |         |          |      |            |         |     |  |  |                          |      |          |     |  |         |                 |        |      |         |         |         |      |            |             |     |  |

GB EN



24.03.2021

| <p><b>12.2) Persistence and degradability</b></p> <p><b>12.3) Bioaccumulative potential</b></p><br><p><b>12.4) Mobility in soil</b></p> <p><b>12.5) Results of PBT and vPvB assessment</b></p> <p><b>12.6) Other adverse effects:</b></p> <p><b>Further information:</b></p>  | <p><b>adipic acid</b><br/><b>CAS-Nr. 124-049</b></p> <table border="1"> <thead> <tr> <th>Aquatic toxicity</th> <th>Method</th> <th>Dose</th> <th>h</th> <th>Species</th> <th>Source</th> </tr> </thead> <tbody> <tr> <td>Acute fish toxicity</td> <td>LC50</td> <td>230 mg/l</td> <td>96</td> <td>Leuciscus idus</td> <td></td> </tr> <tr> <td>Acute algae toxicity</td> <td>ErC50</td> <td>31 mg/l</td> <td>72</td> <td>Desmodesmus subspicatus</td> <td>IUCLID</td> </tr> <tr> <td>acute crustacea toxicity</td> <td>EC50</td> <td>86 mg/l</td> <td>48</td> <td>Daphnia magna</td> <td></td> </tr> </tbody> </table> <p>The product has not been tested.</p> <p>The product has not been tested.</p> <p><b>Partition coefficient n-octanol/water</b></p> <table border="1"> <thead> <tr> <th>Chemical name</th> <th>CAS No</th> <th>Log Pow</th> </tr> </thead> <tbody> <tr> <td>adipic acid</td> <td>124-04-9</td> <td>0,081</td> </tr> </tbody> </table> <p>The product has not been tested.</p> <p>The product has not been tested.</p> <p>No information available.</p> <p>Avoid release to the environment.</p> | Aquatic toxicity | Method | Dose                    | h      | Species | Source | Acute fish toxicity | LC50 | 230 mg/l | 96 | Leuciscus idus |  | Acute algae toxicity | ErC50 | 31 mg/l | 72 | Desmodesmus subspicatus | IUCLID | acute crustacea toxicity | EC50 | 86 mg/l | 48 | Daphnia magna |  | Chemical name | CAS No | Log Pow | adipic acid | 124-04-9 | 0,081 |
|---|--|------------------|--------|-------------------------|--------|---------|--------|---------------------|------|----------|----|----------------|--|----------------------|-------|---------|----|-------------------------|--------|--------------------------|------|---------|----|---------------|--|---------------|--------|---------|-------------|----------|-------|
| Aquatic toxicity  | Method   | Dose             | h      | Species                 | Source |         |        |                     |      |          |    |                |  |                      |       |         |    |                         |        |                          |      |         |    |               |  |               |        |         |             |          |       |
| Acute fish toxicity   | LC50   | 230 mg/l         | 96     | Leuciscus idus          |        |         |        |                     |      |          |    |                |  |                      |       |         |    |                         |        |                          |      |         |    |               |  |               |        |         |             |          |       |
| Acute algae toxicity  | ErC50  | 31 mg/l          | 72     | Desmodesmus subspicatus | IUCLID |         |        |                     |      |          |    |                |  |                      |       |         |    |                         |        |                          |      |         |    |               |  |               |        |         |             |          |       |
| acute crustacea toxicity  | EC50   | 86 mg/l          | 48     | Daphnia magna           |        |         |        |                     |      |          |    |                |  |                      |       |         |    |                         |        |                          |      |         |    |               |  |               |        |         |             |          |       |
| Chemical name   | CAS No   | Log Pow          |        |                         |        |         |        |                     |      |          |    |                |  |                      |       |         |    |                         |        |                          |      |         |    |               |  |               |        |         |             |          |       |
| adipic acid   | 124-04-9   | 0,081            |        |                         |        |         |        |                     |      |          |    |                |  |                      |       |         |    |                         |        |                          |      |         |    |               |  |               |        |         |             |          |       |
| <p><b>13.) <u>DISPOSAL CONSIDERATIONS</u></b></p> <p><b>13.1) Waste treatment methods</b></p> <p><b>Advice on disposal:</b></p> <p><b>Waste disposal number of waste from residues/unused and used products:</b></p><br><p><b>Waste disposal number of contaminated packaging:</b></p><br><p><b>Contaminated packaging:</b></p> | <p>Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.</p> <p><b>140603</b><br/>WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08); waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent mixtures Classified as hazardous waste.</p> <p><b>150102</b><br/>WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging</p> <p>Wash with plenty of water. Completely emptied packages can be recycled.</p>   |                  |        |                         |        |         |        |                     |      |          |    |                |  |                      |       |         |    |                         |        |                          |      |         |    |               |  |               |        |         |             |          |       |






24.03.2021

|   |  |
|---|--|
| <b>14.) <u>TRANSPORT INFORMATION</u></b>      |  |
| <b>14.1) Land transport ADR/RID/GGVSE</b>     |  |
| <b>UN number:</b>                             | UN1993   |
| <b>UN proper shipping name:</b>               | FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol) |
| <b>Transport hazard class(es):</b>            | 3  |
| <b>Packing group:</b>                         | II   |
| <b>Hazard label:</b>                          | 3  |
| <br>  |  |
| <b>Classification code:</b>                   | F1   |
| <b>Special Provisions:</b>                    | 274 601 640C   |
| <b>Limited quantity:</b>                      | 1 L  |
| <b>Excepted quantity:</b>                     | E2   |
| <b>Transport category:</b>                    | 2  |
| <b>Hazard No:</b>                             | 33   |
| <b>Tunnel restriction code:</b>               | D/E  |
| <b>14.2) Inland waterways transport (ADN)</b> |  |
| <b>UN number:</b>                             | UN1993   |
| <b>UN proper shipping name:</b>               | FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol) |
| <b>Transport hazard class(es):</b>            | 3  |
| <b>Packing group:</b>                         | II   |
| <b>Hazard label:</b>                          | 3  |
| <br>  |  |
| <b>Classification code:</b>                   | F1   |
| <b>Special Provision:</b>                     | 274 601 640C   |
| <b>Limited quantity:</b>                      | 1 L  |
| <b>Excepted quantity:</b>                     | E2   |
| <b>14.3) Marine transport (IMDG)</b>          |  |
| <b>UN number:</b>                             | UN1993   |
| <b>UN proper shipping name:</b>               | FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol) |
| <b>Transport hazard class(es):</b>            | 3  |
| <b>Packing group:</b>                         | II   |
| <b>Hazard label:</b>                          | 3  |
| <br>  |  |
|   |  |

GB EN



24.03.2021

|   |   |
|---|---|
| <p><b>Special Provision:</b><br/> <b>Limited quantity:</b><br/> <b>Excepted quantity:</b><br/> <b>EmS:</b><br/> <b>Segregation group:</b></p> <p><b>14.4) Air transport (ICAO)IATA/DGR:</b></p> <p><b>UN number:</b></p> <p><b>UN proper shipping name:</b><br/> <b>Transport hazard class(es):</b><br/> <b>Packing group:</b><br/> <b>Hazard label:</b></p> <p><b>Special Provisions:</b><br/> <b>Limited quantity Passenger:</b><br/> <b>Passenger LQ:</b><br/> <b>Excepted quantity:</b><br/> <b>IATA-packing instructions-<br/> Passenger:</b><br/> <b>IATA-max. quantity-Passenger:</b><br/> <b>IATA-packing instructions - Cargo:</b><br/> <b>IATA-max. quantity - Cargo:</b></p> <p><b>14.5) Environmental hazards</b></p> <p><b>ENVIRONMENTALLY<br/> HAZARDOUS:</b></p> <p><b>14.6) Special precautions for user</b></p> <p><b>14.7) Transport in bulk according to<br/> Annex II of MARPOL 73/78 and the<br/> IBC Code</b></p> | <p>274<br/> 1 L<br/> E2<br/> F-E, S-E<br/> IMDG-Code segregation group not applicable.</p> <p>UN1993</p> <p>FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol)<br/> 3<br/> II<br/> 3</p>  <p>A3<br/> 1 L<br/> Y341<br/> E2<br/> 353<br/> 5 L<br/> 364<br/> 60 L</p> <p>no</p> <p><b>Warning:</b><br/> Combustible liquid.</p> <p>not applicable.</p> |
| <p><b>15.) <u>REGULATORY INFORMATION</u></b></p> <p><b>15.1) Safety, health and environmental<br/> regulations/legislation specific for<br/> the substance or mixture</b></p> <p><b>EU regulatory information</b></p> <p>2010/75/EU (VOC):<br/> 2004/42/EC (VOC) :</p> <p><b>Additional information</b></p>   | <p>100 %<br/> 100 %</p> <p><b>To follow:</b><br/> 850/2004/EC, 79/117/EEC, 689/2008/EC.</p>   |

GB EN



24.03.2021

|  |   |
|--|---|
| <p><b>National regulatory information</b></p> <p>Employment restriction:<br/>Water contaminating class (D):<br/>Skin resorption/Sensitization:</p> <p><b>15.2) Chemical safety assessment</b></p>  | <p>Observe employment restrictions for young people.<br/>1 – slightly water contaminating.<br/>Causes allergic hypersensitivity reactions.</p> <p>Chemical safety assessment for substances in this mixture were not carried out.</p>   |
| <p><b>16.) OTHER INFORMATION</b></p> <p><b>Abbreviations and acronyms:</b></p> <p><b>Relevant R-phrases (Number and full text):</b></p> <p><b>Relevant H- and EUH-phrases (Number and full text):</b></p> <p><b>Further information</b></p> <p><b>Revised date:</b></p> <p><b>Revision No:</b></p> | <p>ADR: (Accord européen sur le Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road))<br/>:<br/>IMDG: International Maritime Code for Dangerous Goods<br/>IATA: International Air Transport Association<br/>GHS: Globally Harmonized System of Classification and Labelling of Chemicals<br/>EINECS: European Inventory of Existing Commercial Chemical Substances<br/>ELINCS: European List of Notified Chemical Substances<br/>CAS: Chemical Abstracts Service<br/>LC50 : Lethal concentration, 50 %<br/>LD50 : Lethal dose, 50 %</p> <p>11 Highly flammable.<br/>36 Irritating to eyes.<br/>41 Risk of serious damage to eyes.<br/>43 May cause sensitisation by skin contact.<br/>67 Vapours may cause drowsiness and dizziness.</p> <p>H225 Highly flammable liquid and vapour.<br/>H317 May cause an allergic skin reaction.<br/>H318 Causes serious eye damage.<br/>H319 Causes serious eye irritation.<br/>H336 May cause drowsiness or dizziness.<br/>EUH208 Contains Rosin, colophony. May produce an allergic reaction.</p> <p>The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.</p> <p>22.05.2015</p> <p>4.02</p> |

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractors` safety data sheet).