

## 1. Product and Company Identification

**Material name** CC653A Use of the preparation Inkjet printing

Version # 09

**Revision date** 08-13-2008 CAS# Mixture

Hewlett-Packard Company Manufacturer information

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

General information telephone number

1-800-474-6836 **HP Customer Care Line** (Toll-free) 1-800-474-6836 (Direct) 1-208-323-2551 Aug 06, 2008 **Date prepared** MSDS number 302448

#### 2. Hazards Identification

**Emergency overview** Contact with skin and eyes may result in irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Potential health effects

Potential routes of overexposure to this product are skin and eye contact Routes of exposure

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects Carbon Black: Chronic inhalation studies performed with fine dust particles resulted in lung

tumors in animals. The IARC classification was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of fine dust particles is not expected to occur during normal conditions of use of this

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

### 3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight	
Water	7732-18-5	< 80	
1,5-pentanediol	111-29-5	< 10	
2-pyrrolidone	616-45-5	< 10	
Modified Carbon Black #6	Proprietary	< 10	
Substituted diol	Proprietary	< 2.5	

This ink supply contains an aqueous ink formulation. Composition comments

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

Material name CC653A MSDS US Creation date Sep 29, 2003 Version number 11 1/5



4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for

at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Inhalation Remove to fresh air. If symptoms persist, get medical attention. Ingestion If ingestion of a large amount does occur, seek medical attention.

5. Fire Fighting Measures

> 200 °F (> 93.3 °C); Pensky-Martens Closed Cup Flash point and method

**Hazardous combustion** Refer to section 10.

products

Flammable properties None known.

Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Unusual fire and explosion

hazard

None known.

Special firefighting procedures None established.

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, Methods for containment

sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Other information

Soak up with inert absorbent material.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations.

See also section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold. Storage

8. Exposure Controls / Personal Protection

**Exposure guidelines** Exposure limits have not been established for this product.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eve. Handle in accordance with good industrial hygiene and safety practice.

General hygeine considerations

9. Physical & Chemical Properties

Color Black

Odor threshold Not available. Not available. Physical state 7.5 - 8.2pН

Not available. Melting point

Material name CC653A MSDS US Creation date Sep 29, 2003 Version number 11 2/5



Not available. Freezing point **Boiling point** Not determined

> 200 °F (> 93.3 °C); Pensky-Martens Closed Cup Flash point

**Evaporation rate** Not determined Not available. **Flammability** Flammability limits in air, Not available. upper, % by volume

Flammability limits in air,

lower, % by volume

Not determined

Not determined Vapor pressure > 1 (air = 1.0)Vapor density

1 - 1.2 Specific gravity

Relative density Not available. Soluble in water Solubility in water Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available.

VOC < 3 % **Viscosity** > 2 cp

### 10. Chemical Stability & Reactivity Information

**Chemical stability** Stable under recommended storage conditions. Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous

reactions

Will not occur.

### 11. Toxicological Information

Not available.

## 12. Ecological Information

LC50/96h/Fathead minnows =>750 mg/L. **Aquatic toxicity** 

Persistence and degradability Not available.

### 13. Disposal Considerations

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine

if this service is available in your location, please visit http://www.hp.com/recycle.

Material name CC653A MSDS US Version number 11 3/5



## 14. Transport Information

#### IATA

Proper shipping name Not applicable **Hazard class** Not applicable

None **UN** number Packing group N/A None Packaging exceptions Packaging non bulk None None Labels required

#### 15. Regulatory Information

US federal regulations US TSCA 12(b): Contains sodium nitrite (CASRN 7632-00-0), subject to export notification

### **CERCLA (Superfund) reportable quantity**

None

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

Section 311 hazardous

chemical

No

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

#### State regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

2-pyrrolidone (616-45-5) Listed

### 16. Other Information

**HMIS®** ratings Health: 1

Flammability: 1

Physical hazard: 0

**NFPA** ratings Health: 1

> Flammability: 1 Instability: 0

Issue date Aug 6 2008 1:21PM

Revision

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as quaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Material name CC653A MSDS US Version number 11



### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material nameCC653AMSDS USCreation dateSep 29, 2003Version number 115 / 5