

CH564Eseries
HP 301 Tri-Color Ink Cartridge



# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

CH564Eseries[C]

Use of the

substance/preparation

Inkjet printing

Version #

00

30-Jun-2010 **Revision date** CAS# Mixture

**Company identification** 

Hewlett-Packard GmbH Herrenberger Str. 140

71034 Böblingen, Deutschland

Telephone 07031 140

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Centre +49 089 1 92 40

# 2. HAZARDS IDENTIFICATION

**Emergency overview** 

Contact with skin and eyes may result in irritation.

**Acute health effects** 

Any potential hazards are presumed to be due to exposure to the components.

Skin contact 1,5-pentanediol

Contact with skin may result in irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate # 2

Contact with skin may result in irritation.

**Eye contact** 1,5-pentanediol

Contact with eyes may result in irritation.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate # 2

Contact with eyes may result in irritation. Substituted phthalocyanine salt #1 Contact with eyes may result in irritation.

**Inhalation** Metal nitrate # 2

Inhalation may result in respiratory irritation.

Ingestion Metal nitrate # 2

Contains nitrate salts, may cause methemoglobinemia.

**Potential health effects** 

**Routes of exposure** Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

**Chronic health effects** None known.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Other information This blue ink is not classified according to EU Directive 1999/45/EC.

Classification Not classified.

Material name: CH564Eseries[C] SDS GERMANY 11627 Version #: 00 Revision date: 30-Jun-2010 Print date: 02-Jul-2010

**Physical hazards** Not classified as a physical hazard. Not classified as a health hazard. **Health hazards** 

**Environmental hazards** Not classified as an environmental hazard.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS #	Percent	EC-No.	Classification
Substituted phthalocyanine salt #1	Proprietary	< 2.5	Proprietary	
Metal nitrate # 2	Proprietary	< 2.5	Proprietary	O;R8, Xi;R36/37/38
2-pyrrolidone	616-45-5	< 7.5	210-483-1	
Ethyl alkyldiol	Proprietary	< 7.5	Proprietary	
1,5-pentanediol	111-29-5	< 10	203-854-4	
Water	7732-18-5	> 65	231-791-2	

**Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

# **4. FIRST AID MEASURES**

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

#### **5. FIRE-FIGHTING MEASURES**

Flash point > 200 °F (> 93.3 °C) Pensky-Martens Closed Cup Suitable extinguishing media Dry chemical, CO2, water spray or regular foam.

Extinguishing media which must not be used for safety reasons

None known.

**Unusual fire & explosion** 

hazards

None known.

**Specific methods Hazardous combustion** 

products

None established. Refer to section 10.

#### **6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions** Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

**Containment procedures** Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

#### 7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold. Storage

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional exposure data Exposure limits have not been established for this product.

**Exposure controls** Use in a well ventilated area.

Occupational exposure controls

General Use personal protective equipment to minimize exposure to skin and eye. Handle in accordance with good industrial hygiene and safety practice. Hygiene measures

Material name: CH564Eseries[C] SDS GERMANY 2/4

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** Not available.

Physical state Liquid

Form Not available.

**Color** Cyan

OdorNot available.Odor thresholdNot available.

**pH** 6.5 - 7

**Boiling point** Not available.

Flash point > 200 °F (> 93.3 °C) Pensky-Martens Closed Cup

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not available.

Vapor pressureNot available.Relative densityNot available.Solubility (water)Not available.Partition coefficientNot available

(n-octanol/water)

Viscosity
Not available.
Vapor density
Not available.
Evaporation rate
Not available.
Melting point
Not available.
Freezing point
Not available.
Auto-ignition temperature
VOC

VOC

Not available.

Voc

VOC

VOC

VOC

#### 10. STABILITY AND REACTIVITY

**Hazardous decomposition** 

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

Stable under recommended storage conditions.

Materials to avoid Incompatible with strong bases and oxidizing agents.

#### 11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye

irritation

**Stability** 

Not available.

**Skin sensitization** Not available.

**Further information** This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

#### 12. ECOLOGICAL INFORMATION

**Aquatic toxicity** This product has not been tested for ecological effects.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

## 14. TRANSPORT INFORMATION

Further information Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

**ADR** 

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

Material name: CH564Eseries[C] SDS GERMANY

#### 15. REGULATORY INFORMATION

Labeling

**Contains** 1,5-pentanediol, 2-pyrrolidone, Ethyl alkyldiol, Metal nitrate # 2, Substituted phthalocyanine salt

#1, Water

**EC label** This product does not require a label according to EU Directive 1999/45/EC.

**Regulatory information** All ingredients are listed on EINECS and/or ELINCS or exempt.

Water hazard class

VwVws WGK1

#### **16. OTHER INFORMATION**

Wording of the R-phrases in sections 2 and 3

R8 Contact with combustible material may cause fire.

R36 Irritating to eyes.

R36/37/38 Irritating to eyes, respiratory system and skin.

**Other information** This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 30-Jun-2010

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CH564Eseries[C] SDS GERMANY



# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

CH564Eseries[M]

Use of the

substance/preparation

Inkjet printing

Version #

00

**Revision date** 

30-Jun-2010

CAS#

Mixture

**Company identification** 

Hewlett-Packard GmbH Herrenberger Str. 140

71034 Böblingen, Deutschland

Telephone 07031 140

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Centre +49 089 1 92 40

# 2. HAZARDS IDENTIFICATION

**Emergency overview** 

Contact with skin and eyes may result in irritation.

**Acute health effects** 

Any potential hazards are presumed to be due to exposure to the components.

Skin contact 1,5-pentanediol

Contact with skin may result in irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate # 2

Contact with skin may result in irritation.

**Eye contact** 1,5-pentanediol

Contact with eyes may result in irritation.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate # 2

Contact with eyes may result in irritation.

Inhalation Metal nitrate # 2

Inhalation may result in respiratory irritation.

Ingestion Metal nitrate # 2

Contains nitrate salts, may cause methemoglobinemia.

**Potential health effects** 

**Routes of exposure** Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Other information This blue ink is not classified according to EU Directive 1999/45/EC.

Classification Not classified.

Not classified as a physical hazard. **Physical hazards Health hazards** Not classified as a health hazard.

Material name: CH564Eseries[M] 1/4

3. COMPOSITION	/INFORMATION ON I	INGREDIENTS
----------------	-------------------	-------------

Components	CAS#	Percent	EC-No.	Classification
Substituted napthalenesulfonate salt #8	Proprietary	< 2.5	Proprietary	
Metal nitrate # 2	Proprietary	< 2.5	Proprietary	O;R8, Xi;R36/37/38
2-pyrrolidone	616-45-5	< 7.5	210-483-1	
Ethyl alkyldiol	Proprietary	< 7.5	Proprietary	
1,5-pentanediol	111-29-5	< 10	203-854-4	
Water	7732-18-5	> 65	231-791-2	

**Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

## **4. FIRST AID MEASURES**

**Inhalation** Remove to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

If ingestion of a large amount does occur, seek medical attention. Ingestion

#### 5. FIRE-FIGHTING MEASURES

Flash point > 200 °F (> 93.3 °C) Pensky-Martens Closed Cup Suitable extinguishing media Dry chemical, CO2, water spray or regular foam.

**Extinguishing media which** must not be used for safety

None known.

reasons

**Unusual fire & explosion** hazards

None known.

**Specific methods Hazardous combustion** 

None established. Refer to section 10.

products

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

**Containment procedures** Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

# 7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional exposure data Exposure limits have not been established for this product.

Use in a well ventilated area. **Exposure controls** 

Occupational exposure controls

General Use personal protective equipment to minimize exposure to skin and eye. **Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

Material name: CH564Eseries[M] SDS GERMANY 2/4

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** Not available.

Physical state Liquid

Form Not available.
Color Magenta
Odor Not available.
Odor threshold Not available.
pH 6.5 - 7

**Boiling point** Not available.

Flash point > 200 °F (> 93.3 °C) Pensky-Martens Closed Cup

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not available.

Vapor pressureNot available.Relative densityNot available.Solubility (water)Not available.Partition coefficientNot available

(n-octanol/water)

Viscosity
Not available.

Vapor density
Not available.

Evaporation rate
Not available.

Melting point
Not available.

Freezing point
Not available.

Auto-ignition temperature
VOC

< 235 g/L

#### 10. STABILITY AND REACTIVITY

**Hazardous decomposition** 

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

**Stability** Stable under recommended storage conditions.

**Materials to avoid** Incompatible with strong bases and oxidizing agents.

#### 11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye

irritation

Not available.

**Skin sensitization** Not available.

**Further information** This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

#### 12. ECOLOGICAL INFORMATION

**Aquatic toxicity** This product has not been tested for ecological effects.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

## 14. TRANSPORT INFORMATION

Further information Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

**ADR** 

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

Material name: CH564Eseries[M] SDS GERMANY

#### 15. REGULATORY INFORMATION

Labeling

**Contains** 1,5-pentanediol, 2-pyrrolidone, Ethyl alkyldiol, Metal nitrate # 2, Substituted napthalenesulfonate

salt #8, Water

**EC label** This product does not require a label according to EU Directive 1999/45/EC.

**Regulatory information** All ingredients are listed on EINECS and/or ELINCS or exempt.

Water hazard class

VwVws WGK1

#### **16. OTHER INFORMATION**

Wording of the R-phrases in sections 2 and 3

R8 Contact with combustible material may cause fire. R36/37/38 Irritating to eyes, respiratory system and skin.

**Other information** This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

**Issue date** 30-Jun-2010

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CH564Eseries[M] SDS GERMANY



# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

CH564Eseries[Y]

Use of the

substance/preparation

Inkjet printing

Version #

n# 00

Revision date 30-Jun-2010
CAS # Mixture

Company identification

Hewlett-Packard GmbH Herrenberger Str. 140

71034 Böblingen, Deutschland

Telephone 07031 140

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Centre +49 089 1 92 40

#### 2. HAZARDS IDENTIFICATION

**Emergency overview** 

Contact with skin and eyes may result in irritation.

**Acute health effects** 

Any potential hazards are presumed to be due to exposure to the components.

**Skin contact** *1,5-pentanediol* 

Contact with skin may result in irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate # 2

Contact with skin may result in irritation.

**Eye contact** *1,5-pentanediol* 

Contact with eyes may result in irritation.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate # 2

Contact with eyes may result in irritation.

**Inhalation** *Metal nitrate # 2* 

Inhalation may result in respiratory irritation.

**Ingestion** *Metal nitrate # 2* 

Contains nitrate salts, may cause methemoglobinemia.

**Potential health effects** 

**Routes of exposure** Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

**Chronic health effects** None known.

**Carcinogenicity**None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

**Other information** This blue ink is not classified according to EU Directive 1999/45/EC.

**Classification** Not classified.

**Physical hazards**Not classified as a physical hazard. **Health hazards**Not classified as a health hazard.

Material name: CH564Eseries[Y] SDS GERMANY

3. COMPOSITION	INFORMATION ON INGREDIENTS
----------------	----------------------------

Components	CAS #	Percent	EC-No.	Classification
Substituted napthalenesulfonate salt #12	Proprietary	< 5	Proprietary	
Metal nitrate # 2	Proprietary	< 5	Proprietary	O;R8, Xi;R36/37/38
2-pyrrolidone	616-45-5	< 7.5	210-483-1	
Ethyl alkyldiol	Proprietary	< 7.5	Proprietary	
1,5-pentanediol	111-29-5	< 10	203-854-4	
Water	7732-18-5	> 65	231-791-2	

**Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

#### **4. FIRST AID MEASURES**

**Inhalation** Remove to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

If ingestion of a large amount does occur, seek medical attention. Ingestion

#### 5. FIRE-FIGHTING MEASURES

200 °F (93.3 °C) Pensky-Martens Closed Cup Flash point Suitable extinguishing media Dry chemical, CO2, water spray or regular foam.

**Extinguishing media which** 

None known.

must not be used for safety reasons

**Unusual fire & explosion** 

hazards

None known.

None established. **Specific methods** Refer to section 10. **Hazardous combustion** 

products

# **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

**Containment procedures** Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

# 7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional exposure data Exposure limits have not been established for this product.

Use in a well ventilated area. **Exposure controls** 

Occupational exposure controls

General Use personal protective equipment to minimize exposure to skin and eye. **Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

Material name: CH564Eseries[Y] 2/4

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** Not available.

Physical state Liquid

Form Not available.
Color Yellow

OdorNot available.Odor thresholdNot available.

**pH** 6.5 - 7

**Boiling point** Not available.

**Flash point** 200 °F (93.3 °C) Pensky-Martens Closed Cup

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not available.

Vapor pressureNot available.Relative densityNot available.Solubility (water)Not available.Partition coefficientNot available

(n-octanol/water)

Viscosity
Not available.

Vapor density
Not available.

Evaporation rate
Not available.

Melting point
Not available.

Freezing point
Not available.

Auto-ignition temperature
VOC

< 233 g/L

#### 10. STABILITY AND REACTIVITY

**Hazardous decomposition** 

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

Stable under recommended storage conditions.

Materials to avoid Incompatible with strong bases and oxidizing agents.

#### 11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye

irritation

**Stability** 

Not available.

**Skin sensitization** Not available.

**Further information** This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

#### 12. ECOLOGICAL INFORMATION

**Aquatic toxicity** This product has not been tested for ecological effects.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

# **14. TRANSPORT INFORMATION**

**Further information** Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

**ADR** 

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

Material name: CH564Eseries[Y] SDS GERMANY

#### 15. REGULATORY INFORMATION

Labeling

**Contains** 1,5-pentanediol, 2-pyrrolidone, Ethyl alkyldiol, Metal nitrate # 2, Substituted napthalenesulfonate

salt #12, Water

**EC label** This product does not require a label according to EU Directive 1999/45/EC.

**Regulatory information** All ingredients are listed on EINECS and/or ELINCS or exempt.

Contains components not listed in: Canada, Japan, Philippines and Ontario.

Water hazard class

VwVws WGK1

# **16. OTHER INFORMATION**

Wording of the R-phrases in

sections 2 and 3

R8 Contact with combustible material may cause fire. R36/37/38 Irritating to eyes, respiratory system and skin.

**Other information**This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 30-Jun-2010

**Manufacturer information** Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CH564Eseries[Y] SDS GERMANY