CERTIFICATE



of Conformity Low Voltage Directive 2006/95/EC

Registration No.: AN 50249563 0002

Report No.: 15058406 001

Holder:

Zhejiang Kaixun Mechanical And Electrical Co., Ltd. Linyang Ind. Area Ruian City, Zhejiang 325207 P.R. China

Product:

Date _____29.03.2013

C DE RE @ TUV, TURY and TUV are regenered ander with Utilization and application regards process

Lifting Tool (Electric Rope Hoist)

(Liberite Hope Ho

Identification: Type Designation: HGS-B1-200 HGS-B1-250 HGS-B1-300 HGS-B1-400 HGS-B1-500 HGS-B1-300 HGS-B1-700 HGS-B1-500 HGS-B1-600 Serial No.: n.a. Remark: Issued in conjunction with TÖV Rheinland license S 50249254 0001-0005.

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. Technical Report and documentation are at the Licence Holder's disposal. This is to certify that the tested sample is in conformity with all revision of Annex I of Council Directive 2006/95/EC, in its latest amended version, referred to as the Low Voltage Directive. This certificate does not imply assessment of the series-production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex III of the Directive.

Certification Body

Dipl.-Ingan

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

(The CE marking may be used if all relevant and effective EC Directives are complied with. (F

	Certific	ate			E.
Zertifikat Nr. Certificate No. S 50249254	Blatt Page 0001				TÜVRheinland
Ihr Zeichen Client Reference	Unser 2	Leichen Our Ref	erence Li	ngstens gültig bis	Latest expiration date
X.B.L.	01-ZJ	B- 1505840		8.03.2018	(day/mo/ŷr)
Genehmigungsinhaber License H Zhejiang Kaixun Mech And Electrical Co., Linyang Ind. Area Ruian City, Zhejiang P.R. China	anical Ltd.	ZI Ar L: Ru	hejiang Kai nd Electric inyang Ind.	mufacturing Plant xun Mechani al Co., Ltd Area Zhejiang 32	
TUVEnerated	EN 1	t nach Tested ad 4492-2:200 0204-32:20	6+A1		
Zertifiziertes Produkt (Geräte Certified Product (Product	identifikation) I Identification				ntgelte - Einheit Fee - Unit
Hebezeuge (Electric Bezeichnung : PA-2 (Type Designation) PA-2	00	PA-250 PA-250D HGS-B1-250	PA-300 PA-300D		11 3
	30V; 50Hz	HG9-B1-250	HGS-B1-300		3
Nennaufnahme : S3 2 (Rated Input) 4800	0% 10min: 8 W	540W	: 83 20% 10mi 600W	nı	
	W			n:	
(Rated Input) 4800 Zulässige Belastung:100,	W /200kg : 002	540W	600W	nı	
(Rated Input) 4803 Zulässige Belastung:100, (Permissible Load) Fortsetzung auf Blatt 00	W /200kg : 002	540W	600W	n.	17
<pre>(Rated Input) 4803 Zulässige Belastung:100, (Permissible Load) Fortsetzung auf Blatt 00 (Continuation on page 00 ANLAGE (Appendix): 1 Dem Zentifkat Negt unsere Prüf- und Zen Toduks und Perügungsstüte orfüllen § 20 nöduksicherheitgesetzes. his certificate is based on our Testing a Vonduct und production bjüll par § 20 a</pre>	N /200kg : 002 002) L.O; l.l; tilizierungsordmun und § 21 des nd Certification R	540W .25/250kg 1.2 g zugrunde.	600W	Aproducto	
(Rated Input) 4803 Zulässige Belastung:100, (Permissible Load) (Permissible Load) Portsetzung auf Blatt 00 (Continuation on page 04 ANLAGE (Appendix): D Max Zenifikar Hegt unsere Prüf. und Zer Yoduksicherheitgesstess. Mis certificar Liegt unsere Prüf. und Zer Yoduksicherheitgesstess. Mis certificar Liegt on our Testing at Yoduct auf production fulfill par § 20 at Yoduct Safey Land ICA Products of [cl.: (+49/221)8 06 - 13 71 e-mailt ci	N /200kg : 002 002) L.O; l.l; tilizierungsordmun) und § 21 des nd Certification R nd § 21 of the GmbH - Tilly	540W .25/250kg 1.2 g zugrunde. egulation, straße 2 - 9043	600W 150/300kg		

ſ

	Certifica	te			A	
Zertifikat Nr. Certificate No. S 50249254	Blatt Page 0005				TÜVRheinland	-
Ihr Zeichen Client Reference		ichen Our Re		ngstens giiltig bis	Latest expiration	date
A.D.L.	01-ZJB	- 150584	06 001 2	8.03.2018	(ady/no/yr)	
Genehmigungsinhaber License H Zhejiang Kaixun Mech And Electrical Co., Linyang Ind. Area Ruian City, Zhejiang P.R. China	anical Ltd.	Z A L R	ertigungsstätte Ma Shejiang Kai: and Electric inyang Ind. uuian City, P.R. China	xun Mechanic al Co., Ltd Area		
TUVEnamed TUVEnamed TUVEnamed TUVEnamed TUVEnamed TUVEnamed	EN 14	nach <i>Tested a</i> 492-2:20 204-32:2	06+A1			
Zertifiziertes Produkt (Gerätei Certified Product (Product	identifikation) t Identification)				ntgelte - Einheit Fee - Unit	-
Hebezeuge (Electric	Rope Hois	t)		10		
				10		
wie Blatt (as page) 000:	1					
Brgånzung (Addition)				10 20		
(Addition) Bezeichnung : PA-	700 P.	A-800	FA-1000	10	3	
(Addition) Bezeichnung : PA- (Type Designation) PA-	700D P.	A-800D	PA-1000D	20	3 3	
(Addition) Bezeichnung : PA- (Type Designation) PA- HGS-	700D P. -B1-700 H	A-800D GS-B1-800	PA-1000D HGS-B1-1000			
(Addition) Bezeichnung : PA- (Type Designation) PA- HGS- Nennaufnabme : S3 24	700D P. -B1-700 H 0% 10min: S3	A-800D GS-B1-800	PA-1000D		3	
(Addition) Bezeichnung : PA- (Type Designation) PA- HGS Nennaufnahme : S3 20	700D P. -B1-700 H 0% 10min: S3 50W	A-800D GS-B1-800 20% 10min 1300W	PA-1000D HGS-B1-1000 : S3 20% 10mir		3	
(Addition) Bezeichnung : PA- (Type Designation) PA- HGS- Nennaufnahme : S3 24 (Rated Input) 125 Zulässige Belastung: 350	700D P. -B1-700 H 0% 10min: S3 50W	A-800D GS-B1-800 20% 10min 1300W	PA-1000D HGS-B1-1000 : S3 20% 10mir 1600W		3	
(Addition) Bezeichnung : PA- (Type Designation) PA- HGS- Nennaufnahme : S3 20 (Rated Input) 12: Zulässige Belastung: 350 (Permissible Load)	700D P. -B1-700 H 0% 10min: S3 50W 0/700kg	A-800D GS-B1-800 20% 10min 1300W 400/800kg	PA-1000D HGS-B1-1000 : S3 20% 10mir 1600W		3	
(Addition) Bezeichnung : PA- (Type Designation) PA- HGS- Nennaufnabme : S3 24 (Rated Input) 125 Zulässige Belastung: 350	700D P. -B1-700 H 0% 10min: S3 50W 0/700kg 0/700kg 1.6, 1.7, J tifizierungsordnung z und § 21 des nd Certification Recu	A-800D GS-B1-800 20% 10min 1300W 400/800kg 1.8 ngnamde.	PA-1000D HGS-B1-1000 : S3 20% 10mir 1600W	Zertifizierungssti	3 3	
<pre>(Addition) Bezeichnung : PA (Type Designation) PA HGS- Nennaufnahme : S3 20 (Rated Input) 129 Zulässige Belastung: 350 (Permissible Load) ANLAGE (Appendix): 1 Dem Zentifikat liegt unsere Prüf- und Zer rodukt und Fertigungsstätte erfüllen § 20 roduktsicherheitigesstate. Fühlt par § 20 an roduct and preduccion fahfül par § 20 an roduct Safety Law. ÜV Rheinland LGA Products (L: (+49721)§ 26 - 13 71 c-mail ce</pre>	700D P. -B1-700 H 0% 10min: S3 50W 0/700kg	A-800D GS-B1-800 20% 10min 1300W 400/800kg 1.8 ngrunde. Nation. 286 2 - 9043	PA-1000D HGS-B1-1000 : 53 20≹ 10mir 1600W 500/990kg	7	3 3 9	

Zertifikat	Certifica	te				E	
Zertifikat Nr. Certificate No. S 50249254	Blatt Page 0004				1	fÜV Rheinlan	d -
Ihr Zeichen Client Reference		chen Our Refe		Längstens gi	iltig bis	Latest expiration (day/mo/yr)	date
X.B.L.	01-ZJB	- 1505840	06 001	28.03.2	018	(auy/mo/yr)	
Genchmigungsinhaber License H Zhejiang Kaixun Mech And Electrical Co., Linyang Ind. Area Ruian City, Zhejiang P.R. China	anical Ltd.	Zł Ar L: Ru	ntigungsstätte hejiang Ka nd Electri inyang In- uian City .R. China	aixun Me ical Co. d. Area , Zhejia	chanic , Ltd.		
TUMBoscale TUMBoscale TUMBoscale TUMBoscale TUMBoscale	EN 14	nach <i>Tested ac</i> 492-2:200 204-32:20	6+A1	0			
Zertifiziertes Produkt (Geräte Certified Product (Product	identifikation) t Identification)					tgelte - Einheit Fee - Unit	
Hebezeuge (Electric	Rope Hois	t)		÷			
wie Blatt (as page) 000	1			5			
60 107 DOG 1000							
Ergânzung (Addition)							
Bezeichnung : PA		PA-500	PA-600	1		3	
		PA-500D HGS-B1-500	PA-600D HGS-B1-			3	
1000						3	
Name of the short	0% 10min: S3			min:			
		1020W	1200W				
	ow	1020W 250/500kg		kg .	a.		
(Rated Input) 95 Zulässige Belastung: 200	ow			kg .		9	
(Rated Input) 95 Zulässige Belastung: 200	00/400kg	250/500kg		kg .		9	
(Rated Input) 951 Zulässige Belastung: 204 (Permissible Load) ANLAGE (Appendix): 3 Dem Zerifikat liegt unsere Prif- und Zer Produkt und Perigungssätte erfüllen § 20 Produktsicherheisgesetzes. This configure is based on our Testing at Yodn't und production duffil par § 20 at	DW D/400kg 1.3, 1.4, 1 tifizierungsordnung ; und § 21 des nd Certification Reva	250/500kg L.5 mgrunde.			crungesste		
<pre>(Rated Input) 95/ Zulässige Belastung: 20/ (Permissible Load) ANLAGE (Appendix): 3 Dem Zenifikat liegt unsere Prif- und Zen Produkt und Ferigungssäite erfüllen § 20 Produktsicherheisigesetzes. <i>This certificate is based on our Texting at</i></pre>	DW D/400kg 1.3, 1.4, 1 tifizieungsordowng ; und § 21 des nd Certification Rega nd § 21 of the GmbH - Tillysta	250/500kg L.5 mgrunde. Mation. raße 2 - 90433	300/600		Jan Harris		



CERTIFICATE

of Conformity EC Council Directive 2006/42/EC Machinery

Registration No.: AM 50249562 0002

Report No.: 15058406 001

Holder:

Zhejiang Kaixun Mechanical And Electrical Co., Ltd. Linyang Ind. Area Ruian City, Zhejiang 325207 P.R. China

Product:

Lifting Tool (Electric Rope Hoist)

Identification:

Date 29.03.2013

8 54.06

Type Designation: HGS-B1-200 HGS-B1-250 HGS-B1-300 HGS-B1-400 HGS-B1-500 HGS-B1-600 HGS-B1-700 HGS-B1-800 HGS-B1-1000 Serial No.: n.a. Remark: Issued in conjunction with TÜV Rheinland license S 50249254 0001-0005

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. This is to certify that the tested sample is in conformity with all provision of Annex I of Council Directive 2006/42/EC, referred to as the Machinery Directive. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex II of the Directive.

Cer	tificat	Ionp.Be	R		
 -1	4	X	-	1	
4	C	ALL DEST	2)	<u>n </u>	 -
Dipį	ing the	(FH)	F. He	/	
	10	rifiziono	no		

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

(The CE marking may be used if all relevant and effective EC Directives are complied with. (E