



# EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 23/06/2020 Revision date: 28/04/2021 Supersedes version of: 12/02/2021 Version: 1.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20  
UFI : 7800-D0RN-W00U-DDRD  
Product code : 47000-47009  
Type of product : Paint  
Vaporizer : Aerosol  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use  
Industrial/Professional use spec : Industrial  
For professional use only

##### 1.2.2. Uses advised against

Restrictions on use : Acetone is listed as a reportable explosives precursor in Annex II of EU regulation 2019/1148

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

ROCOL a division of ITW Ltd  
Rocol House  
Wakefield Rd, Swillington  
LS26 8BS Leeds - United Kingdom  
T +44 (0)113 232 2600  
[customer.service@rocol.com](mailto:customer.service@rocol.com) - [www.rocol.com](http://www.rocol.com)

#### 1.4. Emergency telephone number

Emergency number : +44 (0)113 232 2600

| Country        | Organisation/Company   | Address                           | Emergency number | Comment |
|----------------|--|-----------------------------------|------------------|---------|
| United Kingdom | National Poisons Information Service<br>(Birmingham Centre)<br>City Hospital | Dudley Road<br>B18 7QH Birmingham | 0344 892 0111    |         |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

# EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H222 - Extremely flammable aerosol.  
H229 - Pressurised container: May burst if heated.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Do not pierce or burn, even after use.  
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.  
P271 - Use only outdoors or in a well-ventilated area.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name  | Product identifier   | %        | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
|---|--|----------|--|
| dimethyl ether<br>substance with national workplace exposure limit(s)<br>(GB); substance with a Community workplace<br>exposure limit<br>(Note U) | CAS-No.: 115-10-6<br>EC-No.: 204-065-8<br>EC Index-No.: 603-019-00-8<br>REACH-no: 01-2119472128-<br>37     | 10 – 30  | Flam. Gas 1A, H220<br>Press. Gas (Liq.), H280  |
| CALCIUM CARBONATE COMMERCIAL GRADE<br>substance with national workplace exposure limit(s)<br>(GB)   | CAS-No.: 471-34-1<br>EC-No.: 207-439-9<br>REACH-no: Exempt   | 10 – 30  | Not classified   |
| o-xylene<br>substance with a Community workplace exposure limit<br>(Note C)   | CAS-No.: 95-47-6<br>EC-No.: 202-422-2<br>EC Index-No.: 601-022-00-9<br>REACH-no: 01-2119485822-<br>30      | 5 – 15   | Flam. Liq. 3, H226<br>Acute Tox. 4 (Dermal), H312<br>Acute Tox. 4 (Inhalation), H332<br>Acute Tox. 4 (Inhalation:dust,mist), H332<br>Skin Irrit. 2, H315 |
| ACETONE<br>substance with national workplace exposure limit(s)<br>(GB); substance with a Community workplace<br>exposure limit                    | CAS-No.: 67-64-1<br>EC-No.: 200-662-2<br>EC Index-No.: 606-001-00-8<br>REACH-no: 01-2119471330-<br>49      | 5 – 10   | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336  |
| 1-METHOXY-2-PROPANOL<br>substance with national workplace exposure limit(s)<br>(GB); substance with a Community workplace<br>exposure limit       | CAS-No.: 107-98-2<br>EC-No.: 203-539-1<br>EC Index-No.: 603-064-00-3<br>REACH-no: 012119457435-<br>35-XXXX | 2.4 – 10 | Flam. Liq. 3, H226<br>STOT SE 3, H336  |

# EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Name  | Product identifier   | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|---------|---|
| CARBON DIOXIDE AEROSOL PROPELLANT substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit | CAS-No.: 124-38-9<br>EC-No.: 204-696-9<br>REACH-no: Exempt | 1 – 2.4 | Press. Gas (Comp.), H280  |

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note U (Table 3): When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures general            | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation   | : Allow affected person to breathe fresh air. Allow the victim to rest.   |
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.                 |
| First-aid measures after eye contact  | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.                         |
| First-aid measures after ingestion    | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.  |

### 4.2. Most important symptoms and effects, both acute and delayed

|                  |  |
|------------------|--|
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |
|------------------|--|

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.                     |

### 5.2. Special hazards arising from the substance or mixture

|  |  |
|--|--|
| Explosion hazard                                 | : Vapours may form explosive mixture with air. Pressurised container: May burst if heated. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released.   |

### 5.3. Advice for firefighters

|                                |   |
|--------------------------------|---|
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection.   |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

|                      |                                   |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

# EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.  
Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.  
Storage conditions : Store in a well-ventilated place. Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a dry place.  
Incompatible products : Strong bases. Strong acids.  
Incompatible materials : Sources of ignition. Direct sunlight.  
Storage temperature : < 50 °C

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

| ACETONE (67-64-1)                                  |                                       |
|--|---------------------------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) |                                       |
| Local name   | Acetone                               |
| IOEL TWA   | 1210 mg/m <sup>3</sup>                |
| IOEL TWA [ppm]                                     | 500 ppm                               |
| Regulatory reference                               | COMMISSION DIRECTIVE 2000/39/EC       |
| United Kingdom - Occupational Exposure Limits      |                                       |
| Local name   | Acetone                               |
| WEL TWA (OEL TWA) [1]                              | 1210 mg/m <sup>3</sup>                |
| WEL TWA (OEL TWA) [2]                              | 500 ppm                               |
| WEL STEL (OEL STEL)                                | 3620 mg/m <sup>3</sup>                |
| WEL STEL (OEL STEL) [ppm]                          | 1500 ppm                              |
| Regulatory reference                               | EH40/2005 (Fourth edition, 2020). HSE |

# EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| <b>1-METHOXY-2-PROPANOL (107-98-2)</b>                    |   |
|---|---|
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |   |
| Local name  | 1-Methoxypropanol-2   |
| IOEL TWA  | 375 mg/m <sup>3</sup>   |
| IOEL TWA [ppm]  | 100 ppm   |
| IOEL STEL   | 568 mg/m <sup>3</sup>   |
| IOEL STEL [ppm]   | 150 ppm   |
| Notes   | Skin  |
| Regulatory reference                                      | COMMISSION DIRECTIVE 2000/39/EC   |
| <b>United Kingdom - Occupational Exposure Limits</b>      |   |
| Local name  | 1-Methoxypropan-2-ol  |
| WEL TWA (OEL TWA) [1]                                     | 375 mg/m <sup>3</sup>   |
| WEL TWA (OEL TWA) [2]                                     | 100 ppm   |
| WEL STEL (OEL STEL)                                       | 560 mg/m <sup>3</sup>   |
| WEL STEL (OEL STEL) [ppm]                                 | 150 ppm   |
| Remark (WEL)  | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) |
| Regulatory reference                                      | EH40/2005 (Fourth edition, 2020). HSE   |
| <b>CALCIUM CARBONATE COMMERCIAL GRADE (471-34-1)</b>      |   |
| <b>United Kingdom - Occupational Exposure Limits</b>      |   |
| Local name  | Calcium carbonate (Limestone, Marble)   |
| WEL TWA (OEL TWA) [1]                                     | 10 mg/m <sup>3</sup> total inhalable<br>4 mg/m <sup>3</sup> respirable  |
| Regulatory reference                                      | EH40/2005 (Fourth edition, 2020). HSE   |
| <b>dimethyl ether (115-10-6)</b>                          |   |
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |   |
| Local name  | Dimethylether   |
| IOEL TWA  | 1920 mg/m <sup>3</sup>  |
| IOEL TWA [ppm]  | 1000 ppm  |
| Regulatory reference                                      | COMMISSION DIRECTIVE 2000/39/EC   |
| <b>United Kingdom - Occupational Exposure Limits</b>      |   |
| Local name  | Dimethyl ether  |
| WEL TWA (OEL TWA) [1]                                     | 766 mg/m <sup>3</sup>   |
| WEL TWA (OEL TWA) [2]                                     | 400 ppm   |
| WEL STEL (OEL STEL)                                       | 958 mg/m <sup>3</sup>   |
| WEL STEL (OEL STEL) [ppm]                                 | 500 ppm   |
| Regulatory reference                                      | EH40/2005 (Fourth edition, 2020). HSE   |
| <b>CARBON DIOXIDE AEROSOL PROPELLANT (124-38-9)</b>       |   |
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |   |
| Local name  | Carbon dioxide  |

# EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| <b>CARBON DIOXIDE AEROSOL PROPELLANT (124-38-9)</b>       |                                       |
|---|---------------------------------------|
| IOEL TWA  | 9000 mg/m <sup>3</sup>                |
| IOEL TWA [ppm]  | 5000 ppm                              |
| Regulatory reference                                      | COMMISSION DIRECTIVE 2006/15/EC       |
| <b>United Kingdom - Occupational Exposure Limits</b>      |                                       |
| Local name  | Carbon dioxide                        |
| WEL TWA (OEL TWA) [1]                                     | 9150 mg/m <sup>3</sup>                |
| WEL TWA (OEL TWA) [2]                                     | 5000 ppm                              |
| WEL STEL (OEL STEL)                                       | 27400 mg/m <sup>3</sup>               |
| WEL STEL (OEL STEL) [ppm]                                 | 15000 ppm                             |
| Regulatory reference                                      | EH40/2005 (Fourth edition, 2020). HSE |
| <b>o-xylene (95-47-6)</b>                                 |                                       |
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |                                       |
| Local name  | o-Xylene                              |
| IOEL TWA  | 221 mg/m <sup>3</sup>                 |
| IOEL TWA [ppm]  | 50 ppm                                |
| IOEL STEL   | 442 mg/m <sup>3</sup>                 |
| IOEL STEL [ppm]   | 100 ppm                               |
| Notes   | Skin                                  |
| Regulatory reference                                      | COMMISSION DIRECTIVE 2000/39/EC       |

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Chemical goggles or safety glasses

# EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Eye protection |                      |                   |          |
|----------------|----------------------|-------------------|----------|
| Type           | Field of application | Characteristics   | Standard |
| Safety glasses | Droplet              | With side shields | EN 166   |

### 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves.

| Hand protection   |                      |            |                |             |          |
|-------------------|----------------------|------------|----------------|-------------|----------|
| Type              | Material             | Permeation | Thickness (mm) | Penetration | Standard |
| Disposable gloves | Nitrile rubber (NBR) |            |                | 2 (< 1.5)   |          |

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No respiratory protection needed under normal use conditions. In case of inadequate ventilation wear respiratory protection.

| Respiratory protection |   |  |          |
|------------------------|---|--|----------|
| Device                 | Filter type   | Condition  | Standard |
| Reusable half mask     | Type P1, Type AX - Low-boiling (<65 °C) organic compounds | Mist formation, Protection for Liquid particles, Protection for Solid particles, Vapour protection, If conc. in air > exposure limit |          |

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |   |
|---|---|
| Physical state                                  | : Liquid  |
| Appearance                                      | : Liquid.   |
| Colour  | : Black. Blue. Green. Grey. Orange. red. white. Yellow. |
| Odour   | : characteristic.                                       |
| Odour threshold                                 | : No data available                                     |
| pH  | : No data available                                     |
| Relative evaporation rate (butylacetate=1)      | : No data available                                     |
| Melting point                                   | : No data available                                     |
| Freezing point                                  | : No data available                                     |
| Boiling point                                   | : > 35 °C   |
| Flash point                                     | : < 23 °C   |
| Auto-ignition temperature                       | : No data available                                     |
| Decomposition temperature                       | : No data available                                     |
| Flammability (solid, gas)                       | : Non flammable.  |
| Vapour pressure                                 | : No data available                                     |
| Relative vapour density at 20 °C                | : No data available                                     |
| Relative density                                | : No data available                                     |
| Solubility                                      | : No data available                                     |
| Partition coefficient n-octanol/water (Log Pow) | : No data available                                     |
| Viscosity, kinematic                            | : No data available                                     |
| Viscosity, dynamic                              | : No data available                                     |
| Explosive properties                            | : No data available                                     |

# EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Oxidising properties : No data available  
Explosive limits : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### CALCIUM CARBONATE COMMERCIAL GRADE (471-34-1)

|               |            |
|---------------|------------|
| LD50 oral rat | 6450 mg/kg |
|---------------|------------|

#### dimethyl ether (115-10-6)

|                             |   |
|-----------------------------|---|
| LC50 Inhalation - Rat [ppm] | 164000 ppm Animal: rat, Animal sex: male, 95% CL: 142000 - 203000 |
|-----------------------------|---|

Skin corrosion/irritation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Serious eye damage/irritation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Respiratory or skin sensitisation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Germ cell mutagenicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Carcinogenicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Reproductive toxicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
STOT-single exposure : Not classified  
Additional information : Based on available data, the classification criteria are not met

#### ACETONE (67-64-1)

|                      |                                    |
|----------------------|------------------------------------|
| STOT-single exposure | May cause drowsiness or dizziness. |
|----------------------|------------------------------------|



# EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 1-METHOXY-2-PROPANOL (107-98-2)

|                        |  |
|------------------------|--|
| STOT-single exposure   | May cause drowsiness or dizziness.                                 |
| STOT-repeated exposure | : Not classified   |
| Additional information | : Based on available data, the classification criteria are not met |

### o-xylene (95-47-6)

|                            |   |
|----------------------------|---|
| LOAEL (oral, rat, 90 days) | 150 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity) |
| Aspiration hazard          | : Not classified  |
| Additional information     | : Based on available data, the classification criteria are not met  |

### EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

|   |  |
|---|--|
| Vaporizer   | Aerosol  |
| Potential adverse human health effects and symptoms | : Based on available data, the classification criteria are not met |

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |                  |
|---|------------------|
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

### dimethyl ether (115-10-6)

|                      |  |
|----------------------|--|
| LC50 - Fish [1]      | > 4.1 g/l Test organisms (species): Poecilia reticulata  |
| EC50 - Crustacea [1] | > 4.4 g/l Test organisms (species): Daphnia magna        |
| EC50 96h - Algae [1] | 154.917 mg/l Test organisms (species): other:green algae |

### o-xylene (95-47-6)

|                      |  |
|----------------------|--|
| LC50 - Fish [1]      | 7.6 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)  |
| EC50 72h - Algae [1] | 4.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| NOEC (chronic)       | 1.17 mg/l Test organisms (species): Ceriodaphnia dubia Duration: '7 d'   |
| NOEC chronic fish    | > 1.3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '56 d'                               |

### 12.2. Persistence and degradability

### EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

|                               |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

### 12.3. Bioaccumulative potential

### EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

|                           |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

### 12.4. Mobility in soil

No additional information available

# EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment.






## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Additional information : Handle empty containers with care because residual vapours are flammable.  
Ecology - waste materials : Avoid release to the environment.  
European List of Waste (LoW) code : 08 01 11\* - waste paint and varnish containing organic solvents or other dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR   | IMDG  | IATA  | ADN   | RID   |
|---|---|---|---|---|
| <b>14.1. UN number</b>  |   |   |   |   |
| UN 1950   | UN 1950   | UN 1950   | UN 1950   | UN 1950   |
| <b>14.2. UN proper shipping name</b>  |   |   |   |   |
| AEROSOLS  | AEROSOLS  | Aerosols, flammable   | AEROSOLS  | AEROSOLS  |
| <b>Transport document description</b>   |   |   |   |   |
| UN 1950 AEROSOLS, 2.1, (D)  | UN 1950 AEROSOLS, 2.1   | UN 1950 Aerosols, flammable, 2.1  | UN 1950 AEROSOLS, 2.1   | UN 1950 AEROSOLS, 2.1   |
| <b>14.3. Transport hazard class(es)</b>   |   |   |   |   |
| 2.1   | 2.1   | 2.1   | 2.1   | 2.1   |
|  |  |  |  |  |
| <b>14.4. Packing group</b>  |   |   |   |   |
| Not applicable  | Not applicable  | Not applicable  | Not applicable  | Not applicable  |
| <b>14.5. Environmental hazards</b>  |   |   |   |   |
| Dangerous for the environment: No   | Dangerous for the environment: No<br>Marine pollutant: No                           | Dangerous for the environment: No   | Dangerous for the environment: No   | Dangerous for the environment: No   |
| No supplementary information available  |   |   |   |   |

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : 5F  
Special provisions (ADR) : 190, 327, 344, 625  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E0  
Packing instructions (ADR) : P207, LP200  
Special packing provisions (ADR) : PP87, RR6, L2  
Mixed packing provisions (ADR) : MP9

# EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport category (ADR) : 2  
Special provisions for carriage - Packages (ADR) : V14  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV9, CV12  
Special provisions for carriage - Operation (ADR) : S2  
Tunnel restriction code (ADR) : D

### Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959  
Packing instructions (IMDG) : P207, LP200  
Special packing provisions (IMDG) : PP87, L2  
EmS-No. (Fire) : F-D  
EmS-No. (Spillage) : S-U  
Stowage category (IMDG) : None  
Stowage and handling (IMDG) : SW1, SW22  
Segregation (IMDG) : SG69

### Air transport

PCA Excepted quantities (IATA) : E0  
PCA Limited quantities (IATA) : Y203  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 203  
PCA max net quantity (IATA) : 75kg  
CAO packing instructions (IATA) : 203  
CAO max net quantity (IATA) : 150kg  
Special provisions (IATA) : A145, A167, A802  
ERG code (IATA) : 10L

### Inland waterway transport

Classification code (ADN) : 5F  
Special provisions (ADN) : 190, 327, 344, 625  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E0  
Equipment required (ADN) : PP, EX, A  
Ventilation (ADN) : VE01, VE04  
Number of blue cones/lights (ADN) : 1

### Rail transport

Classification code (RID) : 5F  
Special provisions (RID) : 190, 327, 344, 625  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E0  
Packing instructions (RID) : P207, LP200  
Special packing provisions (RID) : PP87, RR6, L2  
Mixed packing provisions (RID) : MP9  
Transport category (RID) : 2  
Special provisions for carriage – Packages (RID) : W14  
Special provisions for carriage - Loading, unloading and handling (RID) : CW9, CW12  
Colis express (express parcels) (RID) : CE2  
Hazard identification number (RID) : 23

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

# EASYLINE EDGE 750ml Aerosol, ALL COLOURS - From 23.06.20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

| Full text of H- and EUH-statements  |  |
|-------------------------------------|--|
| Acute Tox. 4 (Dermal)               | Acute toxicity (dermal), Category 4                                    |
| Acute Tox. 4 (Inhalation)           | Acute toxicity (inhal.), Category 4                                    |
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4                       |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                          |
| Flam. Gas 1A                        | Flammable gases, Category 1A   |
| Flam. Liq. 2                        | Flammable liquids, Category 2  |
| Flam. Liq. 3                        | Flammable liquids, Category 3  |
| Press. Gas (Comp.)                  | Gases under pressure : Compressed gas                                  |
| Press. Gas (Liq.)                   | Gases under pressure : Liquefied gas                                   |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                                  |
| STOT SE 3                           | Specific target organ toxicity — Single exposure, Category 3, Narcosis |
| H220                                | Extremely flammable gas.   |
| H222                                | Extremely flammable aerosol.   |
| H225                                | Highly flammable liquid and vapour.                                    |
| H226                                | Flammable liquid and vapour.   |
| H229                                | Pressurised container: May burst if heated.                            |
| H280                                | Contains gas under pressure; may explode if heated.                    |
| H312                                | Harmful in contact with skin.  |
| H315                                | Causes skin irritation.  |
| H319                                | Causes serious eye irritation.   |
| H332                                | Harmful if inhaled.  |
| H336                                | May cause drowsiness or dizziness.                                     |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.