

Page 1 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 21.08.2015 / 0005 Replacing version dated / version: 19.10.2012 / 0004 Valid from: 21.08.2015 PDF print date: 24.08.2015 Saegekettenoel 100 1 L Art.: 1277

# Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifier**

## Saegekettenoel 100 1 L

## Art.: 1277

(GB)

## **1.2** Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Sector of use [SU]:

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC17 - Hydraulic fluids

PC24 - Lubricants, greases, release products

Process category [PROC]:

PROC 1 - Use in closed process, no likelihood of exposure.

PROC 2 - Use in closed, continuous process with occasional controlled exposure

PROC 8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

PROC 8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities

PROC 9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC20 - Heat and pressure transfer fluids in dispersive, professional use but closed systems

Article Categories [AC]: AC99 - Not required.

Environmental Release Category [ERC]:

ERC 4 - Industrial use of processing aids in processes and products, not becoming part of articles

ERC 7 - Industrial use of substances in closed systems

ERC 9a - Wide dispersive indoor use of substances in closed systems

ERC 9b - Wide dispersive outdoor use of substances in closed systems

#### Uses advised against:

No information available at present.

## 1.3 Details of the supplier of the safety data sheet

œ

LIQUI MOLY GmbH, Jerg-Wieland-Str. 4, 89081 Ulm-Lehr, Germany Phone: (+49) 0731-1420-0, Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

## 1.4 Emergency telephone number

Emergency information services / official advisory body:

## Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).



Page 2 of 10

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 21.08.2015 / 0005 Replacing version dated / version: 19.10.2012 / 0004 Valid from: 21.08.2015 PDF print date: 24.08.2015 Saegekettenoel 100 1 L Art.: 1277

## 2.2 Label elements

#### Labeling according to Regulation (EC) 1272/2008 (CLP) Not applicable

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006.

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006.

Product can compose a film on the water surface, which can prevent oxygen exchange.

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substance

#### n.a. 3.2 Mixture

| Registration number (REACH)                                 |   |
|---|---|
| Index   | - |
| EINECS, ELINCS, NLP   | - |
| CAS   | - |
| content %   |   |
| Classification according to Regulation (EC) 1272/2008 (CLP) |   |

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### Eye contact

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Keep Data Sheet available.

## Ingestion

Do not induce vomiting. Consult doctor immediately. Danger of aspiration

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. The following may occur:

Drying of the skin.

Irritation of the skin.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

## 4.3 Indication of any immediate medical attention and special treatment needed

n.c.

## SECTION 5: Firefighting measures

## 5.1 Extinguishing media Suitable extinguishing media

Foam Dry extinguisher



Page 3 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 21.08.2015 / 0005 Replacing version dated / version: 19.10.2012 / 0004 Valid from: 21.08.2015 PDF print date: 24.08.2015 Saegekettenoel 100 1 L Art.: 1277

CO2

(GB)

#### Water jet spray

Unsuitable extinguishing media

## High volume water jet **5.2 Special hazards arising from the substance or mixture**

In case of fire the following can develop: Oxides of carbon Flammable vapour/air mixtures Decomposition products Oxides of sulphur Oxides of nitrogen

#### 5.3 Advice for firefighters

Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation, and contact with eyes or skin.

If applicable, caution - risk of slipping. Do not carry cleaning cloths soaked in product in trouser pockets.

#### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk. Prevent from entering drainage system.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

## 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Observe directions on label and instructions for use. Take measures against electrostatic charging, if appropriate. If applicable:

#### Use explosion-proof equipment. 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

## 7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells. Store product closed and only in original packing.

Protect against moisture and store closed.

## 7.3 Specific end use(s)

No information available at present.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters



Page 4 of 10

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 21.08.2015 / 0005 Replacing version dated / version: 19.10.2012 / 0004 Valid from: 21.08.2015 PDF print date: 24.08.2015 Saegekettenoel 100 1 L Art.: 1277

| Chemical Name                  | Oil mist, mineral |                                      |          | Content %: |
|--------------------------------|-------------------|--------------------------------------|----------|------------|
| WEL-TWA: 5 mg/m3 (ACGIH)       | WE                | L-STEL: 10 mg/m3 (ACGIH)             |          |            |
| Monitoring procedures:         | - Draege          | er - Oil 10/a-P (67 28 371)          |          |            |
|                                | - Draege          | er - Oil Mist 1/a (67 33 031)        |          |            |
| BMGV:                          |                   | Other info                           | rmation: |            |
| Chemical Name                  | Bitumen           |                                      |          | Content %: |
| WEL-TWA: 5 mg/m3 (Asphalt, pet | bleum fumes) WE   | L-STEL: 10 mg/m3 (Asphalt, petroleun | n fumes) |            |
| Monitoring procedures:         |                   |                                      |          |            |
| BMGV:                          |                   | Other info                           | rmation: |            |

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

## 8.2 Exposure controls

## 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

#### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles (EN 166) with side protection, with danger of projections.

Skin protection - Hand protection: Protective nitrile gloves (EN 374) Protective hand cream recommended.

The breakthrough times determined in accordance with EN 374 Part 3 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: If OES or MEL is exceeded. Filter A - P2 EN 14387 Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

## 8.2.3 Environmental exposure controls



Page 5 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 21.08.2015 / 0005 Replacing version dated / version: 19.10.2012 / 0004 Valid from: 21.08.2015 PDF print date: 24.08.2015 Saegekettenoel 100 1 L Art.: 1277

No information available at present.

œ

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

| Physical state:                          | Liquid             |
|--|--------------------|
| Colour:                                  | Brown              |
| Odour:                                   | Characteristic     |
| Odour threshold:                         | Not determined     |
| pH-value:                                | Not determined     |
| Melting point/freezing point:            | Not determined     |
| Initial boiling point and boiling range: | Not determined     |
| Flash point:                             | 200 °C             |
| Evaporation rate:                        | Not determined     |
| Flammability (solid, gas):               | Not determined     |
| Lower explosive limit:                   | Not determined     |
| Upper explosive limit:                   | Not determined     |
| Vapour pressure:                         | Not determined     |
| Vapour density (air = 1):                | Not determined     |
| Density:                                 | 0,89 g/ml          |
| Bulk density:                            | Not determined     |
| Solubility(ies):                         | Not determined     |
| Water solubility:                        | Insoluble          |
| Partition coefficient (n-octanol/water): | Not determined     |
| Auto-ignition temperature:               | Not determined     |
| Decomposition temperature:               | Not determined     |
| Viscosity:                               | 100 mm2/s (40°C)   |
| Viscosity:                               | 13,5 mm2/s (100°C) |
| Explosive properties:                    | Not determined     |
| Oxidising properties:                    | Not determined     |
| 9.2 Other information                    |                    |
| Miscibility:                             | Not determined     |
| Fat solubility / solvent:                | Not determined     |
| Conductivity:                            | Not determined     |
| Surface tension:                         | Not determined     |
| Solvents content:                        | Not determined     |

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

See also Subsection 10.2 to 10.6. The product has not been tested.

**10.2 Chemical stability** See also Subsection 10.1 to 10.6.

## 10.3 Possibility of hazardous reactions

See also Subsection 10.1 to 10.6.

#### 10.4 Conditions to avoid

See also section 7. Protect from humidity. Open flame, ignition sources

## **10.5 Incompatible materials**

See also section 7. Avoid contact with strong oxidizing agents. Avoid contact with other chemicals.

## **10.6 Hazardous decomposition products**

See also Subsection 10.1 to 10.5. See also section 5.2



Page 6 of 10

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 21.08.2015 / 0005 Replacing version dated / version: 19.10.2012 / 0004 Valid from: 21.08.2015 PDF print date: 24.08.2015 Saegekettenoel 100 1 L Art.: 1277

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

| Saegekettenoel 100 1 L<br>Art.: 1277                          |              |       |      |          |             |  |
|---|--------------|-------|------|----------|-------------|--|
| Toxicity / effect   | Endpoin<br>t | Value | Unit | Organism | Test method | Notes  |
| Acute toxicity, by oral route:                                |              |       |      |          |             | n.d.a.   |
| Acute toxicity, by dermal route:                              |              |       |      |          |             | n.d.a.   |
| Acute toxicity, by inhalation:                                |              |       |      |          |             | n.d.a.   |
| Skin corrosion/irritation:                                    |              |       |      |          |             | n.d.a.   |
| Serious eye damage/irritation:                                |              |       |      |          |             | n.d.a.   |
| Respiratory or skin sensitisation:                            |              |       |      |          |             | n.d.a.   |
| Germ cell mutagenicity:                                       |              |       |      |          |             | n.d.a.   |
| Carcinogenicity:  |              |       |      |          |             | n.d.a.   |
| Reproductive toxicity:  |              |       |      |          |             | n.d.a.   |
| Specific target organ toxicity -                              |              |       |      |          |             | n.d.a.   |
| single exposure (STOT-SE):                                    |              |       |      |          |             |  |
| Specific target organ toxicity - repeated exposure (STOT-RE): |              |       |      |          |             | n.d.a.   |
| Aspiration hazard:  |              |       |      |          |             | n.d.a.   |
| Symptoms:   |              |       |      |          |             | n.d.a.   |
| Other information:  |              |       |      |          |             | Classification according to calculation procedure. |

| Bitumen                        |         |       |       |          |             |       |
|--------------------------------|---------|-------|-------|----------|-------------|-------|
| Toxicity / effect              | Endpoin | Value | Unit  | Organism | Test method | Notes |
|                                | t       |       |       |          |             |       |
| Acute toxicity, by oral route: | LD50    | >5000 | mg/kg | Rat      |             |       |

## **SECTION 12: Ecological information**

| Saegekettenoel 100 1 L |          |      |       |      |          |             |                          |
|------------------------|----------|------|-------|------|----------|-------------|--------------------------|
| Art.: 1277             |          |      |       |      |          |             |                          |
| Toxicity / effect      | Endpoint | Time | Value | Unit | Organism | Test method | Notes                    |
| Toxicity to fish:      |          |      |       |      |          |             | n.d.a.                   |
| Toxicity to daphnia:   |          |      |       |      |          |             | n.d.a.                   |
| Toxicity to algae:     |          |      |       |      |          |             | n.d.a.                   |
| Persistence and        |          |      |       |      |          |             | Mechanical precipitation |
| degradability:         |          |      |       |      |          |             | possible.                |
| Bioaccumulative        |          |      |       |      |          |             | n.d.a.                   |
| potential:             |          |      |       |      |          |             |                          |
| Mobility in soil:      |          |      |       |      |          |             | n.d.a.                   |
| Results of PBT and     |          |      |       |      |          |             | n.d.a.                   |
| vPvB assessment        |          |      |       |      |          |             |                          |
| Other adverse effects: |          |      |       |      |          |             | n.d.a.                   |

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

## For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be



Page 7 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 21.08.2015 / 0005 Replacing version dated / version: 19.10.2012 / 0004 Valid from: 21.08.2015 PDF print date: 24.08.2015 Saegekettenoel 100 1 L Art.: 1277

allocated under certain circumstances. (2014/955/EU) 07 06 99 wastes not otherwise specified 13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils Recommendation: Sewage disposal shall be discouraged. Pay attention to local and national official regulations. E.g. dispose at suitable refuse site. E.g. suitable incineration plant.

## For contaminated packing material

(GB)

Pay attention to local and national official regulations. 15 01 01 paper and cardboard packaging 15 01 02 plastic packaging 15 01 04 metallic packaging

## **SECTION 14: Transport information**

n.a.

#### General statements UN number: Transport by road/by rail (ADR/RID)

| Transport by roau/by rail (ADR/RID)       |                |
|---|----------------|
| UN proper shipping name:                  |                |
| Transport hazard class(es):               | n.a.           |
| Packing group:                            | n.a.           |
| Classification code:                      | n.a.           |
| LQ (ADR 2015):                            | n.a.           |
| Environmental hazards:                    | Not applicable |
| Tunnel restriction code:                  |                |
| Transport by sea (IMDG-code)              |                |
| UN proper shipping name:                  |                |
| Transport hazard class(es):               | n.a.           |
| Packing group:                            | n.a.           |
| Marine Pollutant:                         | n.a            |
| Environmental hazards:                    | Not applicable |
| Transport by air (IATA)                   |                |
| UN proper shipping name:                  |                |
| Transport hazard class(es):               | n.a.           |
| Packing group:                            | n.a.           |
| Environmental hazards:                    | Not applicable |
| On a sight was a sufficiency for a second |                |

#### Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

**SECTION 15: Regulatory information** 

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

For classification and labelling see Section 2. Observe restrictions:

General hygiene measures for the handling of chemicals are applicable. No

## 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## **SECTION 16: Other information**

Revised sections:

1 - 16

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):



Page 8 of 10

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 21.08.2015 / 0005 Replacing version dated / version: 19.10.2012 / 0004 Valid from: 21.08.2015 PDF print date: 24.08.2015 Saegekettenoel 100 1 L Art.: 1277

#### Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

## Any abbreviations and acronyms used in this document:

AC **Article Categories** acc., acc. to according, according to ACGIH American Conference of Governmental Industrial Hygienists ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) ATE Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAM BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BHT BMGV Biological monitoring guidance value (EH40, UK) BOD Biochemical oxygen demand BSEF Bromine Science and Environmental Forum body weight bw CAS Chemical Abstracts Service Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids CFC CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques CIPAC Collaborative International Pesticides Analytical Council Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and CLP mixtures) CMR carcinogenic, mutagenic, reproductive toxic COD Chemical oxygen demand Cosmetic, Toiletry, and Fragrance Association CTFA DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon Dwell Time - 50% reduction of start concentration DT50 DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes) dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. ЕČ European Community ECHA European Chemicals Agency EEA European Economic Area EEC European Economic Community European Inventory of Existing Commercial Chemical Substances EINECS ELINCS European List of Notified Chemical Substances ΕN European Norms FPA United States Environmental Protection Agency (United States of America) ERC **Environmental Release Categories** ES Exposure scenario etc. et cetera EU **European Union** EWC European Waste Catalogue Fax number Fax. general aen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential HET-CAM Hen's Egg Test - Chorionallantoic Membrane



(GB) Page 9 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 21.08.2015 / 0005 Replacing version dated / version: 19.10.2012 / 0004 Valid from: 21.08.2015 PDF print date: 24.08.2015 Saegekettenoel 100 1 L Art.: 1277 HGWP Halocarbon Global Warming Potential IARC International Agency for Research on Cancer International Air Transport Association IATA Intermediate Bulk Container IBC International Bulk Chemical (Code) IBC (Code) IC Inhibitory concentration IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive IUCLID International Uniform ChemicaL Information Database lethal concentration LC lethal concentration 50 percent kill LC50 lowest published lethal concentration LCLo Lethal Dose of a chemical LD LD50 Lethal Dose, 50% kill LDLo Lethal Dose Low LOAEL Lowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration LOEL Lowest Observed Effect Level LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable not available n.av. not checked n.c. n.d.a. no data available NIOSH National Institute of Occupational Safety and Health (United States of America) NOAEC No Observed Adverse Effective Concentration NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration NOEL No Observed Effect Level **Ozone Depletion Potential** ODP OECD Organisation for Economic Co-operation and Development organic org. PAH polycyclic aromatic hydrocarbon PBT persistent, bioaccumulative and toxic PC Chemical product category PE Polyethylene PNEC Predicted No Effect Concentration POCP Photochemical ozone creation potential parts per million ppm PROC Process category PTFE Polytetrafluorethylene REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List REACH-IT List-No. Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International RID Carriage of Dangerous Goods by Rail) SADT Self-Accelerating Decomposition Temperature SAR Structure Activity Relationship SU Sector of use SVHC Substances of Very High Concern Tel. Telephone ThOD Theoretical oxygen demand Total organic carbon TOC TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances) UN RTDG United Nations Recommendations on the Transport of Dangerous Goods Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria)) VbF VOC Volatile organic compounds vPvB very persistent and very bioaccumulative WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK). WHO World Health Organization wwt wet weight



Page 10 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 21.08.2015 / 0005 Replacing version dated / version: 19.10.2012 / 0004 Valid from: 21.08.2015 PDF print date: 24.08.2015 Saegekettenoel 100 1 L Art.: 1277

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

œ

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.