MSDS #: _____

Revision Date: September 22, 2011

Product Code:

Page 1 of 8 IC3151-0101 4705A

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier:

Product Name: Canon Ink Tank BCI-6BK

Product Code: 4705A

Relevant Identified Uses: Ink for Ink Jet Printer

Details of Supplier of Safety Data Sheet:

Supplier: Canon Europa NV

Address: Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands

Telephone Number:+31 20 5458545, +31 20 5458222

E-mail Address: www.canon-europe.com, ceu-Reach@canon-europe.com

_ DENMARK: +45 82 12 12; GERMANY: +49 30 19240, +49 761 19240;

Emergency Telephone Number: BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48; UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31

Manufacturer: Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2 HAZARDS IDENTIFICATION

Emergency Overview:

Ink tank containing black liquid ink with slight odor.

US Regulatory Status under FHSA:

Not classified as hazardous.

US Label Elements under FHSA:

Signal Word: Not required

Hazard Warning: Not required

Safety Advice: Not required

Hazardous Component: Not required

EU Classification under 1999/45/EC:

Not classified as dangerous.

EU Label Elements under 1999/45/EC:

Symbol & Indication: Not required

R-Phrase: Not required

S-Phrase: Not required

Dangerous Component: Not required

Applicable Label Elements in accordance with Annex V to 1999/45/EC:

Not required

Other Hazards:

None



MSDS #:

Page 2 of 8 IC3151-0101

MATERIAL SAFETY DATA SHEET Product Code: 4705A

COMPOSITION/INFORMATION ON INGREDIENTS **SECTION 3**

Substance or Mixture: Mixture

Ingredient(s):

Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration Range (%)	EU Classification according to 67/548/EEC		EU Classification according to (EC) No 1272/2008		Note to Other
			Symbol/ Indication of Danger	R-Phrase*1	Hazard Class/ Category Code	Hazard Statement* ¹	Hazards*2
Glycerin	56-81-5 / 200-289-5	5 - 10	None	None	None	None	(1)
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / Harmful	R22	Acute Tox. 4	H302	(1)
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 5	F / Highly flammable Xi / Irritant	R11 R36 R67	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	(1)
Ammonia derivative	Confidential	10 - 15	None	None	None	None	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

^{*1} Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Date of Issue:December 22, 2000 Revision Date: September 22, 2011

^{*2} The following substance(s) is (are) marked with (1), (2) and/or (3)

⁽¹⁾ Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

⁽²⁾ PBT substance or vPvB substance under Regulation (EC) No 1907/2006

⁽³⁾ Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

MSDS #: _ Product Code:

IC3151-0101

4705A

Page 3 of 8

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Most Important Symptoms and Effects, both Acute and Delayed:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Skin:

May cause no irritation and mild sensitization. (See SECTION 11)

Eye:

May cause minimal irritation. (See SECTION 11)

Chronic Effects:

Not identified

Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Hazards:

None

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Advice for Fire-fighters:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

Date of Issue: December 22, 2000

Revision Date: September 22, 2011



Page 4 of 8

IC3151-0101 MSDS #: Product Code: 4705A

Revision Date: September 22, 2011

SECTION 7	HANDLING AND STORAGE				
Precautions for Safe Handling:					
Use with adequate ventilation.					
Avoid contact with skin, eyes and clothing.					
In case of contact, wash out the contaminated area immediately.					
Conditions for	Safe Storage, Including Any Incompatibilities:				
Keep in a cool and dry place. Protect from sunlight.					
Keep away from heat and flame.					
Keep out of t	Keep out of the reach of children.				
Specific End U	ses:				

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION Control Parameters: ACGIH TLV USA EU OEL DFG MAK OSHA PEL Product (Ink) Not established Not established Not established Not established Glycerin Glycerin mist: Glycerin mist: Not established Not established TWA 15 mg/m³ TWA 10 mg/m³ (Total dust) TWA 5 mg/m³ (Respirable fraction) Ethylene glycol Not established TWA 20 ppm, 10 ppm, 26 mg/m³ aerosol: Ceiling 100 mg/m³ 52 mg/m^3 STEL 40 ppm, 104 mg/m^3 Isopropyl alcohol TWA 400 ppm, TWA 200 ppm, Not established 200 ppm, 500 mg/m³ 492 mg/m^3 980 mg/m^3 STEL 400 ppm, 984 mg/m³

Exposure Controls: Engineering Controls: No special ventilation equipment is needed under intended use of this product.					
Individual Protection Measures:					
Eye/Face Protection:	☐ Required	Not Required			
Skin Protection:	☐ Required	Not Required			
Respiratory Protection: \square Required		Not Required			

MSDS #:

Revision Date: September 22, 2011

IC3151-0101 Product Code: 4705A

Page 5 of 8

	CHEMICAL PROPERTIES	
Information on Basic Physical and C	Chemical Properties:	
Appearance:	Black liquid	
Odor:	Slight odor	
pH:	7 - 8	
Melting Point/Freezing Point (°C):	Not available	
Initial Boiling Point and Boiling Range (°C):	Not available	
Flash Point(°C):	56 - 58 (Tag Closed Cup. Combustion is not sustainable.) (Estimate)	
Evaporation Rate:	Not available	
Flammability:	Classified as "combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC.	
Upper/Lower Flammable or Explosive Limits:	Not available	
Vapor Pressure :	Not available	
Vapor Density:	Not available	
Relative Density:	1.0 - 1.1	
Water Solubility:	Miscible	
Fat Solubility:	Not available	
Partition Coefficient (n-Octanol/W	ater): Not available	
Auto-ignition Temperature (°C):	Not available	
Decomposition Temperature (°C):	Not available	
Viscosity (mPa s):	1 - 5	
Explosive Properties:	None (Estimate)	
Oxidizing Properties:	None (Estimate)	
Other Information:	Not available	
SECTION 10 STABILITY AND	REACTIVITY	
Reactivity:	None	
Chemical Stability:	Stable □ Unstable	
Possibility of Hazardous Reactions:	None	
Conditions to Avoid:	None	
Incompatible Materials:	Acids, bases, oxidizing materials and reducing agents	

Hazardous Decomposition Products: CO, CO2, NOx, SOx and Ammonia

MSDS #: Product Code:

IC3151-0101

4705A

Page 6 of 8

TOXICOLOGICAL INFORMATION **SECTION 11**

Information on Toxicological Effects:

Acute Toxicity: Inhalation:

Not available

Ingestion:

Not available

Corrosivity/Irritation:

Skin:

Non-irritant (rabbit) (Estimate)

OECD Guidelines No. 404 (1992), 92/69/EEC Method B4

Eye:

Minimal irritant (rabbit) (Estimate)

OECD Guidelines No. 405 (1987), 92/69/EEC Method B5

Sensitization:

Skin:

Mild sensitizer (guinea pig) (Estimate)

OECD Guidelines No. 406 (1992), 96/54/EC Method B6

Repeated Dose Toxicity:

Not available

Carcinogenicity:

Not available

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Toxicity for Reproduction:

Not available

Other Information:

Not available

Date of Issue: December 22, 2000

Revision Date: September 22, 2011

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: ____

Product Code:

IC3151-0101

4705A

Page 7 of 8

SECTION 12 ECOLOGICAL INFORMATION

Toxicity: Not available

Persistence and Degradability: Not available

Bioaccumulative Potential: Not available **Mobility in Soil:** Not available

Results of PBT and vPvB

No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under

Assessment: Regulation (EC) No 1907/2006.

Other Adverse Effects: Not available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Disposal should be subject to federal, state and local laws.

SECTION 14 TRANSPORT INFORMATION

UN Number: None

UN Proper Shipping Name: None

Transport Hazard Class: None

Packing Group: None

Environmental Hazards: Not classified as environmentally hazardous under UN Model Regulations and marine

pollutant under IMDG Code.

Special Precautions for User: None

SECTION 15 REGULATORY INFORMATION

< USA Information >

SARA Title III §313:

Chemical Name Weight %

"Ethylene glycol" (107-21-1) 5 - 10

California Proposition 65:

Chemical Name Weight %

None

< EU Information >

Safety, Health and Environmental Regulations/Legislation:

(EC) No 1907/2006: Authorisation: Not regulated

Restriction: Not regulated

(EC) No 1005/2009: Not regulated

(EC) No 850/2004: Not regulated

(EC) No 689/2008: Not regulated

Others: None

Chemical Safety Assessment under (EC) No 1907/2006: Not required

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

Date of Issue: December 22, 2000

Revision Date: September 22, 2011

MSDS #:

IC3151-0101

Page 8 of 8

Product Code: 4705A

SECTION 16 OTHER INFORMATION

<EU R-phrase according to 67/548/EEC>

R11: Highly flammable. R22: Harmful if swallowed.

R36: Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

<EU Hazard statement according to (EC) No 1272/2008>

H225: Highly flammable liquid and vapour.

H302: Harmful if swallowd.

H319: Causes serious eye irritation.

H336: May cause drowsiness and dizziness.

<Revised information from the previous version>

Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and

2009/161/EU

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft

TWA: Time Weighted Average STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue: December 22, 2000 Revision Date: September 22, 2011