

U.I. Lapp GmbH	DATASHEET	
	TEB branch muff	61830140 14.11.2013

TEB branch muffs with adhesive coating inside can be used for insulating and sealing of cable splices.



Good chemical resistance



Halogen-free



UV-resistant



Waterproof

Application range

Insulation and sealing of cable splices

Benefits

Secure sealing through thermoplastic adhesive coating on the inside
 Good resistance to chemicals and solvents
 Ensures high tensile strength and mechanical protection

Design

Double-walled

Norm references / Approvals

Protection rating: IP67

Remark

1. after shrinking +/- 10%; 2. after shrinking +/- 20%

Photographs are not to scale and do not represent detailed images of the respective products.

Product Management	Document: TEB branch muff	1 / 3
--------------------	---------------------------	-------


U.I. Lapp GmbH	DATASHEET	
	TEB branch muff	61830140 14.11.2013

Technical Data

Article description:	TEB4-38/11
Number of cores:	4
H max. mm:	38
H min. mm:	14
K max. mm:	11
K min. mm:	4
P* mm:	110
R* mm:	20
Pieces / PU:	1
General:	UV-resistant
Info:	Shrinking ratio: > 2:1
Colour delivered:	Black
Material:	Cross-linked modified polyolefin, with thermoplastic adhesive coating inside Halogen-free and silicone-free
Temperature range:	-55°C to +100 °C Shrinking temperature: +120°C

Product Management	Document: TEB branch muff	2 / 3
--------------------	---------------------------	-------

U.I. Lapp GmbH	DATASHEET	 LAPP GROUP
	TEB branch muff	61830140 14.11.2013



Product Management	Document: TEB branch muff	3 / 3
--------------------	---------------------------	-------