
### U.I. Lapp **DATASHEET ® LAPP GROUP** GmbH 53112512 **SKINTOP® MS-M** 14.11.2013

Maximum reliability Optimum strain relief Wide, variable clamping ranges For cable diameters up to 98 mm











Good chemical resistance



Corrosion-resistant



Mechanical resistance



Optimum strain relief



Acid-resistant



Temperature-resistant



Variety of approval certifications

# Info

SKINTOP® MS-M sizes 75 x 1.5 to 110 x 2 with innovative double lamella gasket for easier assembling of cables with large diameters.

Now with IP 69 K approval! Proven to withstand the most demanding cleaning procedures for industrial machinery with highpressure cleaners and hot water!

## Application range

In areas where mechanical and chemical stability are critical Chemical industry Measurement and control technology Machine and equipment manufacturing Plant engineering

# Design

Metric connection thread acc. to EN 50262

### Norm references / Approvals

UL File Nr. E79903

### Note

Counter nut to be used: SKINDICHT® SM-M

Refer to SKINTOP® metric accessories for suitable accessories

	Product Management	Document: SKINTOP® MS-M	1/3
١			

# U.I. Lapp GmbH DATASHEET SKINTOP® MS-M 53112512 14.11.2013

### Remark

Photographs are not to scale and do not represent detailed images of the respective products.

**Technical Data** 

Article designation / size: 90 x 2
Clamping range ØF (mm): 66-78
SW (mm): 115
Overall length, C (mm): 136
Thread length, D (mm): 20
Pieces / PU: 1

Caution: Refer to Appendix T21 for the installation dimensions and

torques

Approvals: IP 69 K approval from size M75 x 1.5 pending.

UL, CSA, DNV and VDE approval for sizes M90 x 2 to M110 x

2 pending.

Note: In stainless steel V2A available

Material: Body: nickel-plated brass

Insert: polyamide Sealing ring: CR O-ring: NBR

Protection rating: IP 68

IP 69 K

Temperature range: Dynamic: -30 °C to +100 °C

Fixed: -40°C to +100°C

Product Management	Document: SKINTOP® MS-M	2/3
--------------------	-------------------------	-----

U.I. Lapp GmbH	DATASHEET	<b>EXAPP GROUP</b>
	SKINTOP® MS-M	53112512
		14.11.2013

