

# Star HDMI Splitter 1>2

#### Dear Customer

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or adjusting this product. Please keep this manual for future reference.

## Introduction

This HDMI Amplifier Splitter is an HDMI splitter with two outputs. It distributes the input of the HDMI signal into the two identical outputs simultaneously.

#### **Features**

This HDMI Splitter has many features that enable it to perform in a superior manner. Among those features you will find:

- Easy to Use: Install in seconds, no need of setting.
- Supports HDMI1.3b.
- Supports highest video resolution 1080p.
- Supports 225MHz/2.25Gbps per channel (6.75Gbps all channel) bandwidth.
- Supports 12bit per channel (36bit all channel) deep color.
- Supports HDCP.
- Supports uncompressed audio such as LPCMSupports compressed audio such as DTS Digital, Dolby Digital (including DTS-HD and Dolby True HD)

## **Specifications**

•	Signal Inputs/Output	Input DDC Signal 5 volts p-p (TTL) Maximum Single Link Range 1920X1080p Output Video HDMI 1.3b+ HDCP1.0/1.1
•	Operating Frequency	Vertical Frequency Range 50/60Hz Video Amplifier Bandwidth 2.25Gbps/225MHz
•	Resolutions(HDTV)	Interlaced(50&60Hz) 480i,576i,1080i Progressive(50&60Hz) 480p,576p,720p,1080p
•	Size	63×54×18mm (L-W-H)
•	Power Requirement	Power consumption (Max) 8W
•	Regulatory Approvals	Converter Unit FCC,CE,UL
		Power Supply UL,CE,FCC

Note: Specifications are subject to change without notice.




# **Package Contents**

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- Main unit
- 5V DC Power Supply
- User's Manual

## **Panel Descriptions**



# **Connection and Operation**

- Plug the Pigtail of the HDMI Splitter into HDMI source device.
- Connect output devices to the outputs of the HDMI Splitter using HDMI cable. (HDMI cables are optional)
- Insert the DC side of 5v power supply into it and then connect the AC side of the power supply into the wall outlet.

Attention: Insert / Extract cable gently.

## **Connection Diagram**

