



Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 17/02/2025 Revision date: 27/08/2024 Supersedes version of: 08/03/2024 Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Supercut
UFI : Y91Y-6802-8007-9TG6
Product code : BDS002293AE
Vaporizer : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : lubricants

1.3. Details of the supplier of the safety data sheet

Supplier

CRC Industries Europe B.V.
Touwslagerstraat 1
9240 Zele
Belgium
T +32(0)52/45.60.11, F +32(0)52/45.00.34
hse@crcind.com, www.crcind.com

1.4. Emergency telephone number

Emergency number : +32(0)52/45.60.11
Office hours: 9-17h CET

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 2 H223;H229
Skin sensitisation, Category 1 H317
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Flammable aerosol. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Warning

Contains :

Polysulfides, di-tert-dodecyl;Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts;Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts

Hazard statements (CLP) :

H223 - Flammable aerosol.
H229 - Pressurised container: May burst if heated.
H317 - May cause an allergic skin reaction.

Precautionary statements (CLP) :

P102 - Keep out of reach of children.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P261 - Avoid breathing vapours/spray.
P280 - Wear protective gloves/protective clothing.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
P501 - Dispose of contents/container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Extra phrases : This product contains a fluorinated greenhouse gas.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|--------|---|
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (Note L) | CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-25 | 5 – 10 | Asp. Tox. 1, H304 |
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (Note L) | CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077-29 | 1 – 5 | Asp. Tox. 1, H304 |
| Polysulfides, di-tert-dodecyl | CAS-No.: 68425-15-0 EC-No.: 270-335-7 REACH-no: 01-2119540516-41 | 1 – 5 | Skin Sens. 1, H317 |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts | CAS-No.: 70024-69-0 EC-No.: 274-263-7 REACH-no: 01-2119492616-28 | < 1 | Skin Sens. 1, H317 |
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts | CAS-No.: 68584-23-6 EC-No.: 271-529-4 REACH-no: 01-2119492627-25 | < 1 | Skin Sens. 1B, H317 |
| Carbon dioxide (CO2) (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit | CAS-No.: 124-38-9 | < 1 | Press. Gas (Comp.), H280 |
| 2,2'-(octadec-9-enylimino)bisethanol | CAS-No.: 25307-17-9 EC-No.: 246-807-3 REACH-no: 01-2119510876-35 | < 0,1 | Acute Tox. 4 (Oral), H302 (ATE=1260 mg/kg bodyweight) Skin Corr. 1, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) |

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:

| Name | Product identifier | Specific concentration limits (%) |
|---|--|------------------------------------|
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts | CAS-No.: 68584-23-6 EC-No.: 271-529-4 REACH-no: 01-2119492627-25 | (10 ≤ C < 100) Skin Sens. 1B; H317 |

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop, get medical attention.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Seek medical attention if irritation develops.
- First-aid measures after eye contact : Rinse eyes with water as a precaution. Seek medical attention if irritation develops.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable aerosol.
- Explosion hazard : Pressurised container: May burst if heated.
- Hazardous decomposition products in case of fire : During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

- Firefighting instructions : Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- Protective equipment : Wear appropriate protective equipment and clothing during clean-up.

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to remove residual contamination.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Avoid prolonged exposure. Handle in accordance with good industrial hygiene and safety procedures.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool. Keep container closed when not in use.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

| Carbon dioxide (CO ₂) (124-38-9) | |
|--|---------------------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| Local name | Carbon dioxide |
| IOEL TWA | 9000 mg/m ³ |
| | 5000 ppm |
| Regulatory reference | COMMISSION DIRECTIVE 2006/15/EC |

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Carbon dioxide (CO2) (124-38-9) | |
|---|---|
| Belgium - Occupational Exposure Limits | |
| Local name | Carbone (dioxyde de) # Koolstofdioxide |
| OEL TWA | 9131 mg/m ³ |
| | 5000 ppm |
| OEL STEL | 54784 mg/m ³ |
| | 30000 ppm |
| Remark | A: la mention "A" signifie que l'agent libère un gaz ou une vapeur qui n'ont en eux-mêmes aucun effet physiologique mais peuvent diminuer le taux d'oxygène dans l'air. Lorsque le taux d'oxygène descend en dessous de 17-18 % (vol/vol) le manque d'oxygène provoque des suffocations qu'aucun symptôme préalable n'annonce. # A: de vermelding "A" betekent dat dit agens gas of damp vrijgeeft dat of die op zich geen fysiologische werking heeft, maar het zuurstofgehalte in de lucht verlaagt. Wanneer het zuurstofgehalte daalt onder de 17-18 % (vol/vol), veroorzaakt het zuurstoftekort verstikking, die zich manifesteert zonder dat er een waarschuwing aan voorafgaat. |
| Regulatory reference | Koninklijk besluit/Arrêté royal 16/11/2023 |

DNEL and PNEC

| Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8) | |
|--|-----------------------------|
| DNEL/DMEL (Workers) | |
| Long-term - systemic effects, dermal | 0,97 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 2,73 mg/m ³ |
| Long-term - local effects, inhalation | 5,58 mg/m ³ |
| DNEL/DMEL (General population) | |
| Long-term - systemic effects,oral | 0,74 mg/kg bodyweight/day |
| PNEC (Oral) | |
| PNEC oral (secondary poisoning) | 9,33 mg/kg food |
| Polysulfides, di-tert-dodecyl (68425-15-0) | |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 3,85 mg/kg dwt |
| PNEC sediment (marine water) | 0,385 mg/kg dwt |
| PNEC (Oral) | |
| PNEC oral (secondary poisoning) | 66,7 mg/kg food |
| PNEC (STP) | |
| PNEC sewage treatment plant | 1 g/l |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| DNEL/DMEL (Workers) | |
| Long-term - systemic effects, dermal | 3,33 mg/kg bodyweight/day |
| Long-term - local effects, dermal | 1,03 mg/cm ² |
| Long-term - systemic effects, inhalation | 11,75 mg/m ³ |
| DNEL/DMEL (General population) | |
| Long-term - systemic effects,oral | 0,8333 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 2,9 mg/m ³ |

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
|--|-----------------------------|
| Long-term - systemic effects, dermal | 1,667 mg/kg bodyweight/day |
| Long-term - local effects, dermal | 0,513 mg/cm ² |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 1 mg/l |
| PNEC aqua (marine water) | 1 mg/l |
| PNEC aqua (intermittent, freshwater) | 10 mg/l |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 226000000 mg/kg dwt |
| PNEC sediment (marine water) | 226000000 mg/kg dwt |
| PNEC (Soil) | |
| PNEC soil | 271000000 mg/kg dwt |
| PNEC (Oral) | |
| PNEC oral (secondary poisoning) | 16,667 mg/kg food |
| PNEC (STP) | |
| PNEC sewage treatment plant | 1000 mg/l |
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6) | |
| DNEL/DMEL (Workers) | |
| Long-term - systemic effects, dermal | 3,33 mg/kg bodyweight/day |
| Long-term - local effects, dermal | 1,03 mg/cm ² |
| Long-term - systemic effects, inhalation | 11,75 mg/m ³ |
| DNEL/DMEL (General population) | |
| Long-term - systemic effects, oral | 0,8333 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 2,9 mg/m ³ |
| Long-term - systemic effects, dermal | 1667 mg/kg bodyweight/day |
| Long-term - local effects, dermal | 0,513 mg/cm ² |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 1 mg/l |
| PNEC aqua (marine water) | 1 mg/l |
| PNEC aqua (intermittent, freshwater) | 10 mg/l |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 226000000 mg/kg dwt |
| PNEC sediment (marine water) | 226000000 mg/kg dwt |
| PNEC (Soil) | |
| PNEC soil | 271000000 mg/kg dwt |
| PNEC (Oral) | |
| PNEC oral (secondary poisoning) | 16667 mg/kg food |
| PNEC (STP) | |
| PNEC sewage treatment plant | 1000 mg/l |

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)

DNEL/DMEL (Workers)

| | |
|--|---------------------------|
| Long-term - systemic effects, dermal | 0,97 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 2,73 mg/m ³ |
| Long-term - local effects, inhalation | 5,58 mg/m ³ |

DNEL/DMEL (General population)

| | |
|------------------------------------|---------------------------|
| Long-term - systemic effects, oral | 0,74 mg/kg bodyweight/day |
|------------------------------------|---------------------------|

PNEC (Oral)

| | |
|---------------------------------|-----------------|
| PNEC oral (secondary poisoning) | 9,33 mg/kg food |
|---------------------------------|-----------------|

2,2'-(octadec-9-enylimino)bisethanol (25307-17-9)

DNEL/DMEL (Workers)

| | |
|--|---------------------------|
| Long-term - systemic effects, dermal | 0,42 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 2,96 mg/m ³ |

DNEL/DMEL (General population)

| | |
|--|---------------------------|
| Long-term - systemic effects, oral | 0,15 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 0,522 mg/m ³ |
| Long-term - systemic effects, dermal | 0,15 mg/kg bodyweight/day |

PNEC (Water)

| | |
|--------------------------------------|-------------|
| PNEC aqua (freshwater) | 0,214 µg/l |
| PNEC aqua (marine water) | 0,0214 µg/l |
| PNEC aqua (intermittent, freshwater) | 0,87 µg/l |

PNEC (Sediment)

| | |
|------------------------------|------------------|
| PNEC sediment (freshwater) | 1,692 mg/kg dwt |
| PNEC sediment (marine water) | 0,1692 mg/kg dwt |

PNEC (Soil)

| | |
|-----------|-------------|
| PNEC soil | 5 mg/kg dwt |
|-----------|-------------|

PNEC (Oral)

| | |
|---------------------------------|--------------|
| PNEC oral (secondary poisoning) | 2 mg/kg food |
|---------------------------------|--------------|

PNEC (STP)

| | |
|-----------------------------|-----------|
| PNEC sewage treatment plant | 1500 µg/l |
|-----------------------------|-----------|

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protection equipment

Personal protective equipment symbol(s):



Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye and face protection

Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields.

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Neoprene or nitrile rubber gloves.

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: A

Thermal hazards

Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---|
| Physical state | : Liquid |
| Colour | : Amber. |
| Appearance | : Propelled liquid. |
| Odour | : Characteristic. |
| Odour threshold | : Not available |
| Melting point | : Not applicable |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Flammable aerosol. |
| Explosive properties | : Pressurised container: May burst if heated. |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : 170 °C |
| Auto-ignition temperature | : > 200 °C |
| Decomposition temperature | : Not available |
| pH | : Not applicable |
| Viscosity, kinematic | : 26,27 mm ² /s at 40 °C |
| Viscosity, dynamic | : 23,09 mPa·s at 40 °C |
| Solubility | : Insoluble in water. |
| Partition coefficient n-octanol/water (Log Kow) | : Not applicable |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : 0,879 g/cm ³ at 20 °C |
| Relative density | : 0,88 at 20 °C |
| Relative vapour density at 20°C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

Information with regard to physical hazard classes

% of flammable ingredients : 0 %

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other safety characteristics

VOC content : 50 g/l
Additional information : For aerosols data for the product without propellant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

| Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8) | |
|--|--------------------------|
| LD50 oral rat | > 5000 mg/kg bodyweight |
| LD50 dermal rabbit | > 2000 mg/kg |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| LD50 oral rat | > 5000 mg/kg bodyweight |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight |
| LC50 Inhalation - Rat | > 1,9 mg/l/4h |
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6) | |
| LD50 oral rat | > 16000 mg/kg bodyweight |
| LD50 dermal rabbit | > 5000 mg/kg |
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7) | |
| LD50 oral rat | > 5000 mg/kg bodyweight |
| LD50 dermal rabbit | > 5000 mg/kg |
| 2,2'-(octadec-9-enylimino)bisethanol (25307-17-9) | |
| LD50 oral rat | 1260 mg/kg |

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: Not applicable

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
|--|---|
| pH | 8,1 |
| Serious eye damage/irritation | : Not classified (Based on available data, the classification criteria are not met) pH: Not applicable |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| pH | 8,1 |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Carcinogenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Reproductive toxicity | : Not classified (Based on available data, the classification criteria are not met) |
| STOT-single exposure | : Not classified (Based on available data, the classification criteria are not met) |
| STOT-repeated exposure | : Not classified (Based on available data, the classification criteria are not met) |
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8) | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight |
| NOAEC (inhalation, rat, dust/mist/fume, 90 days) | > 0,98 mg/l air |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| NOAEL (oral, rat, 90 days) | 500 mg/kg bodyweight OECD Guideline 407 |
| NOAEL (dermal, rat/rabbit, 90 days) | > 1000 mg/kg bodyweight OECD Guideline 410 |
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6) | |
| NOAEL (oral, rat, 90 days) | 500 mg/kg bodyweight |
| NOAEL (dermal, rat/rabbit, 90 days) | > 1000 mg/kg bodyweight |
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7) | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight |
| Aspiration hazard | : Not classified (Based on available data, the classification criteria are not met) |
| Supercut | |
| Vaporizer | Aerosol |
| Viscosity, kinematic | 26,27 mm ² /s at 40 °C |

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8) | |
|--|---|
| LC50 - Fish [1] | > 5000 mg/l |
| EC50 - Crustacea [1] | > 1000 mg/l |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| LC50 - Fish [1] | > 1000 mg/l Cyprinodon variegatus |
| EC50 - Crustacea [1] | > 1000 mg/l Daphnia magna |
| EC50 72h - Algae [1] | > 1000 mg/l Pseudokirchneriella subcapitata |
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6) | |
| LC50 - Fish [1] | 10000 mg/l |
| EC50 72h - Algae [1] | > 1000 mg/l |
| EC50 96h - Algae [1] | > 1000 mg/l |
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7) | |
| EC50 - Crustacea [1] | > 1000 mg/l |
| EC50 96h - Algae [1] | > 1000 mg/l |
| 2,2'-(octadec-9-enylimino)bisethanol (25307-17-9) | |
| LC50 - Fish [1] | 0,1 mg/l Danio rerio |
| EC50 - Crustacea [1] | 0,043 mg/l Daphnia magna |
| EC50 72h - Algae [1] | 0,0538 mg/l Pseudokirchneriella subcapitata |
| 12.2. Persistence and degradability | |
| Supercut | |
| Persistence and degradability | Not established. No data is available on the degradability of this product. |
| 12.3. Bioaccumulative potential | |
| Supercut | |
| Partition coefficient n-octanol/water (Log Kow) | Not applicable |
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8) | |
| Partition coefficient n-octanol/water (Log Pow) | 3,9 – 6 |
| Polysulfides, di-tert-dodecyl (68425-15-0) | |
| Partition coefficient n-octanol/water (Log Pow) | 12,46 |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| Partition coefficient n-octanol/water (Log Pow) | > 5,47 |
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6) | |
| Partition coefficient n-octanol/water (Log Pow) | > 4,46 |
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7) | |
| Partition coefficient n-octanol/water (Log Pow) | 3,9 – 6 |
| 2,2'-(octadec-9-enylimino)bisethanol (25307-17-9) | |
| Partition coefficient n-octanol/water (Log Pow) | 6,6 |

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carbon dioxide (CO₂) (124-38-9)

Partition coefficient n-octanol/water (Log Pow) 0,83

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Supercut

Results of PBT assessment Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Supercut

Other information No other effects known

Global warming potential (GWP) 0.13 (Fluorinated greenhouse gases - (EC) No 2024/573)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
European List of Waste (LoW, EC 2000/532) : According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information






In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|-----------------------|----------------------------------|-----------------------|-----------------------|
| 14.1. UN number or ID number | | | | |
| UN 1950 | UN 1950 | UN 1950 | UN 1950 | UN 1950 |
| 14.2. UN proper shipping name | | | | |
| AEROSOLS | AEROSOLS | Aerosols, flammable | AEROSOLS | AEROSOLS |
| Transport document description | | | | |
| UN 1950 AEROSOLS, 2.1, (D) | UN 1950 AEROSOLS, 2.1 | UN 1950 Aerosols, flammable, 2.1 | UN 1950 AEROSOLS, 2.1 | UN 1950 AEROSOLS, 2.1 |
| 14.3. Transport hazard class(es) | | | | |
| 2.1 | 2.1 | 2.1 | 2.1 | 2.1 |

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|---|---|---|---|---|
|  |  |  |  |  |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-D EmS-No. (Spillage): S-U | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

| | |
|---|----------------------|
| Classification code (ADR) | : 5F |
| Special provisions (ADR) | : 190, 327, 344, 625 |
| Limited quantities (ADR) | : 1I |
| Excepted quantities (ADR) | : E0 |
| Packing instructions (ADR) | : P207, LP200 |
| Special packing provisions (ADR) | : PP87, RR6, L2 |
| Mixed packing provisions (ADR) | : MP9 |
| Transport category (ADR) | : 2 |
| Special provisions for carriage - Packages (ADR) | : V14 |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV9, CV12 |
| Special provisions for carriage - Operation (ADR) | : S2 |
| Tunnel restriction code (ADR) | : D |

Transport by sea

| | |
|-----------------------------------|------------------------------------|
| Special provisions (IMDG) | : 63, 190, 277, 327, 344, 381, 959 |
| Limited quantities (IMDG) | : SP277 |
| Excepted quantities (IMDG) | : E0 |
| Packing instructions (IMDG) | : P207, LP200 |
| Special packing provisions (IMDG) | : PP87, L2 |
| Stowage category (IMDG) | : None |
| Stowage and handling (IMDG) | : SW1, SW22 |
| Segregation (IMDG) | : SG69 |

Air transport

| | |
|--|--------------------|
| PCA Excepted quantities (IATA) | : E0 |
| PCA Limited quantities (IATA) | : Y203 |
| PCA limited quantity max net quantity (IATA) | : 30kgG |
| PCA packing instructions (IATA) | : 203 |
| PCA max net quantity (IATA) | : 75kg |
| CAO packing instructions (IATA) | : 203 |
| CAO max net quantity (IATA) | : 150kg |
| Special provisions (IATA) | : A145, A167, A802 |
| ERG code (IATA) | : 10L |

Inland waterway transport

| | |
|---------------------------|----------------------|
| Classification code (ADN) | : 5F |
| Special provisions (ADN) | : 190, 327, 344, 625 |
| Limited quantities (ADN) | : 1 L |
| Excepted quantities (ADN) | : E0 |

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01, VE04
Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : 5F
Special provisions (RID) : 190, 327, 344, 625
Limited quantities (RID) : 1L
Excepted quantities (RID) : E0
Packing instructions (RID) : P207, LP200
Special packing provisions (RID) : PP87, RR6, L2
Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W14
Special provisions for carriage - Loading, unloading and handling (RID) : CW9, CW12
Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 50 g/l

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

| Abbreviations and acronyms: | |
|-----------------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disruptor |

| Full text of H- and EUH-statements: | |
|-------------------------------------|-----------------------------------|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |

Supercut

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Aerosol 2 | Aerosol, Category 2 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Press. Gas (Comp.) | Gases under pressure : Compressed gas |
| Skin Corr. 1 | Skin corrosion/irritation, Category 1 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| H223 | Flammable aerosol. |
| H229 | Pressurised container: May burst if heated. |
| H280 | Contains gas under pressure; may explode if heated. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.