



WOTOROLA USER'S GUIDE Model: SCOUT1100 DIGITAL VIDEO PET MONITOR with OUTDOOR PET UNIT

USER'S GUIDE

The features described in this User's Guide are subject to modifications without prior notice.



Welcome...

to your new Motorola Digital Video Pet Monitor with Outdoor Pet Unit!

Thank you for purchasing your new Digital Video Pet Monitor with Outdoor pet unit. If you have always wondered what your pet is up to when you are away, wonder no more. With the outdoor pet unit, you can also see what your pet(s) is doing in the backyard.

Please retain your original dated sales receipt for your records. For warranty service of your Motorola product, you will need to provide a copy of your dated sales receipt to confirm warranty status. Registration is not required for warranty coverage.

For product related questions, please call:

+49 (0) 1805 938 802 in Europe Email: motorola-mbp@tdm.de

This User's Guide provides you with all the information you need to get the most out of your product.


Before you can use your new Digital Video Pet Monitor, we recommend that you fully charge the battery of the digital video pet monitor by inserting it in the owner unit. This will allow it to continue to work even if you disconnect it from the power supply to carry it to another location. Please read the Safety Instructions on page 7 before installation.

Got everything?

- 1 x Owner Unit
- 1 x Outdoor Pet Unit
- 1 x Rechargeable Ni-MH Battery Pack for the Owner Unit
- 1 x Power adapter for the Owner Unit
- 1 x Power adapter with connector for the Outdoor Pet Unit
- 4 x Mounting Screws and Dry Wall Plugs
- 1 x Tamper-proof Screw
- 1 x Metal Bracket
- 1 x Wrench Key

In multi-camera packs, you will find one or more additional pet units with power adapter units.

Overview of the Owner Unit



- 1. Display (LCD screen)
- Up Key ▲
 Normal Mode: Tilt Up
 Menu Mode: Up
- Down Key ▼
 Normal Mode: Tilt Down


 Menu Mode: Down
- Right Key ►
 Normal Mode: Pan Right Menu Mode: Right
- 6. Menu Key Press to open the Menu options
- 7. OK Key OK
- Quick Scan key Press to double the video pan and tilt speed. Press again to return to normal speed.
- Talk Key Press and hold to talk to your pet Note: applicable for Indoor Pet Unit only (not incl.)

- Power Adapter / Battery LED BLUE when mains adapter power on. RED when battery low.
- 11. Unit ON/OFF LED (Green)
- 12. Audio Level LED (Green, Orange, Red, Red) Note: applicable for Indoor Pet Unit Only (not. incl.)
- 13. Microphone
- Press and Hold to turn the unit ON/OFF
 Press once to turn ON and OFF the LCD display
- 15. Antenna Lift the antenna for optimal reception
- 16. Battery cover
- **17.** Stand
- 18. Speaker
- 19. USB connector Connection to AV output * AV Cable (Optional accessory, purchased separately)
- 20. Power Adapter Socket

Owner unit menu icons

Titl	Signal Level (5 Levels)
*	No RF Signal
*)	Night Vision Mode (Screen changes to Black/White)
	Battery Level Control (4 Levels)
- 2	Pan Left
. →	Pan Right
†	Tilt Up
.	Tilt Down
•	Pan/Tilt at normal speed
>	Pan/Tilt at double speed
49	Volume Level Control (8 Levels)
*	Brightness Level Control (8 Levels)
⊕.	Zoom Level Control (1X, 2X)
ত্র	Alarm Setting (6h, 4h, 2h, OFF)
5 3 + ×	Cam Control (scan, view, add, del)

Overview of Outdoor Pet Unit



- 1. Camera Lens
- 2. Infared LEDs

- 3. Pair Key
- 4. Antenna

Important guidelines for installing your digital video pet monitor

- To use your Pet Units and Owner Unit together, you must be able to establish a radio link between them, and the range will be affected by environmental conditions.
- Any large metal object, like a refrigerator, a mirror, a filing cabinet, metallic doors or reinforced concrete between the Camera and Owner Unit may block the radio signal.
- The signal strength may also be reduced by other solid structures, like walls, or by radio or electrical equipment, such as TVs, computers, cordless or mobile phones, fluorescent lights or dimmer switches.
- Use of other 2.4GHz products, such as wireless networks (Wi-Fi[®] routers), Bluetooth[®] systems, or microwave ovens, may cause interference with this product, so keep the monitor at least 5ft (1.5m) away from these products, or turn them off if they appear to be causing interference.
- If the signal is weak, try moving the Monitor and/or the Pet Units to different positions in the rooms or outdoor area.



Table of contents

1.	Safety Instructions				
2.	Get	ting Started	12		
	2.1	Owner Unit Battery Installation			
	2.2	Owner Unit Power Supply	12		
	2.3	Outdoor Pet Unit Installation	13		
		2.3.1 Mounting the Outdoor Pet Unit	14		
	2.4	Registration (Pairing)	17		
	2.5	View Video Through TV	17		
3.	Usiı	ng the Digital Video Pet Monitor	18		
	3.1	Setting up			
	3.2	Pan and Tilt			
	3.3	Night Vision Mode	18		
	3.4	Video ON/OFF	18		
4.	Owi	ner Unit Menu Options	19		
	4.1	Brightness			
	4.2	Zoom			
	4.3	Alarm	19		
	4.4	Camera Control	19		
		4.4.1 View a camera	19		
		4.4.2 Delete a camera	20		
		4.4.3 Scan camera	20		
5.	Dis	posal of The Device (environment)	21		
6.	Clea	aning	22		
7.		p			
		eval Information	25		



1. Safety Instructions



This symbol indicates that dangerous voltage constituting a risk of electric shock is present within this unit.



This symbol indicates that there are important operating and maintenance (servicing) instructions in the literature accompanying the unit.

WARNING: VOLTAGES IN THIS UNIT ARE HAZARDOUS TO LIFE. DO NOT REMOVE COVERS. THERE ARE NO USER SERVICEABLE PARTS INSIDE.

CAUTION: TO PREVENT ELECTRIC SHOCK, MATCH THE WIDE BLADE OF THE PLUG TO THE WIDE SLOT



WARNING:

STRANGULATION HAZARD - In case this unit is being used to monitor infants or children, keep the unit and adapter cord more than 1 metre from the cot and out of their reach. Never place camera or cords within a cot or near a bed. Secure the cord away from children's reach. Never use extension cords with AC Adapters. Only use the AC Adapters provided.

As with any electrical device, supervision of your pet's usage should be exercised until your pet is acclimated to the product. If your pet is prone to chewing, we strongly recommend you keep this and all other electrical devices out of its reach.

CAMERA SET UP & USE:

- Determine a location for the CAMERA that will provide the best view of your pet in its area of activity.
- Place the CAMERA on a flat surface, such as a dresser, desk or shelf.



WARNING

This digital video pet monitor is compliant with all relevant standards regarding electromagnetic fields and is, when handled as described in the User's Guide, safe to use. Therefore, always read the instructions in this User's Guide carefully before using the device.

- Adult assembly is required. Keep small parts away from children and pet(s) when assembling.
- This product is not a toy. Do not allow children or pet(s) to play with it.
- This digital video pet monitor is not a substitute for responsible supervision and interaction.
- · Keep this User's Guide for future reference.
- Keep the cords out of reach of children and pet(s).
- Do not cover the digital video pet monitor with a towel or blanket.
- Never use extension cords with power adapters. Only use the power adapters provided.
- Test this monitor and all its functions so that you are familiar with it prior to actual use.
- Do not use the digital video pet monitor near water.
- Do not install the digital video pet monitor near a heat source.
- Only use the chargers and power adapters provided. Do not use other chargers or power adapters as this may damage the device and battery pack.
- · Only insert a battery pack of the same type.
- Do not touch the plug contacts with sharp or metal objects.

CAUTION

There is a risk of explosion if battery is replaced by an incorrect type. Please dispose of used batteries according to the instructions.



Important instructions:

- Read and Follow Instructions Please read all the safety and operating instructions before operating the product. Follow all operating instructions.
- Retain Instructions The safety and operating instructions should be retained for future reference.
- Heed Warnings Comply with all warnings on the product and in the operating instructions.
- Polarisation Do not defeat the safety purpose of the polarised or grounding-type plug. A polarised plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong is provided for your safety. If the supplied plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- Power Sources This product should be operated only from the type
 of power source indicated on the marking label. If you are not sure of
 the type of power supplied to your location, consult your camera
 dealer or local power company. For products intended to operate from
 battery power, or other sources, please refer to the operating
 instructions
- Overloading Do not overload wall outlets or extension cords as this
 can result in the risk of fire or electric shock. Overloaded AC outlets,
 extension cords, frayed power cords, damaged or cracked wire
 insulation, and broken plugs are dangerous. They may result in a
 shock or fire hazard. Periodically examine the cord, and if its
 appearance indicates damage or deteriorated insulation, have it
 replaced by your service technician.
- Power-Cord Protection Power supply cords should be routed so
 that they are not likely to be walked on or pinched by items placed
 upon or against them. Pay particular attention to cords at plugs,
 convenience receptacles, and the point where they exit from the
 product.



- Surge Protectors It is highly recommended that the camera equipment be connected to a surge protector. Doing so will protect the equipment from damage caused by power surges. Surge protectors should bear the UL listing mark or CSA certification mark.
- Uninterruptible Power Supplies (UPS) Because this product is
 designed for continuous, 24/7 operation, it is recommended that you
 connect the product to an uninterruptible power supply. An
 uninterruptible power supply has an internal battery that will keep the
 product running in the event of a power outage. Uninterruptible power
 supplies should bear the UL listing mark or CSA certification mark.
 CAUTION: Maintain electrical safety. Power line operated equipment
 or accessories connected to this product should bear the UL listing
 mark or CSA certification mark on the accessory itself and should not
 be modified so as to defeat the safety features. This will help avoid any
 potential hazard from electrical shock or fire. If in doubt, contact
 qualified service personnel.
- Ventilation Slots and openings on the case are provided for ventilation to ensure reliable operation of the product and to protect it from overheating. These openings must not be blocked or covered. The openings should never be blocked by placing the camera equipment on a bed, sofa, rug, or other similar surface. This product should never be placed near or over a radiator or heat register. This product should not be placed in a built-in installation such as a bookcase or rack unless proper ventilation is provided and the product manufacturer's instructions have been followed.
- Attachments Do not use attachments unless recommended by the product manufacturer, as they may cause a hazard.
- Water and Moisture Do not use receivers or video monitors near water - for example, near a bath tub, sink or laundry tub, in a wet basement, near a swimming pool, etc.
- Heat The product should be located away from heat sources such as radiators, heat registers, stoves, or other products (including amplifiers) that produce heat.




- Accessories Do not place this camera equipment on an unstable cart, stand, tripod, or table. The camera equipment may fall, causing serious damage to the product. Use this product only with a cart, stand, tripod, bracket, or table recommended by the manufacturer or sold with the product. Any mounting of the product should be according to the manufacturer's instructions and use a mounting accessory recommended by the manufacturer.
- Camera Extension Cables Check the rating of your extension cable to verify its compliance prior to installation.
- Mounting The cameras provided with this system should be mounted only as instructed in this guide or the instructions that came with your cameras, using the supplied mounting brackets.
- Camera Installation Cameras are not intended for submersion in water. Not all cameras can be installed outdoors. Check your camera environmental rating to confirm if they can be installed outdoors. When installing cameras outdoors, installation in a sheltered area is required.



2. Getting Started

2.1 Owner Unit Battery Installation



 Insert the wire tab of the rechargeable battery pack into the contact slot as shown above and fit the battery pack into the compartment.



Replace the battery cover over the compartment and gently tighten the screw in a clockwise direction using a small screw driver.

2.2 Owner Unit Power Supply



IMPORTANT

Installing the rechargeable battery pack and charging it fully before use is recommended. This will allow the unit to operate on battery in the event of a power failure.

12 Getting Started



- Connect the small plug of the power adapter to the Owner unit and the other end to the electrical outlet. Only use the enclosed power adapter (6V DC/500mA).
- Press and hold the POWER ON/OFF button for 1 second to turn ON the Owner unit.
- Once the Pet and Owner units are switched on, the display on the Owner unit will show the video captured by the Outdoor Pet Unit.
- 4. If there is no connection or you are out of range, the video display will go off and ▼ will be shown on the LCD display, and the unit will beep every 5 seconds. Move the Owner unit closer to the Outdoor Pet Unit until the link is re-established.
- 5. Press and hold the DOWER ON/OFF button, until the progress bar finishes scrolling, to turn OFF the Owner unit.

NOTE

The battery icon \top turns RED to indicate that the battery is low, and it gives a beep every 16 seconds. The battery needs to be recharged. The battery pack takes about 16 hours to be fully charged.

When charging

- During power OFF, when adapter is plugged in, an adapter logo will display on screen and then a flashing battery logo will display for 45 sec. The Blue LED at top left corner light up indicates that the adapter is plugged in.
- During power ON, when the adapter is plugged in, the battery icon on screen's top right corner will show that the battery is charging. The Blue LED at the top left corner lights up to indicate that the adapter is plugged in.

2.3 Outdoor Pet Unit Installation



IMPORTANT

- This product is not intended for submersion in water. For outdoor use, mount it in a sheltered place where it is not directly exposed to rain or snow.
- Determine a location for the Pet Unit that will provide the best

Getting Started 13



- view of the surrounding environment and activities you wish to monitor.
- Select a location for the camera that has an ambient temperature between 14°F~122°F (-10°C~50°C).
- Avoid installing the camera where there are thick walls or obstructions between the camera and the owner unit.
- Avoid installing in a location which requires the wireless signal to pass through cement, concrete, and metal structures. This will reduce the range of transmission.
- Carefully plan where and how the Pet Unit will be positioned and where you will route the cable that connects the Pet Unit to the power adapter.
- Aim the camera(s) to best optimise the viewing area: select a location for the camera that provides a clear view of the area you want to monitor, that is free from dust, and that is not in line-of-sight to a strong light source or direct sunlight.
- Before starting permanent installation, verify the Pet Unit's performance by observing the image on a monitor when the Pet Unit is positioned in the same location/position where it will be permanently installed
- Avoid letting power cords rub against any sharp edges or lie across any high traffic areas where people might trip over them.


2.3.1 Mounting the Outdoor Pet Unit

The Pet Unit is built with durable aluminum, weather resistant housing* so you can use it outdoors in almost any weather condition. Use the provided wall mounting accessory pack (4 mounting screws and drywall plugs, 1 tamper-proof screw, 1 metal bracket, 1 wrench key) and follow the process below for installing the Outdoor Pet Unit.

*Not for use in direct exposure to water, rain or snow.



1. Mark the position of the screw holes on the wall.



Drill 4 holes and hammer the drywall plugs (included) into the holes as needed.



3. Fasten the mounting plate on the wall with the 4 provided Philips head screws.



Getting Started 15



4. Place the 4 mounting slots of the camera base on to the 4 catches on the mounting plate. Make sure the Pet Unit sits firmly on the mounting plate with the centre holes of the 2 parts lined up.



Fasten the Pet Unit to the mounting plate at the centre hole with the tamper-proof screw with the wrench key provided.



Plug the Pet Unit's power adapter into the cord on the camera and then plug the adapter into the electrical outlet.



NOTE

Only use the enclosed power adapter (5.9V DC / 1000mA).



2.4 Registration (Pairing)

The Outdoor Pet Unit is pre-registered to your Owner Unit. You do not need to register it again unless the Outdoor Pet Unit loses its link with the Owner Unit.

To re-register your Outdoor Pet Unit, or register a new Outdoor Pet Unit, follow the procedure below:

- 1. Press the **\Pi** button of the Owner unit and the menu bar will pop up.
- Press the ■ LEFT button or ➤ RIGHT button until ② is highlighted, and the X/+/ ③ / ⑤ menu will pop up.
- Press the ▲ UP button or ▼ DOWN button to select +, and press the OK button to confirm.
- 4. ②1/③2/③3/②4 will pop up, press the ▲ UP button or ▼ DOWN button to select the desired CAM and press the OK button to start searching for a pet unit. The green audio level LED will flash rapidly while searching.
- 5. Press the **OK** button to confirm.
- Press and hold the PAIR button underneath the Outdoor Pet Unit until the Owner unit finds the camera, beeps and the video from the camera appears.

NOTE

If a particular Outdoor Pet Unit was registered previously, registering this current Outdoor Pet Unit again will overwrite the previous registration.

2.5 View Video Through TV

Connect a suitable AV cable into the AV OUT socket on the side of the Owner Unit and into the AV input of the TV. Scroll through the AV inputs on the TV menu until the Outdoor Pet Unit picture is visible.

An AV cable is an optional accessory available for purchase separately.

NOTE

Once the AV cable is connected, the Outdoor Pet Unit's controls cannot be activated.

Getting Started 17

3. Using the Digital Video Pet Monitor

3.1 Setting up

 Mount the Outdoor Pet Unit on the wall under the shelter (recommended) and point the camera lens towards the area you want to monitor.

3.2 Pan and Tilt

The camera can be remotely controlled from the Owner unit.

- 1. Press the ▲ UP button or ▼ DOWN button to tilt upward or downward.
- 2. Press the ■ LEFT button or ▶ RIGHT button to pan left or right.

NOTE

You can press the Quick Scan button to double the pan and tilt speed for quick search. Toggle the button again for returning to normal speed.

3.3 Night Vision Mode

The Outdoor Pet Unit has 8 high-intensity infrared LEDs for picking up clear images in the dark. When the built-in photo sensor detects a low level of ambient light, the LEDs will automatically activate and the screen on the Owner unit will display in black and white. The 3 icon will be displayed on the screen.

3.4 Video ON/OFF

Press

VIDEO ON/OFF key to turn the LCD display on or off, but will still leave the audio monitor on.

4. Owner Unit Menu Options

4.1 Brightness

- 1. Press the **=** button and the menu bar will pop up.
- 2. Press the ◀ LEFT button or ▶ button until ❖ is highlighted.
- Press the ▲ UP button or ▼ DOWN button to select the desired brightness level from level 1 ~ 8. (The default brightness level setting is level 4.)

4.2 Zoom

- 1. Press the **=** button and the menu bar will pop up.
- Press the ▲ UP button or ▼ DOWN button to select the 1¼ or 2¼ zoom. (The default setting is 1X.)

4.3 Alarm

- 1. Press the **=** button and the menu bar will pop up.
- 2. Press the ■ LEFT button or ▶ RIGHT button until 💇 is highlighted.
- 3. Press the ▲ UP button or ▼ DOWN button to select the alarm time (6h, 4h, 2h). (The default setting is Alarm OFF.)

 If an alarm time is selected, the Owner unit will beep for about 45 seconds after every 6, 4 or 2 hour period, and the ☑ alarm icon will flash red

4.4 Camera Control

4.4.1 View a camera

- 1. Press the **=** button and the menu bar will pop up.
- Press the ■ LEFT button or ➤ RIGHT button until ② is highlighted and the x/+/ ③ / ⑤ menu pops up.
- Press the ▲ UP button or ▼ DOWN button to select ⑤, and press the OK button to confirm.
- 4. <u>@1</u> / <u>@2</u> / <u>@3</u> / <u>@4</u> will pop up, press the <u>A</u> UP button or ▼ DOWN button to select desired CAM, and press the OK button to view the picture from that camera.



TIP

Quick Method to View Cameras instead of entering into the menu bar: Directly press **OK** repeatedly to select §1, §2, §3, §4, **G**.

4.4.2 Delete a camera

- 1. Press the **=** button and the menu bar will pop up.
- Press the ■ LEFT button or ➤ RIGHT button until ② is highlighted, and the X / + / ③ / ⑤ menu will pop up.
- 3. Press the ▲ UP button or ▼ DOWN button to select x, and press the OK button to confirm.
- §1 / §2 / §3 / §4 will pop up, press the
 ▲ UP button or ▼ DOWN button to select the desired CAM, and press the OK button to delete that registration.

4.4.3 Scan camera

- 1. Press the **=** button and the menu bar will pop up.
- Press the ■ LEFT button or ➤ RIGHT button until ② is highlighted, and the X / + / ⑥ / ⑤ menu will pop up.
- 3. Press the ▲ UP button or ▼ DOWN button to select ⑤, and press the OK button to confirm.
- The screen will then display images from different registered cameras in a loop of @1 / @2 / @3 / @4, changing about every 12 seconds.

TIP

Quick Method to View Cameras instead of entering into the menu bar: Directly press **OK** repeatedly to select \$1, \$2, \$3, \$4, ••6

5. Disposal of The Device (environment)

At the end of the product lifecycle, you should not dispose of this product with normal household waste. Take this product to a collection point for the recycling of electrical and electronic equipment. The symbol on the product, user's guide and/or box indicates this.



Some of the product materials can be reused if you take them to a recycling point. By reusing some parts or raw materials from used products, you are making an important contribution to the protection of the environment.

Please contact your local authorities if you need more information on the collection points in your area.

Dispose of the battery pack in an environmentally-friendly manner in accordance with your local regulations.



6. Cleaning

Clean your Digital Video Pet Monitor with a slightly damp cloth or with an anti-static cloth. Never use cleaning agents or abrasive solvents.

Cleaning and care

- Do not clean any part of the product with thinners or other solvents and chemicals -- this may cause permanent damage to the product which is not covered by the warranty.
- Keep your Digital Video Pet Monitor away from hot, humid areas or strong sunlight, and don't let it get wet.
- Every effort has been made to ensure high standards of reliability for your Digital Video Pet Monitor. However, if something does go wrong, please do not try to repair it yourself -- contact Customer Service for assistance.

22 Cleaning



7. Help

Display

No display

- Try recharging or replacing the battery pack.
- Reset the units. Disconnect the battery pack of the Owner unit and unplug both the units' electrical power, then plug them back in.
- . Is the unit turned on?
- · Press and hold the ON/OFF key on the Owner unit to turn it ON.
- · Is the correct camera selected?
- · Change the camera number, if necessary.
- Is the video display turned on?
- · Press the VIDEO ON/OFF key to turn it on.
- When operating using batteries, only the Display will go blank after 2 minutes to save power. The unit is still active and will give you audio alerts. You can reactivate the screen by pressing any key.

Registration

If the Outdoor Pet Unit has lost its link with the Owner Unit

- Try recharging or replacing the battery pack.
- If the Outdoor Pet Unit is too far away it may be going out of range, so move the Camera closer to the Owner Unit.
- Reset the units by disconnecting them from the battery and electrical power. Wait about 15 seconds before reconnecting. Allow up to one minute for the Outdoor Pet Unit and the Owner Unit to synchronise.
- See 2.4 Registration (Pairing), if there is a need to re-register the units.

Help 23



Interference

Noise interference on your Owner unit

- Your Camera and Owner units may be too close. Move them farther apart.
- Make sure there is at least 1 to 2 metres between the Camera and Owner units to avoid audio feedback.
- If the Pet Units are too far away it may be out of range, so move the Pet Units closer to the Owner unit.
- Make sure the Camera and Owner units are not near other electrical equipment, such as a television, computer or cordless/mobile telephone.
- Use of other 2.4GHz products, such as wireless networks (Wi-Fi[®] routers), Bluetooth[®] systems, or microwave ovens, may cause interference with this product, so keep the monitors at least 5ft (1.5m) away from these types of products, or turn them off if they appear to be causing interference.
- If the signal is weak, try moving the Owner and/or the Pet Units to different positions in the outdoor area.

24 Help



8. General Information

If your product is not working properly....

- 1. Read this User's Guide or the Quick Start Guide.
- 2. Contact Customer Service:

+49 (0) 1805 938 802 in Europe

Email: motorola-mbp@tdm.de

To order a replacement battery pack, contact customer service.

Consumer Products and Accessories Limited Warranty ("Warranty")

Thank you for purchasing this Motorola branded product manufactured under license by Binatone Electronics International LTD ("BINATONE").

What Does this Warranty Cover?

Subject to the exclusions contained below, BINATONE warrants that this Motorola branded product ("Product") or certified accessory ("Accessory") sold for use with this product that it manufactured to be free from defects in materials and workmanship under normal consumer usage for the period outlined below. This Warranty is your exclusive warranty and is not transferable.

Who is covered?

This Warranty extends only to the first consumer purchaser, and is non-transferable.

What will BINATONE do?

BINATONE or its authorised distributor at its option and within a commercially reasonable time, will at no charge repair or replace any Products or Accessories that does not conform to this Warranty. We may use functionally equivalent reconditioned / refurbished / pre-owned or new Products, Accessories or parts.



What Other Limitations Are There?

ANY IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. SHALL BE LIMITED TO THE DURATION OF THIS LIMITED WARRANTY, OTHERWISE THE REPAIR OR REPLACEMENT PROVIDED UNDER THIS EXPRESS LIMITED WARRANTY IS THE EXCLUSIVE REMEDY OF THE CONSUMER. AND IS PROVIDED IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OF IMPLIED. IN NO EVENT SHALL MOTOROLA OR BINATONE BE LIABLE. WHETHER IN CONTRACT OR TORT (INCLUDING NEGLIGENCE) FOR DAMAGES IN EXCESS OF THE PURCHASE PRICE OF THE PRODUCT OR ACCESSORY. OR FOR ANY INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR LOSS OF REVENUE OR PROFITS, LOSS OF BUSINESS, LOSS OF INFORMATION OR OTHER FINANCIAL LOSS ARISING OUT OF OR IN CONNECTION WITH THE ABILITY OR INABILITY TO USE THE PRODUCTS OR ACCESSORIES TO THE FULL EXTENT THESE DAMAGES MAY BE DISCLAIMED BY LAW.

Some jurisdictions do not allow the limitation or exclusion of incidental or consequential damages, or limitation on the length of an implied warranty, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights that vary from one jurisdiction to another.



Products Covered	Length of Coverage
Consumer Products	Two (2) years from the date of the products original purchase by the first consumer purchaser of the product.
Consumer Accessories	Ninety (90) days from the date of the accessories original purchase by the first consumer purchaser of the product.
Consumer Products and Accessories that are Repaired or Replaced	The balance of the original warranty or for Ninety (90) days from the date returned to the consumer, whichever is longer.

Exclusions

Normal Wear and Tear. Periodic maintenance, repair and replacement of parts due to normal wear and tear are excluded from coverage.

Batteries. Only batteries whose fully charged capacity falls below 80% of their rated capacity and batteries that leak are covered by this Warranty.

Abuse & Misuse. Defects or damage that result from: (a) improper operation, storage, misuse or abuse, accident or neglect, such as physical damage (cracks, scratches, etc.) to the surface of the product resulting from misuse; (b) contact with liquid, water, rain, extreme humidity or heavy perspiration, sand, dirt or the like, extreme heat, or food; (c) use of the Products or Accessories for commercial purposes or subjecting the Product or Accessory to abnormal usage or conditions; or (d) other acts which are not the fault of MOTOROLA or BINATONE, are excluded from coverage.

Use of Non-Motorola branded Products and Accessories. Defects or damage that result from the use of Non-Motorola branded or certified Products or Accessories or other peripheral equipment are excluded from coverage.



Unauthorised Service or Modification. Defects or damages resulting from service, testing, adjustment, installation, maintenance, alteration, or modification in any way by someone other than MOTOROLA, BINATONE or its authorised service centres, are excluded from coverage.

Altered Products. Products or Accessories with (a) serial numbers or date tags that have been removed, altered or obliterated;

(b) broken seals or that show evidence of tampering; (c) mismatched board serial numbers; or (d) nonconforming or non-Motorola branded housings, or parts, are excluded from coverage.

Communication Services. Defects, damages, or the failure of Products or Accessories due to any communication service or signal you may subscribe to or use with the Products or Accessories is excluded from coverage.

How to Obtain Warranty Service or Other Information?

To obtain service or information, please call:

+49 (0) 1805 938 802 in Europe

Email: motorola-mbp@tdm.de

You will receive instructions on how to ship the Products or Accessories at your expense and risk, to a BINATONE Authorised Repair Centre.

To obtain service, you must include: (a) the Product or Accessory; (b) the original proof of purchase (receipt) which includes the date, place and seller of the Product; (c) if a warranty card was included in your box, a completed warranty card showing the serial number of the Product; (d) a written description of the problem; and, most importantly; (e) your address and telephone number.

These terms and conditions constitute the complete warranty agreement between you and BINATONE regarding the Products or Accessories purchased by you, and supersede any prior agreement or representations, including representations made in any literature publications or promotional materials issued by BINATONE or representations made by any agent employee or staff of BINATONE, that may have been made in connection with the said purchase.

BINATONE TELECOM PLC

1 Apsley Way London NW2 7HF, United Kingdom. Tel: +44(0) 20 8955 2700 Fax: +44(0) 20 8344 8877 e-mail: binatoneuk@binatonetelecom.co.uk



EC Declaration of Conformity

We the manufacturer / Importer: Binatone Telecom Plc 1 Apsley Way London

NW2 7HF, United Kingdom.

Declare under our sole responsibility that the following product

Digital Baby Monitor Type of equipment:

Model Name: SCOUT1100

Country of Origin: China Brand: Motorola

complies with the essential protection requirements of R&TTE Directive 1999/5/EC on the approximation of the laws of the Member States relating to Radio Spectrum Matters, the Council Directive 2004/108/EC on the approximation of the laws of the Member States relating to electromagnetic compatibility (EMC) and the European Community Directive 2006/95/EC relating to Electrical Safety.

Assessment of compliance of the product with the requirements relating to the essential requirements according to Article 3 R&TTE was based on Annex III of the Directive 1999/5/EC and the following standard:

Radio Spectrum: EN300328 V1.7.1 (2006-10)

EMC: EN301489-17 V2.1.1 (2009-05) EN301489-1 V1.8.1 (2008-04)

Electrical Safety: EN60950-1:2006+A11:2009+A1:2010

The product is labelled with the European Approval Marking CE as show. Any Unauthorized modification of the product voids this Declaration.



Manufacturer / Importer (Signature of authorized person)



London, 10 Apr 11

Signature: (Paul Tsui/ Product Operation

Director)

Place & Date



Technical Specifications

Outdoor Pet Unit (Model: SCOUT1100PU)

Frequency	2.4GHz to 2.48GHz
Image sensor	colour CMOS 0.3M Pixels
Lens	f 2.5mm, F 2.0
IR LED	8 pcs
Power	Adapter: BLJ5W059100P; Input: 100-240V, 50/60Hz 150mA; Output: 5.9V, 1000mA
	WARNING Use only with provided power supply.



Owner unit (Model: SCOUT1000MU)				
Frequency	2.4GHz to 2.48GHz			
Display	3.5" diagonal TFT LCD			
Display colours	16.7M colour LCD			
Brightness control	8 steps			
Volume control	8 steps			
Power	Adapter: BLJ5W060050P; Input: 100-240V, 50/60Hz 150mA; Output: 6.0V, 500mA			
	WARNING			
	Use only with provided power supply. OR			
	Battery: Model - DESAY, Ni-MH AAA 3 x			
	1.2V 900mAh rechargeable battery pack			
	WARNING			
	Do not use non-rechargeable batteries for the			
	Owner Unit. Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.			



Manufactured, distributed or sold by Binatone Electronics International LTD., official licensee for this product. MOTOROLA and the Stylized M Logo, are trademarks or registered trademarks of Motorola Trademark Holdings, LLC. and are used under license. All other trademarks are the property of their respective owners.

© 2013 Motorola Mobility LLC. All rights reserved.



CE

Version 2.0

Printed in China

