



Gravity[®] 
stand your ground.

**PREMIUM STANDS
CATALOGUE 2016**



**DESIGNED & ENGINEERED
IN GERMANY.**



DESIGN MEETS QUALITY

THE NEW PREMIUM STANDS BY GRAVITY®

Gravity® is the new brand of modern music stands. After an intensive development cycle with users and top designers, we created a sophisticated core range of stands and accessories for musicians and performers.

Through many innovations, such as a customizable marking concept, soft touch elements and the focus on design, the Gravity brand challenges the often undistinguished image of stands and accessories.

The technical development focused on the selection of materials and robust construction. The combination of higher material thicknesses, high-quality 2-fold injected ABS plastic, and die-cast zinc connectors creates a high degree of accuracy in an absolute professional quality.

Gravity® - Stand your ground.

- ✓ Stands and accessories for stage and studio use.
- ✓ Professional functionality with innovative details.
- ✓ Designed and engineered in Germany.
- ✓ Ultra durable construction, built to last.
- ✓ High strength precision tubing and die-cast zinc components.
- ✓ Soft touch rubber-coated clamps and knobs.
- ✓ Double injection molded adjustment knobs.
- ✓ Replaceable rubber marker rings for colour coding and personalizing your stand.


www.gravitystands.com

G-RINGS THE STYLE FACTOR

At Gravity, we believe that stands are more than just accessories. Ultimately, they are part of the show. That's why we build them for heavy duty use and easy, ergonomic handling. But we also opted for a stylish look that sets them apart from dime-a-dozen stands and makes a strong visual statement.

Gravity products feature our unique sheen green „G” rings that are replaceable in seconds. Available in a variety of attractive colours, you can now customize your stands with additional ring packs and match them to your show's visuals, music genre or personal preference.


What's more, the smart „G” ring concept provides convenient colour coding to indicate a stand's intended purpose, placement on stage or the performer to use it. Just pick your colours to add style and distinction to your stands, or choose Vanta Black „G” rings for a classic, discreet look. Black rings are included with all respective Gravity products.



AVAILABLE COLOURS:



Sheen Green Sunshine Yellow Electric Orange Deep Sky Blue Deep Sea blue Power purple Misty Rose Pink Lust Red Concrete Grey Vanta Black Ghost White




Universal Ring Pack

suitable for all Gravity products.

Contents: 5 x 15 mm, 5 x 20 mm,
5 x 25 mm, 5 x 30 mm

Vanta Black:	GRP5555BLK1
Ghost White:	GRP5555WHT1
Concrete Grey:	GRP5555GRY1
Lust Red:	GRP5555RED1
Sunshine Yellow:	GRP5555YEL1
Sheen Green:	GRP5555GRN1
Deep Sky Blue:	GRP5555BLU1
Deep Sea Blue:	GRP5555BLU2
Electric Orange:	GRP5555ORG1
Misty Rose Pink:	GRP5555PNK1
Power Purple:	GRP5555PPL1



GRAVITY
ORIGINAL REPLACEMENT PARTS

Built for durability and longevity, Gravity products are constructed from premium quality materials, such as heavy duty aluminum and steel, tough die cast zinc and hardwearing thermoplastics.

In the unlikely event that the strains of stage and studio use take their toll, we offer a comprehensive selection of original replacement parts.

Gravity replacement parts are field serviceable enabling easy repair to extend the life of your Gravity product and provide an eco-friendly alternative to the planned obsolescence of throwaway designs.

CONTENTS

Microphone Stands P.08

Speaker Stands P.18

Keyboard Stands P.28

Music Stands P.32

Guitar Stands P.36

Accessories P.40



MICROPHONE STANDS

Gravity microphone stands are easy to handle and built to last. Featuring strong, thick-walled tubing with a tough powder coating finish, they are available in folding tripod and round cast iron base versions with ergonomic clutch handles and set-screw knobs for quick, convenient setup. Gravity mic stands include straight, 2-point and 1-point boom adjustment models providing maximum user comfort.

MICROPHONE STANDS

FEATURES



Telescopic boom with quick release clamp for easy adjustment.



Comfortable ergonomic knobs with thermoplastic rubber coating.



Super accurate and stable 2-point boom joint.




Convenient 1-point tilt and position adjustment of the boom arm.



Nonslip soft touch rubber-coated clamp for height adjustment.



Specially tooled ergonomic retainer nut.



High quality rubber feet.



Heavy-duty tubing.



Ultra-sturdy die-cast zinc base.



Circular base plate with rubber bottom for acoustic isolation and surface protection.



Straight Microphone Stand with Folding Tripod Base

Product number	GMS43
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	1030 mm / 1690 mm
Transport length	600 mm
Base type	Tripod, die-cast zinc
Base weight	-
Boom model	-
Boom length	-
Weight	2.3 kg



Microphone Stand with Folding Tripod Base and 1-Point Adjustment Boom

Product number	GMS4311B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	1030 mm / 1690 mm
Transport length	1000 mm
Base type	Tripod, die-cast zinc
Base weight	-
Boom model	1-point adjustment
Boom length	790 mm
Weight	2.7 kg



Microphone Stand with Folding Tripod Base and 1-Point Adjustment Telescoping Boom

Product number	GMS4312B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	1030 mm / 1690 mm
Transport length	1050 mm
Base type	Tripod, die-cast zinc
Base weight	-
Boom model	1-point adjustment
Boom length	880 mm
Weight	2.7 kg

MICROPHONE STANDS



Microphone Stand
with Folding Tripod Base and 2-Point Adjustment Boom

Product number	GMS4321B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	1030 mm / 1690 mm
Transport length	1000 mm
Base type	Tripod, die-cast zinc
Base weight	-
Boom model	2-point adjustment
Boom length	790 mm
Weight	2.7 kg



Microphone Stand
with Folding Tripod Base and 2-Point Adjustment Telescoping Boom

Product number	GMS4322B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	1030 mm / 1690 mm
Transport length	1050 mm
Base type	Tripod, die-cast zinc
Base weight	-
Boom model	2-point adjustment
Boom length	880 mm
Weight	2.7 kg



Short Microphone Stand
with Folding Tripod Base and 1-Point Adjustment Boom

Product number	GMS4211B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	510 mm / 740 mm
Transport length	600 mm
Base type	Tripod, die-cast zinc
Base weight	-
Boom model	1-point adjustment
Boom length	790 mm
Weight	2.2 kg



Short Microphone Stand
with Folding Tripod Base and 1-Point Adjustment Telescoping Boom

Product number	GMS4212B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	510 mm / 740 mm
Transport length	650 mm
Base type	Tripod, die-cast zinc
Base weight	-
Boom model	1-point adjustment
Boom length	880 mm
Weight	2.2 kg



Short Microphone Stand
with Folding Tripod Base and 2-Point Adjustment Boom

Product number	GMS4221B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	510 mm / 740 mm
Transport length	600 mm
Base type	Tripod, die-cast zinc
Base weight	-
Boom model	2-point adjustment
Boom length	790 mm
Weight	2.2 kg



Short Microphone Stand
with Folding Tripod Base and 2-Point Adjustment Telescoping Boom

Product number	GMS4222B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	510 mm / 740 mm
Transport length	650 mm
Base type	Tripod, die-cast zinc
Base weight	-
Boom model	2-point adjustment
Boom length	880 mm
Weight	2.2 kg

MICROPHONE STANDS



Straight Microphone Stand
with Round Base

Product number	GMS23
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	1000 mm / 1680 mm
Transport length	1000 mm
Base type	Round base, cast iron
Base weight	3.6 kg
Boom model	-
Boom length	-
Weight	4.2 kg



Microphone Stand
with Round Base and 1-Point
Adjustment Boom

Product number	GMS2311B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	1000 mm / 1680 mm
Transport length	1000 mm
Base type	Round base, cast iron
Base weight	3.6 kg
Boom model	1-point adjustment
Boom length	790 mm
Weight	4.8 kg



Microphone Stand
with Round Base and 1-Point
Adjustment Telescoping Boom

Product number	GMS2312B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	1000 mm / 1680 mm
Transport length	1050 mm
Base type	Round base, cast iron
Base weight	3.6 kg
Boom model	1-point adjustment
Boom length	880 mm
Weight	4.8 kg



Microphone Stand
with Round Base and 2-Point
Adjustment Boom

Product number	GMS2321B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	1000 mm / 1680 mm
Transport length	1000 mm
Base type	Tripod, die-cast zinc
Base weight	3.6 kg
Boom model	2-point adjustment
Boom length	790 mm
Weight	4.8 kg



Microphone Stand
with Round Base and 2-Point
Adjustment Telescoping Boom

Product number	GMS2322B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	1000 mm / 1690 mm
Transport length	1050 mm
Base type	Round base, cast iron
Base weight	3.6 kg
Boom model	2-point adjustment
Boom length	880 mm
Weight	4.8 kg

MICROPHONE STANDS



Short Microphone Stand

with Round Base and 1-Point Adjustment Boom

Product number	GMS2211B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	480 mm / 730 mm
Transport length	500 mm
Base type	Round base, cast iron
Base weight	3.6 kg
Boom model	1-point adjustment
Boom length	500 mm
Weight	4 kg

Short Microphone Stand

with Round Base and 1-Point Adjustment Telescoping Boom

Product number	GMS2212B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	510 mm / 740 mm
Transport length	600 mm
Base type	Round base, cast iron
Base weight	3.6 kg
Boom model	1-point adjustment
Boom length	880 mm
Weight	4 kg

Short Microphone Stand

with Round Base and 2-Point Adjustment Boom

Product number	GMS2221B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	510 mm / 740 mm
Transport length	650 mm
Base type	Round base, cast iron
Base weight	3.6 kg
Boom model	2-point adjustment
Boom length	500 mm
Weight	4 kg

Short Microphone Stand,

with Round Base and 2-Point Adjustment Telescoping Boom

Product number	GMS2222B
Tube material	Steel, black, powder-coated
Height (Min. / Max.)	510 mm / 740 mm
Transport length	650 mm
Base type	Round base, cast iron
Base weight	3.6 kg
Boom model	2-point adjustment
Boom length	880 mm
Weight	4 kg



SPEAKER STANDS

Gravity speaker stands are built for strength and functionality. They sport a tripod base with a die-cast aluminum leg collar and thick-walled tubing for superior stability that's lightweight. A heavy duty steel collar with safety pin provides easy height adjustment and secure loading. Gravity speaker stands are also available in sets with a convenient carry bag. The range includes a selection of speaker poles too.

FEATURES



Sturdy, virtually indestructible steel collar with safety pin.



Comfortable ergonomic knobs.



Newly designed aluminum die-cast base connector for superior strength.

TRIPOD SPEAKER STAND

The SP 5211 B is a classic tripod speaker stand made from thick walled, yet lightweight powder coated aluminum tubing with a load capacity of 50 kg and 192 cm maximum height.

The die cast aluminum leg collar has been completely redesigned to provide superior durability and longevity, the height adjustment collar is made of steel for additional strength and is virtually indestructible. It features a safety pin to securely lock the 35 mm diameter extension pole in place.

The ergonomic set screw knobs are made from high grade ABS with a soft touch, non-slip thermoplastic coating for comfortable operation.

A set of black coding rings is included with the SP 5211 B, additional ring packs are available in a wide array of colours for instant personalization.

Speaker Stand

35 mm Aluminum

Product number	GSP5211B
Tube material	Aluminum
Colour / Surface	Black / powder-coated
Min. height	1060 mm
Max. height	1920 mm
Transport length	1050 mm
Height adjustment	Clamp with safety pin
Height adjustment material	Steel
Base type	Leg joint
Base material	Die-cast aluminum
Tube diameter	35 mm
Max. load capacity	50 kg
Weight:	2.2 kg
Black ring set included	Yes



SPEAKER STANDS



Set of 2 Speaker Stands
with Bag

Product number GSS5211BSET1



Set of 2 Speaker Stands
with Bag and 2 x 5 m Standard Speaker Cables

Product number GSS5211BSET2



Set of 2 Speaker Stands
with Bag and 2 x 5 m XLR Cables

Product number GSS5211BSET3

SPEAKER STANDS



Variable Speaker Tilt Adapter

Product number	GSAVARTILT
Material	Steel
Colour / Surface	Black / powder-coated
Suitable for tube diameter	35 mm
Max. load	30 kg
Tilt	0 - 15°
Length	190 mm
Weight	0.6 kg
Black ring set included	Yes



5° Speaker Tilt Adapter

Product number	GSAFIXTILT5
Material	Steel
Colour / Surface	Black / powder-coated
Suitable for tube diameter	35 mm
Tilt	5°
Length	190 mm
Weight	0.5 kg
Black ring set included	Yes



Reducer Flange from 36 mm to M10 male

Product number	GSF36M10M
Material	Steel
Colour / Surface	Black / painted
Threaded connector	M10 x 18 mm
Type of adjustment	Screw clamp
Length	100 mm
Weight	0.47 kg



Reducer Flange from 36 mm to M10 female

Product number	GSF36M10F
Material	Steel
Colour / Surface	Black / painted
Threaded connector	M10
Suitable for tube diameter	35 mm
Type of adjustment	Screw clamp
Length	100 mm
Weight	0.47 kg
Accessories (included)	Bolt M10 x 25 / washer



Reducer Flange from 36 mm to 3/8" male

Product number	GSF36Z38M
Material	Steel
Colour / Surface	Black / painted
Threaded connector	3/8" x 12 mm
Suitable for tube diameter	35 mm
Type of adjustment	Screw clamp
Length	100 mm
Weight	0.47 kg



Reducer Flange from 36 mm to M6 male

Product number	GSF36M6M
Material	Steel
Colour / Surface	Black / painted
Threaded connector	M6 x 12 mm
Suitable for tube diameter	35 mm
Type of adjustment	Screw clamp
Length	100 mm
Weight	0.47 kg



Reducer Flange from 36 mm to 16 mm male

Product number	GSF3616M
Material	Steel
Colour / Surface	Black / painted
Threaded connector	M6 x 12 mm
Suitable for tube diameter	16 mm
Type of adjustment	Screw clamp
Length	140 mm
Weight	0.53 kg



Reducer Flange from 36 mm to TV28 female

Product number	GSF36T28F
Material	Steel
Colour / Surface	Black / painted
Suitable for tube diameter	35 mm
Type of adjustment	Screw clamp
Length	130 mm
Weight	0.72 kg

SPEAKER STANDS



Adjustable Speaker Pole
35 mm to M20

Product number	GSP2332B
Material	Steel
Colour / Surface	Black / powder-coated
Min. height	820 mm
Max. height	1400 mm
Transport length	820 mm
Height-adjustment	Steel clamp with safety pin
Lower connector	M20
Upper connector	35 mm
Max. load	40 kg
Weight	1.85 kg
Black ring set included	Yes




Adjustable Speaker Pole
35 mm to 35 mm

Product number	GSP3332B
Material	Steel
Colour / Surface	Black / powder-coated
Min. height	820 mm
Max. height	1400 mm
Transport length	820 mm
Height-adjustment	Steel clamp with safety pin
Lower connector	35 mm
Upper connector	35 mm
Max. load	40 kg
Weight	1.56 kg
Black ring set included	Yes



Adjustable Two Part Speaker Pole
35 mm to 35 mm

Product number	GSP3332TPB
Material	Steel
Colour / Surface	Black / powder-coated
Min. height	1050 mm
Max. height	1400 mm
Transport length	540 mm
Height-adjustment	Steel clamp with safety pin
Lower connector	35 mm
Upper connector	35 mm
Max. load	40 kg
Weight	2.05 kg
Black ring set included	Yes



Adjustable Two Part Speaker Pole
35 mm to M20

Product number	GSP2332TPB
Tube material	Steel, two parts
Colour / Surface	Black / powder-coated
Min. height	1050 mm
Max. height	1400 mm
Transport length	540 mm
Height adjustment	Steel clamp with safety pin
Lower connector	M20
Max. load	40 kg
Upper connector	35 mm
Weight	2.2 kg
Black ring set included	Yes



KEYBOARD STANDS

Gravity keyboard stands are designed for safe support and easy portability. They include single and double X-braced models that are made of heavy duty steel with reinforced joints, durable powder coating and grippy pads. Gravity keyboard stands provide easy setup and height adjustment for sitting or standing playing positions.

KEYBOARD STANDS

FEATURES



Black replacement rings **included**.



Black rests included.



Ergonomic quick release clamp.



Reinforced tubes for superior strength and longevity.



Keyboard stand
X-Form single

Product number	GKSX1
Tube material	Steel
Colour / Surface	Black / powder-coated
Construction	X-braced stand
Lock	Clamping
Number of supports	1
Max. support depth	400 mm
Min. height	100 mm
Max. height	900 mm
Max. load capacity	55 kg
Weight:	2.98 kg
Black ring set included	Yes



Keyboard stand
X-Form double

Product number	GKSX2
Tube material	Steel
Colour / Surface	Black / powder-coated
Construction	X-braced stand
Lock	Clamping
Number of supports	1
Max. support depth	400 mm
Min. height	100 mm
Max. height	900 mm
Max. load capacity	65 kg
Weight:	4.45 kg
Black ring set included	Yes



MUSIC STANDS

Featuring friction-based height and tilt adjustment, the Gravity heavy duty orchestra-style music stand has been designed for easy handling and stability.

FEATURES



Aluminum plate.



Foolproof operation, knob free tilt and height adjustment.



Stable steel base.

ORCHESTRA MUSIC STAND

The NS ORC 1 is a rugged orchestra-style music stand designed for ultimate handling convenience. Height and support tilt adjustment rely on frictional force and do not require any set screws. All frictive parts are engineered for zero wear. The stand of powder coated steel features a lightweight 50 x 33.5 cm aluminum support.

Music Stand

Orchestra

Product number	GNSORC1
Material	Steel/aluminum
Surface	Powder-coated, chrome-plated
Colour	Black, chrome-plated
Support	Powder coated aluminum panel
Support colour	Black
Support size	500 x 335 mm
Min. height (bottom of support)	640 mm
Max. height (bottom of support)	1200 mm
Transport length	1180 mm
Weight	2.7 kg
Black ring set included	Yes





GUITAR STANDS

With a folding stand and wall mount hanger, Gravity has got guitar and bass players covered. Safely locking the neck in place to prevent slippage, the ingenious yoke mechanism opens automatically when the instrument is lifted. The stand and hanger's protective padding and specially-formulated rubber coating do not mar the finish. They are suitable for acoustic, electric and bass guitars.

GUITAR STANDS

FOLDABLE GUITAR STAND

The GS 01 NHB is a rugged yet elegant folding guitar stand for acoustic, electric and bass guitars. It is easily height adjustable up to 108 cm and features Gravity's ingenious „Neckhug“ technology.

The swivel mechanism automatically locks the guitar neck in the yoke to prevent slipping or falling out. The locking wings open again when the instrument is lifted from the stand. The stand's protective padding prevents dents and dings and does not mar the guitar's finish.

Foldable Guitar Stand Neckhug

Product number	GG01NHB
Material	Steel
Surface	Powder-coated
Colour	Black
Suitable for	Electric guitars, acoustic guitars, bass guitars
Number of guitars	1
Width	500 mm
Min. height	680 mm
Max. height	1080 mm
Depth	400 mm
Weight	1.67 kg
Black ring set included	Yes




Automatically secures the guitar.



Innovative neckhug technology.



Quick release clamp for easy setup and adjustment.



Foam padding.


SPRING-LOADED WALL MOUNT GUITAR HANGER

The GS 09 WMB is a universal wall mount hanger for acoustic, electric and bass guitars.

The spring-loaded yoke is self-adjusting to accommodate any headstock and opens automatically when the instrument is lifted. It is coated with specially formulated rubber that provides a secure grip and does not mar the finish of your guitar.

Spring-loaded Wall Mount Guitar Hanger

Product number	GG09WMB
Material	Steel / plastic
Surface	Rubber-coated
Colour	Black
Suitable for	Electric guitars, acoustic guitars, bass guitars



Self-adjusting, spring-loaded yoke.



Non marring rubber coating.



ACCESSORIES

Gravity accessories include convenient carry bags, goose necks, speaker wall mount brackets and a wide range of other items. Browse our catalogue for the smart mic clip and boom coupler, quick swivel boom adapter, the highly adjustable monitor screen mount arm and much more. Gravity accessories have been designed to provide versatility, reliability and long lasting heavy duty use.

ACCESSORIES

DESK LAMP

The LED PL PRO is an elegant, discreet desk lamp with a gooseneck design for easy adjustment of your light positioning. It features 18 white LEDs with a colour rendering index greater than 70, and a touch sensor switch that includes a dimming function. The lamp is ideal for a wide variety of applications, and an integrated port allows for USB device charging to provide additional convenience.

LED Desktop & Piano Lamp with USB Port

Product number	GLEDPLPROB
Number of LEDs	18
Colour of LEDs	White
Switch levels	On, High, Medium, Low, Off
Colour temperature	6000K +/- 500K
Colour rendering index (CRI)	Over 75
Illuminance	1100/800/500/300/100 lx +/- 100 lx
USB Port	Type A, DC 5V 1.5A
Power consumption	8W (max. 19W with USB)
Power supply	AC 100-240V to DC 12V 2A (included)
Goosneck length	280 mm
Total length	730 mm
Weight	0.695 kg



Gooseneck section for easy and flexible adjustment.



USB power out for charging 5 V DC, 1.5 A.



Touch power/dim switch. Touch the surface to power on/off. Press and hold to dim.



Power supply included.

MONITOR MOUNT

The SA 6131 B is an elegant steel and die-cast aluminum construction monitor screen mount arm. It is adjustable in all directions and features an ingenious counterbalance design for easy screen height adjustment. The integrated cable management system ensures a clean and uncluttered installation. The producer screen arm ships with desk clamp and grommet for a wide variety of secure mounting options.



Also available as double version.



Monitor Mount

Tabletop-Mount, Swivel Arm

Product number	GSA6131B / GSA6132B
Material	Aluminum / steel
Colour	Black
Mounting option	Screw terminal / table mount
Suitable for Screens Size	13" - 27"
Number of Screens	1
Screen weight min.	2 kg
Screen weight max.	9 kg
Suitable for curved screens	Yes
Vesa standard	75 x 75, 100 x 100
Tilt / Swivel / Rotate	-90° - +90° / 180° / 360°
Weight	3.85 kg / 6 kg



Gas spring and adjustable spring tension gauge.



Swivel 180°, tilt -90° / +90°, rotate 360°, adjustable height.



Integrated cable management.



Table clamp and ground mounting included.



Quick Coupler,
for Mic Clips and Boom Arms

Product number	GMSQC1B
Material	Aluminum
Colour / Surface	Black / powder-coated
Height	90 mm
Thread stand	5/8"
Thread microphone	3/8"
Weight	0.31 kg



Microphone Holder

Product number	GMAMH01
Material	Steel
Colour / Surface	Black / powder-coated
Length	160 mm
For tube diameter	Up to 30mm
Thread	3/8"
Weight	0.14 kg
Black ring set included	Yes



Microphone Stand Tray

Product number	GMATRAY1
Material	Aluminum
Colour / Surface	Black / powder-coated
Suitable for mounting on	Microphone stands
Support Width / Depth	250 mm / 195 mm
Extension Length	200 mm
Weight	1.1 kg
Black ring set included	Yes



Microphone Stand Tray

Product number	GMATRAY2
Material	Aluminum
Colour / Surface	Black / powder-coated
Suitable for mounting on	Microphone stands
Support Width / Depth	400 mm / 130 mm
Extension Length	50 mm
Weight	1.1 kg
Black ring set included	Yes



ACCESSORIES

Tilt and Swivel Wall Mount

for Speakers up to 20 kg

Product number	GSPWMBS20B/W
Material	Steel
Surface	Powder-coated
Colour	Black / white
Max. load	20 kg
Included	Universal mounting plate



160° swivel,
0 to 40° down tilt,
continuously variable.



Easily readable tilt
angle scale.



6 mm wall plate with safety
rope eyelet.



Also available in white.

Tilt and Swivel Wall Mount

for Speakers up to 30 kg

Product number	GSPWMBS30B/W
Material	Steel
Surface	Powder-coated
Colour	Black / white
Max. load	30 kg
Included	Universal mounting plate



160° swivel,
0 to 40° down tilt,
continuously variable.



Easily readable tilt
angle scale.



5 mm wall plate with safety
rope eyelet.



Also available in white.

Quick Swivel Boom Adapter

Product number	GMSQS1B
Material	Steel
Surface	Powder-coated
Colour	black / white
Height	54 mm
Thread microphone	3/8"
Black ring pack included	Yes



3/8" male and
female threads.



Quick horizontal boom
positioning.



Large ergonomic
set-screw knob.



Foldable Floor Stand for Spots

Product number	GLSFLOORXB
Material	Steel
Colour / Surface	Black / powder-coated
Usable surface	385 x 355 mm
Height	400 mm
Weight	0.4 kg



ACCESSORIES



Transport Bag for 6 Microphone Stands

Product number	GBGMS6B
Stand capacity	6 microphone stands
Colour / Material	Black / nylon 600D
Padding thickness	5 mm
Type of closure	Zip
Dimensions (WxHxD)	1050 x 330 x 330 mm
Weight	1.8 kg



Transport Bag for 2 Speaker Stands

Product number	GBGSS2B
Stand capacity	2 speaker stands
Colour / Material	Black / nylon 600D
Padding thickness	15 mm
Type of closure	Double zip
Dimensions (WxHxD)	1070 x 190 x 290 mm
Weight	1 kg



Transport Bag for 6 short Microphone Stands

Product number	GBGMS6SB
Stand capacity	6 short microphone stands
Colour / Material	Black / nylon 600D
Padding thickness	5 mm
Type of closure	Zip
Dimensions (WxHxD)	330 x 680 x 330 mm
Weight	1.5 kg



Gooseneck long 460 mm

Product number	GMAGOOSEL
Material	Steel
Colour	Black
Thread	3/8"
Diameter	15 mm
Length	460 mm
Weight	0.41 kg



Gooseneck medium 320 mm

Product number	GMAGOOSEM
Material	Steel
Colour	Black
Thread	3/8"
Diameter	15 mm
Length	320 mm
Weight	0.26 kg







Gooseneck short 140 mm

Product number	GMAGOOSEM
Material	Steel
Colour	Black
Thread	3/8"
Diameter	15 mm
Length	140 mm
Weight	0.12 kg

MICROPHONE STAND ORDER GUIDE

The references for the Gravity microphone stands consist of a simple code system.
Use the guide below to find the correct reference.

BASE TYPE	HEIGHT	BOOM ADJUSTMENT	BOOM TYPE	EXAMPLE
 CODE 2	 CODE 2	 CODE 1	 CODE 1	
 CODE 4	 CODE 3	 CODE 2	 CODE 2	

GMS 4 3 1 2 GMS4312
 r i t
 a c a
 v r n
 i o d
 t p
 y h
 o n
 e
 RESULTING
 ARTICLE NUMBER





PREMIUM STANDS CATALOGUE 2016

DESIGNED & ENGINEERED
IN GERMANY.

www.gravitystands.com

   www.facebook.com/gravitystands
www.youtube.com/gravitystands
blog.adamhall.com

Gravity® is a brand of the Adam Hall Group.

The information contained in this publication, including numerical data, has been prepared as a general guide to the products, but intending buyers and users must satisfy themselves as to the suitability and the safety of the products for their particular purposes and duties. No responsibility is assumed for any errors herein. The company reserves the right to alter the designs and material specifications of products shown in this publication without notice.