



## Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 14

LOCTITE LB 8150 known as Loctite 8150 500g tub,EGFD

SDS No. : 283262  
V005.0

Revision: 14.02.2019

printing date: 14.04.2020

Replaces version from: 03.03.2015

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

LOCTITE LB 8150 known as Loctite 8150 500g tub,EGFD

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Lubricant

#### 1.3. Details of the supplier of the safety data sheet

Henkel Ltd

Wood Lane End

HP2 4RQ Hemel Hempstead

Great Britain

Phone: +44 1442 278000

Fax-no.: +44 1442 278071

ua-productsafety.uk@henkel.com

#### 1.4. Emergency telephone number

24 Hours Emergency Tel: +44 (0)1442 278497

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (CLP):

Chronic hazards to the aquatic environment

H412 Harmful to aquatic life with long lasting effects.

Category 3

#### 2.2. Label elements

##### Label elements (CLP):

##### Hazard statement:

H412 Harmful to aquatic life with long lasting effects.

##### Precautionary statement:

P273 Avoid release to the environment.

##### Prevention

#### 2.3. Other hazards

None if used properly.

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### General chemical description:

Lubricant

##### Declaration of the ingredients according to CLP (EC) No 1272/2008:

| Hazardous components<br>CAS-No.  | EC Number<br>REACH-Reg No.    | content                                   | Classification   |
|--|-------------------------------|---|--|
| Ethyl 3-[[bis(1-methylethoxy)phosphinothioyl]thio]propionate<br>71735-74-5 | 275-965-6                     | 2,5- < 10 %                               | Aquatic Chronic 2<br>H411  |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatic       | 918-481-9<br>01-2119457273-39 | 1- < 2,5 %                                | Asp. Tox. 1<br>H304  |
| Hydrocarbons, C9, aromatics<br>128601-23-0                                 | 01-2119455851-35              | 1- < 2,5 %                                | Flam. Liq. 3<br>H226<br>Asp. Tox. 1<br>H304<br>STOT SE 3<br>H335<br>STOT SE 3<br>H336<br>Aquatic Chronic 2<br>H411   |
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5                  | 202-414-9<br>01-211977867-13  | 0,0025- < 0,025 %<br>( 25 ppm- < 250 ppm) | Acute Tox. 4; Oral<br>H302<br>Skin Corr. 1C<br>H314<br>Eye Dam. 1<br>H318<br>STOT RE 2<br>H373<br>Aquatic Acute 1<br>H400<br>Aquatic Chronic 1<br>H410<br>M factor (Acute Aquat Tox): 10 |

For full text of the H - statements and other abbreviations see section 16 "Other information".  
Substances without classification may have community workplace exposure limits available.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### Inhalation:

Move to fresh air. If symptoms persist, seek medical advice.

##### Skin contact:

Rinse with running water and soap.  
Seek medical advice.

##### Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

##### Ingestion:

Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting.  
Seek medical advice.

**4.2. Most important symptoms and effects, both acute and delayed**

Prolonged or repeated contact may cause skin irritation.

Prolonged or repeated contact may cause eye irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

See section: Description of first aid measures

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media:**

Carbon dioxide, foam, powder

**5.2. Special hazards arising from the substance or mixture**

Oxides of carbon, oxides of nitrogen, irritating organic vapors.

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

**Additional information:**

In case of fire, keep containers cool with water spray.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Avoid skin and eye contact.

Ensure adequate ventilation.

**6.2. Environmental precautions**

Do not let product enter drains.

**6.3. Methods and material for containment and cleaning up**

For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for disposal.

Dispose of contaminated material as waste according to Section 13.

**6.4. Reference to other sections**

See advice in section 8

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Keep away from sources of ignition - no smoking.

Vapours should be extracted to avoid inhalation.

Avoid skin and eye contact.

See advice in section 8

**Hygiene measures:**

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

Good industrial hygiene practices should be observed.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in a cool, dry place.

Do not store near sources of heat or ignition, or reactive materials.

Refer to Technical Data Sheet

**7.3. Specific end use(s)**

Lubricant

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational Exposure Limits

Valid for  
Great Britain

| Ingredient [Regulated substance]                                       | ppm | mg/m <sup>3</sup> | Value type                   | Short term exposure limit category / Remarks | Regulatory list |
|--|-----|-------------------|------------------------------|--|-----------------|
| 2,6-di-tert-Butyl-p-cresol<br>128-37-0<br>[2,6-DI-TERT-BUTYL-P-CRESOL] |     | 10                | Time Weighted Average (TWA): |  | EH40 WEL        |

#### Occupational Exposure Limits

Valid for  
Ireland

| Ingredient [Regulated substance]   | ppm | mg/m <sup>3</sup> | Value type                   | Short term exposure limit category / Remarks | Regulatory list |
|--|-----|-------------------|------------------------------|--|-----------------|
| 2,6-di-tert-Butyl-p-cresol<br>128-37-0<br>[2,6-DITERTIARY-BUTYL-PARA-CRESOL] |     | 2                 | Time Weighted Average (TWA): |  | IR_OEL          |

#### Predicted No-Effect Concentration (PNEC):

| Name on list  | Environmental Compartment    | Exposure period | Value      |     |              |        | Remarks |
|---|------------------------------|-----------------|------------|-----|--------------|--------|---------|
|   |                              |                 | mg/l       | ppm | mg/kg        | others |         |
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5 | aqua (freshwater)            |                 | 0,03 µg/l  |     |              |        |         |
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5 | aqua (marine water)          |                 | 0,003 µg/l |     |              |        |         |
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5 | aqua (intermittent releases) |                 | 0,3 µg/l   |     |              |        |         |
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5 | sewage treatment plant (STP) |                 | 0,27 mg/l  |     |              |        |         |
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5 | sediment (freshwater)        |                 |            |     | 0,376 mg/kg  |        |         |
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5 | aqua (marine water)          |                 |            |     | 0,0376 mg/kg |        |         |
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5 | Soil                         |                 |            |     | 0,075 mg/kg  |        |         |

**Derived No-Effect Level (DNEL):**

| Name on list  | Application Area   | Route of Exposure | Health Effect                                | Exposure Time | Value                  | Remarks |
|---|--------------------|-------------------|--|---------------|------------------------|---------|
| Hydrocarbons, C9, aromatics<br>128601-23-0              | Workers            | dermal            | Long term exposure - systemic effects        |               | 25 mg/kg               |         |
| Hydrocarbons, C9, aromatics<br>128601-23-0              | Workers            | inhalation        | Long term exposure - systemic effects        |               | 150 mg/m <sup>3</sup>  |         |
| Hydrocarbons, C9, aromatics<br>128601-23-0              | General population | dermal            | Long term exposure - systemic effects        |               | 11 mg/kg               |         |
| Hydrocarbons, C9, aromatics<br>128601-23-0              | General population | inhalation        | Long term exposure - systemic effects        |               | 32 mg/m <sup>3</sup>   |         |
| Hydrocarbons, C9, aromatics<br>128601-23-0              | General population | oral              | Long term exposure - systemic effects        |               | 11 mg/kg               |         |
| 2-(2-Heptadec-8-enyl-2-imidazol-1-yl)ethanol<br>95-38-5 | Workers            | dermal            | Acute/short term exposure - systemic effects |               | 2 mg/kg                |         |
| 2-(2-Heptadec-8-enyl-2-imidazol-1-yl)ethanol<br>95-38-5 | Workers            | Inhalation        | Acute/short term exposure - systemic effects |               | 14 mg/m <sup>3</sup>   |         |
| 2-(2-Heptadec-8-enyl-2-imidazol-1-yl)ethanol<br>95-38-5 | Workers            | dermal            | Long term exposure - systemic effects        |               | 0,06 mg/kg             |         |
| 2-(2-Heptadec-8-enyl-2-imidazol-1-yl)ethanol<br>95-38-5 | Workers            | Inhalation        | Long term exposure - systemic effects        |               | 0,46 mg/m <sup>3</sup> |         |

**Biological Exposure Indices:**

None

**8.2. Exposure controls:**

Engineering controls:

Ensure good ventilation/extraction.

Respiratory protection:

Ensure adequate ventilation.

An approved mask or respirator fitted with an organic vapour cartridge should be worn if the product is used in a poorly ventilated area

Filter type: A (EN 14387)

Hand protection:

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to &gt; 30 minutes permeation time as per EN 374):

nitrile rubber (NBR;  $\geq$  0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to &gt; 480 minutes permeation time as per EN 374):

nitrile rubber (NBR;  $\geq$  0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Wear protective glasses.

Protective eye equipment should conform to EN166.

Skin protection:

Suitable protective clothing

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |                                    |
|--|------------------------------------|
| Appearance                                   | Grease<br>grey                     |
| Odor   | characteristic                     |
| Odour threshold                              | No data available / Not applicable |
| pH   | No data available / Not applicable |
| Melting point                                | No data available / Not applicable |
| Solidification temperature                   | No data available / Not applicable |
| Initial boiling point                        | No data available / Not applicable |
| Flash point                                  | Not available.                     |
| Evaporation rate                             | No data available / Not applicable |
| Flammability                                 | No data available / Not applicable |
| Explosive limits                             | No data available / Not applicable |
| Vapour pressure                              | No data available / Not applicable |
| Relative vapour density:                     | No data available / Not applicable |
| Density<br>(20 °C (68 °F))                   | 0,9 g/cm <sup>3</sup>              |
| Bulk density                                 | No data available / Not applicable |
| Solubility                                   | No data available / Not applicable |
| Solubility (qualitative)<br>(Solvent: Water) | Not miscible                       |
| Partition coefficient: n-octanol/water       | No data available / Not applicable |
| Auto-ignition temperature                    | No data available / Not applicable |
| Decomposition temperature                    | No data available / Not applicable |
| Viscosity                                    | No data available / Not applicable |
| Viscosity (kinematic)                        | No data available / Not applicable |
| Explosive properties                         | No data available / Not applicable |
| Oxidising properties                         | No data available / Not applicable |

### 9.2. Other information

No data available / Not applicable

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

See section reactivity

### 10.4. Conditions to avoid

Stable under normal conditions of storage and use.

**10.5. Incompatible materials**

None if used properly.

**10.6. Hazardous decomposition products**

None if used for intended purpose.

**SECTION 11: Toxicological information****General toxicological information:**

Prolonged or repeated contact may cause skin irritation.

Prolonged or repeated contact may cause eye irritation.

**11.1. Information on toxicological effects****Acute oral toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.  | Value<br>type | Value         | Species | Method                                   |
|--|---------------|---------------|---------|--|
| Hydrocarbons, C10-C13,<br>n-alkanes, isoalkanes,<br>cyclics, < 2% aromatic | LD50          | > 5.000 mg/kg | rat     | OECD Guideline 401 (Acute Oral Toxicity) |
| Hydrocarbons, C9,<br>aromatics<br>128601-23-0                              | LD50          | 3.492 mg/kg   | rat     | not specified                            |
| 2-(2-Heptadec-8-enyl-2-<br>imidazolin-1-yl)ethanol<br>95-38-5              | LD50          | 1.265 mg/kg   | rat     | OECD Guideline 401 (Acute Oral Toxicity) |

**Acute dermal toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.  | Value<br>type | Value         | Species | Method                                     |
|--|---------------|---------------|---------|--|
| Hydrocarbons, C10-C13,<br>n-alkanes, isoalkanes,<br>cyclics, < 2% aromatic | LD50          | > 5.000 mg/kg | rabbit  | OECD Guideline 402 (Acute Dermal Toxicity) |
| Hydrocarbons, C9,<br>aromatics<br>128601-23-0                              | LD50          | > 3.160 mg/kg | rabbit  | OECD Guideline 402 (Acute Dermal Toxicity) |

**Acute inhalative toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.  | Value<br>type | Value      | Test atmosphere | Exposure<br>time | Species | Method  |
|--|---------------|------------|-----------------|------------------|---------|---|
| Hydrocarbons, C10-C13,<br>n-alkanes, isoalkanes,<br>cyclics, < 2% aromatic | LC50          | > 5,6 mg/l | dust/mist       | 4 h              | rat     | OECD Guideline 403 (Acute<br>Inhalation Toxicity) |

**Skin corrosion/irritation:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.  | Result               | Exposure<br>time | Species | Method   |
|--|----------------------|------------------|---------|--|
| Hydrocarbons, C10-C13,<br>n-alkanes, isoalkanes,<br>cyclics, < 2% aromatic | not irritating       |                  | rabbit  | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |
| Hydrocarbons, C9,<br>aromatics<br>128601-23-0                              | mildly<br>irritating | 4 h              | rabbit  | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |
| 2-(2-Heptadec-8-enyl-2-<br>imidazolin-1-yl)ethanol<br>95-38-5              | corrosive            | 4 h              | rabbit  | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |

**Serious eye damage/irritation:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.               | Result         | Exposure<br>time | Species | Method  |
|---|----------------|------------------|---------|---|
| Hydrocarbons, C9,<br>aromatics<br>128601-23-0 | not irritating |                  | rabbit  | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |

**Respiratory or skin sensitization:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.               | Result          | Test type                       | Species    | Method                                  |
|---|-----------------|---------------------------------|------------|---|
| Hydrocarbons, C9,<br>aromatics<br>128601-23-0 | not sensitising | Guinea pig maximisation<br>test | guinea pig | OECD Guideline 406 (Skin Sensitisation) |

**Germ cell mutagenicity:**

No data available.

**Carcinogenicity**

No data available.

**Reproductive toxicity:**

No data available.

**STOT-single exposure:**

No data available.



**STOT-repeated exposure::**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                           | Result / Value | Route of<br>application | Exposure time /<br>Frequency of<br>treatment | Species | Method  |
|---|----------------|-------------------------|--|---------|---|
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5 | NOAEL 20 mg/kg | oral: gavage            | 31/51 days (m/f)<br>daily                    | rat     | OECD Guideline 422<br>(Combined Repeated<br>Dose Toxicity Study with<br>the Reproduction /<br>Developmental Toxicity<br>Screening Test) |

**Aspiration hazard:**

The mixture is classified based on Viscosity data.

| Hazardous substances<br>CAS-No.  | Viscosity (kinematic)<br>Value | Temperature | Method        | Remarks |
|--|--------------------------------|-------------|---------------|---------|
| Hydrocarbons, C10-C13,<br>n-alkanes, isoalkanes,<br>cyclics, < 2% aromatic | 1,13 mm <sup>2</sup> /s        | 40 °C       | not specified |         |

## SECTION 12: Ecological information

### General ecological information:

Do not empty into drains / surface water / ground water.

### 12.1. Toxicity

#### Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                                      | Value<br>type | Value        | Exposure time | Species             | Method   |
|--|---------------|--------------|---------------|---------------------|--|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatic | LL50          | > 1.000 mg/l | 96 h          | Oncorhynchus mykiss | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| Hydrocarbons, C9, aromatics 128601-23-0                              | LL50          | 9,2 mg/l     | 96 h          | Oncorhynchus mykiss | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| 2-(2-Heptadec-8-enyl-2-imidazolyl-1-yl)ethanol 95-38-5               | LC50          | 0,3 mg/l     | 96 h          | Danio rerio         | OECD Guideline 203 (Fish, Acute Toxicity Test) |

#### Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                                      | Value<br>type | Value        | Exposure time | Species       | Method   |
|--|---------------|--------------|---------------|---------------|--|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatic | EL50          | > 1.000 mg/l | 48 h          | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| Hydrocarbons, C9, aromatics 128601-23-0                              | EL50          | 3,2 mg/l     | 48 h          | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| 2-(2-Heptadec-8-enyl-2-imidazolyl-1-yl)ethanol 95-38-5               | EC50          | 0,163 mg/l   | 48 h          | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |

#### Chronic toxicity to aquatic invertebrates

No data available.

#### Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                                      | Value<br>type | Value        | Exposure time | Species                         | Method  |
|--|---------------|--------------|---------------|---------------------------------|---|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatic | EL50          | > 1.000 mg/l | 72 h          | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatic | NOELR         | 1.000 mg/l   | 72 h          | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Hydrocarbons, C9, aromatics<br>128601-23-0                           | NOELR         | 1 mg/l       | 72 h          | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Hydrocarbons, C9, aromatics<br>128601-23-0                           | EL50          | 2,9 mg/l     | 72 h          | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5            | NOEC          | 0,011 mg/l   | 72 h          | Desmodesmus subspicatus         | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5            | EC50          | 0,03 mg/l    | 72 h          | Desmodesmus subspicatus         | OECD Guideline 201 (Alga, Growth Inhibition Test) |

### Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                           | Value<br>type | Value   | Exposure time | Species                    | Method   |
|---|---------------|---------|---------------|----------------------------|--|
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5 | IC50          | 26 mg/l | 3 h           | activated sludge, domestic | OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test) |

### 12.2. Persistence and degradability

The product is not biodegradable.

| Hazardous substances<br>CAS-No.                                      | Result   | Test type | Degradability | Exposure time | Method  |
|--|--|-----------|---------------|---------------|---|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatic | readily biodegradable, but failing 10-day window | aerobic   | 80 %          | 28 d          | OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test) |
| Hydrocarbons, C9, aromatics<br>128601-23-0                           | readily biodegradable                            | aerobic   | 78 %          | 28 d          | OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test) |
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5            | not readily biodegradable.                       | aerobic   | 1 %           | 28 d          | OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)           |

### 12.3. Bioaccumulative potential

No data available.

No substance data available.

**12.4. Mobility in soil**

The product evaporates readily.  
The product is insoluble and floats on water.

No substance data available.

**12.5. Results of PBT and vPvB assessment**

| Hazardous substances<br>CAS-No.                                      | PBT / vPvB  |
|--|---|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatic | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |
| Hydrocarbons, C9, aromatics<br>128601-23-0                           | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |
| 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol<br>95-38-5            | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |

**12.6. Other adverse effects**

No data available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Product disposal:  
Dispose of according to regulations.

Disposal of uncleaned packages:  
After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.  
Disposal must be made according to official regulations.

**Waste code**

14 06 03 - other solvents and solvent mixtures

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

**SECTION 14: Transport information**

- 14.1. UN number**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.2. UN proper shipping name**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.3. Transport hazard class(es)**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.4. Packing group**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.5. Environmental hazards**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.6. Special precautions for user**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**  
not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

VOC content < 3 %  
(2010/75/EC)

**15.2. Chemical safety assessment**

A chemical safety assessment has not been carried out.

**SECTION 16: Other information**

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

- H226 Flammable liquid and vapor.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

**Further information:**

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (ua-productsafety.de@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

**Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.**