

1. General description

Lubricates and frees seized and rusted metal parts (bolts, screws).



2. Features

- Loosens metal parts seized by dirt, corrosion or dried-up grease.
- Does not contain silicones.
- Penetrates quickly.
- Safe on all metal surfaces, does not stain.
- Convenient 360° (including inverted position) spray valve for aerosols.
- High purity CO2 propellant, giving an active product content of 95%.


3. Applications

- Cleaning mechanical parts.
- Fine mechanics.
- Pumps.
- Pneumatic tools.
- Railroad equipment.



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com





- Valves.
- Agricultural equipment.
- General disassembly.
- Seized and corroded parts.

4. Directions

- Spray liberally and allow to run off.
- Use extension tube for more precise application.
- Allow a few minutes for good penetration.
- Repeat if necessary.
- To remove residues or excess product, use one of the CRC cleaners.
- Do not use on energized equipment.
- Test before use on sensitive materials.
- **A safety data sheet (MSDS) according to EC Regulation N° 1907/2006 Art.31 and amendments is available for all CRC products.**

5. Typical product data (without propellant)

Appearance	Not available.
Density	0.82 (@ 20°C).
Color	Black.
Odor	Characteristic odor.
Flash Point	> 70 °C (Closed Cup)
Surface tension active product	26 mN/m
Horizontal spread active product	90 cm ²
Density active product	0.88 g/cm ³ (@ 20°C).
Dynamic viscosity active product	52 mPa.s (@ 20°C).

6. Packaging


Aerosol 12x500 ML

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment, conditions of use and the unpredictable human factors involved, we recommend that our products are tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied. This Technical Data Sheet may already have been



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com





Technical data sheet
PEN OIL

Reference : 30507

revised as a result of a change in legislation, availability of components or newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: www.crcind.com We recommend that you register on our website for this product, thus enabling you to automatically receive any future updates.

Version CRC_GREEN-PEN_OIL-20130424

Date



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com

