SIEMENS

Data sheet

8MF1288-3BS4

SIVACON, Control panel Empty enclosure, according to IEC 62208, IP40, H: 2200 mm, W: 800 mm, T: 800 mm



Model			
Product brand name	SIVACON		
Product designation	Empty control cabinet enclosure		
Design of the product	according to IEC 62208		
Design of the surface	Powder-coated		
Design of the product / EMC version	No		
Protection class			
Protection class IP	IP40		
Operating resource protection class	Safety class 1		
Suitability			
Suitability for installation / for metric dimensions	Yes		
Suitability for integration			
 surface-mounted installation 	Yes		
 flush mounting 	No		
Suitability for use / for outside use	No		
Appearance			
RAL color number	RAL 7035		
Color	light grey		

Product details					
Product component					
 Ventilation door 			No		
 Mounting plate 			Yes		
 Rear door 			No		
 Viewing door 			No		
 height-adjustable m 	nounting plate		Yes		
Product feature / of the e by-side mounting	nclosure / housing for sid	le-	No		
Number					
Number of locking devices		0			
Number of doors		1			
Mechanical Design					
Height			2 200 mm		
Width	Width		800 mm		
Depth	Depth		800 mm		
Mounting type					
• 19-inch installation			No		
floor mounting			Yes		
• wall mounting		No			
Net weight			190.98 kg		
Material		steel			
Certificates					
Reference code					
• acc. to DIN EN 61346-2		U			
• acc. to DIN EN 81346-2		UC			
General Product Approval	Declaration of Con- formity	Test	t Certificates	other	
EHC	EG-Konf.	Speci	al Test Certificate	Miscellaneous	

Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1288-3BS4

Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/8MF1288-3BS4

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1288-3BS4

Tender specifications http://www.siemens.com/specifications

