SIEMENS

Data sheet 8MF1294-3VR4

SIVACON, Control panel Empty enclosure, without side panels, according to IEC 62208, with Ventilation openings IP20, H: 2200 mm, W: 900 mm, T: 400 mm



Model		
Product brand name	SIVACON	
Product designation	Empty control cabinet enclosure	
Design of the product	according to IEC 62208	
Design of the surface	Powder-coated	
Design of the product / EMC version	No	
Protection class		
Protection class IP	IP20	
Operating resource protection class	Safety class 1	
Suitability		
Suitability for installation / for metric dimensions	Yes	
Suitability for integration		
 surface-mounted installation 	Yes	
• flush mounting	No	
Suitability for use / for outside use	No	
Appearance		
RAL color number	RAL 7035	
Color	light grey	

Product details	
Product component	
 Ventilation door 	Yes
Mounting plate	Yes
Rear door	No
 Viewing door 	No
 height-adjustable mounting plate 	Yes
Product feature / of the enclosure / housing for side- by-side mounting	Yes

Number	
Number of locking devices	0
Number of doors	2

Mechanical Design		
Height	2 200 mm	
Width	900 mm	
Depth	400 mm	
Mounting type		
19-inch installation	No	
• floor mounting	Yes	
• wall mounting	No	
Net weight	147.94 kg	
Material	steel	

Certificates

Reference code

U • acc. to DIN EN 61346-2 • acc. to DIN EN 81346-2 UC

General Product	Declaration of Con-	Test Certificates	other
Approval	formity		





Special Test Certificate

Miscellaneous

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1294-3VR4

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/8MF1294-3VR4

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1294-3VR4

CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications http://www.siemens.com/specifications



