

Switch 400V 3+N-pole 63 A



Model	
Product brand name	SENTRON
Product designation	ON and OFF switch
Design of the operating mechanism	toggle handle
Type of the driving mechanism / motor drive	No
General technical data	
Number of poles	4
Type of device	other
Supply voltage	
Current / at AC / rated value	63 A
Operating voltage / at AC / at 50/60 Hz / rated value	400 V
Protection class	
Protection class IP	IP20
Current	
Continuous current / rated value	63 A
Auxiliary circuit	
Number of CO contacts / for auxiliary contacts	0

Number of NC contacts / for auxiliary contacts	0
Number of NO contacts / for auxiliary contacts	4

### Suitability

Suitability for integration / Distribution board	Yes
<b>Suitability for use</b>	
• Main switch	No
• switch disconnecter	Yes
• EMERGENCY OFF switch	No
• safety switch	No
• maintenance/repair switch	No

### Product details

Product feature / interlock	No
Product extension / optional	
• motor drive	No
• Voltage trigger	No

### Connections

Type of electrical connection / for main current circuit	screw-type terminals
--	----------------------

### Mechanical Design

Mounting type	standard rail
Mounting type	
• front mounting with 4-hole attachment	No
• central front mounting	No

### Certificates

Declaration of Conformity	Test Certificates	other
---------------------------	-------------------	-------



EG-Konf.

[Miscellaneous](#)

[Environmental Confirmations](#)

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TE2514-0>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5TE2514-0>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TE2514-0](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE2514-0)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

