

# MPC (polycarbonate empty enclosure) MPC 17/17/10 trsp

#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com







### Abbildung ähnlich

Small and medium-sized polycarbonate housings The polycarbonate housings of the MPC series are ideal for building into electrical, electromechanical and pneumatic devices as well as PCBs. The enclosures are used in situations with extreme mechanical and chemical conditions.

# Features:

- 9 sizes in 2 versions
- grey or transparent cover
- cover with lead-seal holes
- Mounting holes outside the seal area receptacle threads for rail mounting, mounting plates and circuit hoard
- Comprehensive accessories Weidmüller can manufacture and supply the housing to match customer specifications, fitted with all necessary terminals and cable glands.

# **General ordering data**

Available until	2014-05-20
Туре	MPC 17/17/10 trsp
Order No.	<u>9535400000</u>
Version	MPC (polycarbonate empty enclosure), Empty enclosure, Height: 175 mm, Width: 175 mm, Depth: 100 mm, Material: Polycarbonate, Light Grey, Transparent
GTIN (EAN)	4032248015283
Qty.	1 pc(s).



# MPC (polycarbonate empty enclosure) MPC 17/17/10 trsp

Weidmüller Interface GmbH & Co. KG

27-18-92-90

Klingenbergstraße 16 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

# **Technical data**

Dime	ensions	and	weights
	011010110	uiiu	***************************************

Width	175 mm	Width (inches)	6.89 inch
Height	175 mm	Height (inches)	6.89 inch
Depth	100 mm	Depth (inches)	3.937 inch
Net weight	515 g		

# Cable glands, right

M12	6	M16	4

# Cable glands, top/bottom

M12	6	M16	4
M20	4		

#### **General information**

Areas of use	Building systems and technology, Transportation, Packaging industry, Machine construction	Material	Polycarbonate
Seal material	Polyurethane	Operating temperature, min.	-50 °C
Operating temperature, max.	130 °C	Protection degree	IP66, IP67
Enclosure attachment		Lid attachment	4 polyamide crosshead
	Holes 4.5 mm		screws
Integral fixing	thanks to self-tapping screws		

# **General information on accessories**

Material	Polycarbonate		
Classifications			
ETIM 6.0	EC000261	eClass 6.2	27-14-91-07

eClass 9.1

# **Approvals**

eClass 9.0

Approvals	_	_
	ı	۱.
	- 19	

ROHS	Conform

### **Downloads**

Brochure/Catalogue	<u>CAT 5 ENCL 17/18 EN</u>	
Engineering Data	EPLAN, WSCAD	
Engineering Data	<u>STEP</u>	

27-18-01-01