

Identification tags for cable bundle "Ladder Style", thermal transfer

TAGUL - Standard Tiptags "Ladder Style"

TAGUL is a specially designed for use in identifying wire and cable bundles in electronics and general cabling environments. The labels are applied to cables and harness assemblies with cable ties, and are also suitable for retrofit purposes. The material has been conditioned for printing on both thermal transfer and laser beam printers. The Tiptags are supplied on a continuous material roll. Simply print and press out the required Tiptag and apply with cable ties. Print with HellermannTyton's premium range of thermal printers and ribbons or a laser beam marking device.

Printers: TT4000+ and TT430

Ribbon: TTDTHOUT

Accessories for TT4000+: Cutter (S4000)

Accessories for TT430: Cutter (S430)

Software: TagPrint Pro


Features and Benefits

- TAGUL is a general purpose Tiptag
- Thermal transfer or laser beam printable
- Available in white or yellow
- Meets MIL-STD 202G Method 215 mark permanence tests
- Good mechanical strength and highly flexible
- Delivery in convenient storage boxes
- Easy label design with TagPrint Pro



TAGUL.

MATERIAL	Polyolefin, cross-linked (PO-X)
Operating Temperature	-55 °C to +135 °C
Flammability	ASTM D2671 B
Recommended Ribbon Type	TTDTHOUT
Specifications	MIL-STD-202G Method 215K, SAE - AS81531



TYPE	Length (L)	Width (W)	Pack Cont.	Colour	Article-No.
TAGUL10X51-4WH	51.0	10.0	2,000 pcs.	White (WH)	556-82000
TAGUL10X51-4YE	51.0	10.0	2,000 pcs.	Yellow (YE)	556-82001
TAGUL20X51-4WH	51.0	20.0	1,000 pcs.	White (WH)	556-82005
TAGUL20X51-4YE	51.0	20.0	1,000 pcs.	Yellow (YE)	556-82004
TAGUL20X51-6WH	51.0	20.0	1,000 pcs.	White (WH)	556-82002
TAGUL20X51-6YE	51.0	20.0	1,000 pcs.	Yellow (YE)	556-82003

All dimensions in mm. Subject to technical changes.
Minimum Order Quantity (MOQ) may differ from package content.



For product specific approvals and specifications please refer to the Appendix.