

## Material Safety Data Sheet

---

### 1. Identification of the substance/mixture and of the company/undertaking

<b>Product name:</b>	Li-Ion polymer battery, rechargeable
----------------------	--------------------------------------

Item No.	Nominal Voltage	Capacity	Energy content
2203056	3.7 V	10000 mAh	37 Wh

<b>Manufacturer:</b>	Conrad Electronic SE
<b>Address:</b>	Klaus-Conrad-Str. 1, D-92240 Hirschau
<b>Telephone:</b>	+49 (0) 9604 / 40 - 8988
<b>Date of issue:</b>	08.07.2019

### 2. Composition Information

Chemical Composition	Chemical Formula	Weight(%)	CAS Number
Lithium Nickel Cobalt Manganate	LiNi <sub>x</sub> Co <sub>y</sub> Mn <sub>1-x-y</sub> O <sub>2</sub>	35.81	182442-95-1
Polyvinylidene Fluoride (PVDF)	(C <sub>2</sub> H <sub>2</sub> F <sub>2</sub> ) <sub>n</sub>	1.01	24937-79-9
Aluminium	Al	7.62	7429-90-5
Graphite	C <sub>24</sub> X <sub>12</sub>	20.73	7782-42-5
Styrene-Butadiene Rubber (SBR)	C <sub>36</sub> H <sub>42</sub> X <sub>2</sub>	0.43	61789-96-6
Carboxymethylcellulose (CMC)	C <sub>8</sub> H <sub>16</sub> O <sub>8</sub>	0.33	9000-11-7
Copper	Cu	9.51	7440-50-8
Nickel (Ni)	Ni	0.33	7440-02-0
Lithium Hexafluorophosphate	LiPF <sub>6</sub>	17.33	21324-40-3
Polyethylene (PE)	(C <sub>2</sub> H <sub>4</sub> ) <sub>n</sub>	4.51	9002-88-4
Nylon	C <sub>2</sub> CIF <sub>3</sub>	0.73	24937-16-4
Polypropylene	(C <sub>3</sub> H <sub>6</sub> ) <sub>n</sub>	1.66	9003-07-0

## Material Safety Data Sheet

---

### 3. Hazards Identification

#### Explosive risk

This article does not belong to the explosion dangerous goods

#### Flammable risk

This article does not belong to the flammable material

#### Oxidation risk

This article does not belong to the oxidation of dangerous goods

#### Toxic risk

This article does not belong to the toxic dangerous goods

#### Radioactive risk

This article does not belong to the radiation of dangerous goods

#### Mordant risk

This article does not belong to the corrosion of dangerous goods

#### Other risk

Watt hour rate 37Wh, which belong to the Lithium ion batteries (including lithium ion polymer batteries)

### 4. First aid measures

#### Eye

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

#### Skin

Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid.

#### Inhalation

Remove from exposure and move to fresh air immediately. Use oxygen if available.

#### Ingestion

Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious. Call a physician.

## Material Safety Data Sheet

---

### 5. Fire-fighting measures

**Flash Point**

N/A.

**Auto-Ignition Temperature**

N/A.

**Extinguishing Media**

Water, CO<sub>2</sub>.

**Special Fire-Fighting Procedures**

Self-contained breathing apparatus.

**Unusual Fire and Explosion Hazards**

Cell may vent when subjected to excessive heat-exposing battery contents.

**Hazardous Combustion Products**

Carbon monoxide, carbon dioxide, lithium oxide fumes.

### 6. Accidental release measures

**Steps to be Taken in case Material is Released or Spilled**

If the battery material is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. Wipe it up with a cloth, and dispose of it in a plastic bag and put into a steel can. The preferred response is to leave the area and allow the battery to cool and vapors to dissipate.

Provide maximum ventilation. Avoid skin and eye contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerate.

**Waste Disposal Method**

It is recommended to discharge the battery to the end, to use up the metal lithium inside the battery, and to bury the discharged battery in soil.

### 7. Handling and storage

The battery should not be opened, destroyed or incinerate, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container.

Do not short circuit terminals, or over charge the battery, forced over-discharge, throw to fire. Do not crush or puncture the battery, or immerse in liquids.

**Precautions to be taken in handling and storing**

Avoid mechanical or electrical abuse. Storage preferably in cool, dry and ventilated area, which is subject to little temperature change. Storage at high temperatures should be avoided. Do not place the battery near heating equipment, nor expose to direct sunlight for long periods.

**Other Precautions**

The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

## Material Safety Data Sheet

---

### 8. Exposure controls/personal protection

#### Respiratory Protection

In case of battery venting, provide as much ventilation as possible. Avoid confined areas with venting cell cores. Respiratory Protection is not necessary under conditions of normal use.

#### Ventilation

Not necessary under conditions of normal use.

#### Protective Gloves

Not necessary under conditions of normal use.

#### Other Protective Clothing or Equipment

Not necessary under conditions of normal use.

#### Personal Protection is recommended for venting battery

Respiratory Protection, Protective Gloves, Protective Clothing and safety glass with side shields.

### 9. Physical and chemical properties

Appearance: Quadrate shape

Odour: If leaking, smells of medical ether.

pH: Not applicable as supplied.

Flash Point: Not applicable unless individual components exposed.

Flammability: Not applicable unless individual components exposed.

Relative density: Not applicable unless individual components exposed.

Solubility (water): Not applicable unless individual components exposed.

Solubility (other): Not applicable unless individual components exposed.

### 10. Stability and reactivity

#### Stability

Product is stable under conditions described in Section 7.

#### Conditions to avoid

Heat above 70°C or incinerate. Deform. Mutilate. Crush. Disassemble. Overcharge. Short circuit. Expose over a long period to humid conditions.

#### Materials to avoid

Oxidising agents, alkalis, water.

#### Hazardous Decomposition Products

Toxic Fumes, and may form peroxides.

#### Hazardous Polymerization

N/A.

#### NOTE:

If leaked, forbidden to contact with strong oxidizers, mineral acids, strong alkalies, halogenated hydrocarbons.

## Material Safety Data Sheet

---

### 11. Toxicological information

#### Signs & symptoms

None, unless battery ruptures.

In the event of exposure to internal contents, vapour fumes may be very irritating to the eyes and skin.

#### Inhalation

Lung irritant.

#### Skin contact

Skin irritant

#### Eye contact

Eye irritant

#### Ingestion

Poisoning if swallowed

Medical conditions generally aggravated by exposure: In the event of exposure to internal contents, moderate to severe irritation, burning and dryness of the skin may occur, Target organs nerves, liver and kidneys.

### 12. Ecological information

#### Mammalian effects

None known at present.

#### Eco-toxicity

None known at present.

#### Bioaccumulation potential

Slowly Bio-degradable.

#### Environmental fate

None known environmental hazards at present.

### 13. Disposal consideration

Do not incinerate, or subject cells to temperature in excess of 70°C, Such abuse can result in loss of seal leakage, and/or cell explosion. Dispose of in accordance with appropriate local regulations.

## Material Safety Data Sheet

---

### 14. Transport information

Label for conveyance: Lithium Battery Mark.

UN Number: UN3480 or UN3481

Packing Group: N/A.

EmS No: F-A, S-I

Marine pollutant: No

Proper Shipping name: 1) Lithium ion batteries; 2) Lithium ion batteries packed with equipment; 3) Lithium ion batteries contained in equipment. (including Lithium ion polymer batteries)

Hazard Classification: The goods shall be complied with the requirements of Section II (or Section IB) of Packing Instructions 965-967 of 60th DGR Manual of IATA (2019 Edition) and Special Provision 188 of IMDG CODE (Amdt. 39-18) 2018 Edition, including the passing of the UN38.3 test.

### 15. Regulation information

Law information

《Dangerous Goods Regulations》

《Recommendations on the Transport of Dangerous Goods Model Regulations》

《International Maritime Dangerous Goods》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《Classification and code of dangerous goods》

《Occupational Safety and Health Act》 (OSHA)

《Toxic Substance Control Act》 (TSCA)

《Consumer Product Safety Act》 (CPSA)

《Federal Environmental Pollution Control Act》 (FEPCA)

《The Oil Pollution Act》 (OPA)

《Superfund Amendments and Reauthorization Act Title III (302/311/312/313)》 (SARA)

《Resource Conservation and Recovery Act》 (RCRA)

《Safety Drinking Water Act》 (CWA)

《California Proposition 65》

《Code of Federal Regulations》 (CFR)

In accordance with all Federal, State and local laws.

### 16. Other information

The commissioner provides the composition information of batteries, and promises its integrity and accuracy. Users should read this file carefully, and use the batteries in correct method. We doesn't assume responsibility for any damage or loss because of misuse of batteries.