KERN ABS320-4N



The bestseller in analytical balances, with high-quality single-cell weighing system, also with EC type approval [M]



Measuring system

Adjustment options:	External calibration			otions: External calibration			
Linearity:	0,300 mg						
Minimum weight (USP):	400 mg						
Readability [d]:	0,100 mg						
Recommended adjusting weight:	300 g (E2)						
Repeatability:	0,200 mg						
Resolution:	3.200.000						
Stabilisation time under laboratory conditions:	3 s						
Warm up time:	8 h						
Weighing capacity [Max]:	320 g						
Weighing units:	ct g mg						

Display

Display digit height:

Counting	
Counting resolution:	320000
Mininum piece weight at piece counting (Laboratory:	1 mg
Mininum piece weight at piece counting (Normal):	10 mg

1,400 cm

Functions				
Counting function:	yes			
Function to save totals:	yes			
Percentage determination:	yes			
Standby function:	yes			
Weighing with tolerance range:	yes			
Environmental conditions				
Maximum humidity:	85 %			
Maximum operating temperature:	30 °C			
Minimum ambient temperature:	10 °C			
Minimum humidity:	20 %			
Power supply				
Input voltage:	110 V - 230 V AC			
Mains adapter:	Mains adapter external			
Mains adapter/adapter included:	CH EURO UK US			
Service				
DAkkS Certificate:	963-101			
Category				
Brand:	KERN			
Category:	Balances			
Product Group:	Analytical balance			
· ·				
Packaging & shipping				
Delivery:	24 h			
Dimensions packaging (WxDxH):	388 x 570 x 530 mm			
Gross weight:	8,800 kg			
Net weight:	5,900 kg			
Shipping method:	Parcel service			
Construction				
Casing material:	Plastic			
Dimensions draft shield (WxDxH):	201 x 220 x 256 mm			
Dimensions housing (WxDxH):	212 x 340 x 325 mm			
Level indicator:	yes			
Material weighing plate:	stainless steel			
Revolving screw feet:	yes			
Weighing space (WxDxH):	, 174 x 162 x 227 mm			
Weighing surface (d):	91			

KERN ABS320-4N



The bestseller in analytical balances, with high-quality single-cell weighing system, also with EC type approval [M]

Piktogramme

STANDARD

CAL INT	GLP PRINTER	PCS	% Percent	-√+ ত ৢ৽ TOL	B H
SC TECH					
OPTION					



FACTORY

